

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
8 April 2004 (08.04.2004)

PCT

(10) International Publication Number
WO 2004/028346 A2

- (51) International Patent Classification⁷: **A61B**
- (21) International Application Number:
PCT/US2003/030359
- (22) International Filing Date:
25 September 2003 (25.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/413,583 25 September 2002 (25.09.2002) US
60/491,842 1 August 2003 (01.08.2003) US
- (71) Applicant (for all designated States except US): **AMERSHAM BIOSCIENCES (SV) CORP.** [US/US]; 928 East Arques Avenue, Sunnyvale, CA 94085 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **LOUKOLA, Anu-Maria** [FI/FI]; Mäkitie 4, FIN-02880 Veikkola (FI). **PENN, Sharron, Gaynor** [GB/US]; 1529 School Street, San Carlos, CA 94070 (US). **RANK, David, Russell** [US/US]; 886 Bruce Drive, Palo Alto, CA 94303 (US).

HANZEL, David, Kagen [US/US]; 988 Loma Verde Avenue, Palo Alto, CA 94303 (US). **CASEY, Graham** [GB/US]; 55 Skyline Drive, Moreland Hills, OH 44022 (US). **WITTE, John, S.** [US/US]; 2931 Frontera Way, Burlingame, CA 94010 (US).


(74) Agents: **Ji, Yonggang** et al.; Amersham Biosciences Corp, 800 Centennial Avenue, Piscataway, NJ 08855 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: DETECTION METHODS



Testosterone biosynthetic pathway

(57) Abstract: The present invention relates to the prognosis, diagnosis and treatment of cancer, particularly prostate cancer. Polynucleotides having single nucleotide polymorphisms (SNPs) and haplotypes are provided which are of utility in the prognosis, diagnosis, prophylaxis and treatment of prostate and breast cancer.

WO 2004/028346 A2



Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

DETECTION METHODS

Cross Reference to Related Applications

This application claims priority to United States provisional patent
5 application numbers 60/413,583 filed September 25, 2002, and 60/491,842 filed
August 1, 2003; the disclosures of which are incorporated herein by reference in
their entirety.

Field of Invention

10 The present invention relates to single nucleotide polymorphisms in
nucleic acids involved in encoding enzymes in the testosterone biosynthetic
pathway and to methods for detecting such polymorphisms. The invention has
utility in the diagnosis, prognosis, prevention and treatment of disease,
particularly those relating to prostate cancer and breast cancer.

15

Background of the Invention

Prostate cancer is the most common non-skin cancer in males all over the
world. Currently, there are no means to predict how aggressive an individual's
cancer will be. Thus, many patients are given unnecessary drastic treatment with
20 severe side effects and possibly others do not receive treatment effective
enough.

Incidence of prostate cancer shows strong age dependence, being a
disease of old men, and strong race dependence, being almost twice as common
in African Americans as in Caucasians, while Asian populations have the lowest
25 risk (Cook et al. (1999) J Urol 161, 152-155; Hsing et al. (2000) Int J Cancer 85,
60-67). The third well-known risk factor is having a family history of prostate
cancer (Cerhan et al. (1999) Cancer Epidemiol Biomarkers Prev 8, 53-60; Kalish
et al. (2000) Urology 56, 803-806), and several studies have supported the
presence of predisposing genetic factors.

30 Genome wide linkage analyses have pointed multiple chromosomal
regions showing linkage in prostate cancer families and several prostate cancer
candidate loci have been suggested; HPC1 in 1q24 (Smith et al. (1996) Science
274, 1371-1374), HPCX in Xq27 (Xu et al. (1998) Nat Genet 20, 175-179), PCAP

in 1q42.2 (Berthon et al. (1998) Am J Hum Genet 62, 1416-1424), CABP in 1p36 (Gibbs et al. (1999) Am J Hum Gen 64, 776-787), and *HPC2/ELAC2* in 17p (Tavtigian et al. (2001) Nat Genet 27, 172-180). Recently, a candidate cancer-susceptibility gene, *RNASEL*, was cloned at the HPC1 loci (Carpten et al. (2002) Nat Genet 30, 181-184) and two possibly deleterious germline mutations segregating in prostate cancer families were discovered.

The growth of prostate cells is dependent on active testosterone (Ekman (1995) J Urol 101, 22-25) and strikingly, prostate adenocarcinomas can be created by testosterone administration in rats (Gupta et al. (1999) Cancer Res 59, 2115-2120). Testosterone seems to be a strong tumour promoter for the rat prostate, even at doses that do not measurably increase circulating testosterone (Bosland et al. (1991) Princess Takamatsu Symp 22, 109-123). Consequently, genes involved in the testosterone biosynthetic pathway, e.g., *CYP17*, *CYP3A4*, and *SRD5A2* (Figure 1) are good candidates for being involved in the initiation and progression of prostate cancer. Several polymorphisms have been discovered in these genes and some of them show association either with increased risk or progression of prostate cancer (Table 1). Nevertheless, there is no evidence of higher testosterone levels in prostate cancer patients.

Approximately 55 different Cytochrome P450 genes are present in the human genome and are classified into different families and subfamilies on the basis of sequence homology. Members of the CYP3A subfamily catalyze the oxidative, peroxidative and reductive metabolism of different endobiotics, drugs, and protoxic or procarcinogenic molecules. As an example, CYP3A4 is responsible for the oxidative metabolism of an estimated 60% of all clinically used drugs. Up to 30-fold interindividual differences in expression has been detected, causing variation in oral bioavailability and systemic clearance of CYP3A substrates, such as HIV protease inhibitors, several calcium channel blockers and some cholesterol-lowering drugs. Variation in CYP3A expression is particularly important in substrates with narrow therapeutic indices, such as cancer chemotherapeutics and immunosuppressants. Variation in CYP3A expression can result in clinically significant differences in drug toxicities and response.

As with prostate cancer, breast cancer also shows age-dependency indicating a possible hormonal influence on the disease risk. Endogenous oestradiol synthesis takes place in the ovarian theca cells of pre-menopausal women, in the stromal adipose cells of the breast of post-menopausal women, and in minor quantities in peripheral tissue. These cells, as well as breast cancer tissue, express all the necessary enzymes for this synthesis, including *CYP17*, and enzymes that further hydroxylate oestradiol, such as *CYP3A4* (Kristensen et al. (2000) *Mutat Res* 462, 323-333). Thus, polymorphisms in these enzymes may also be associated with the risk of breast cancer (Kristensen et al. (2000) *Mutat Res* 462, 323-333). Furthermore, *CYP3A4* is also involved in the activation of many mammary carcinogens, such as the polycyclic aromatic hydrocarbons and heterocyclic amines (Guengerich et al. (1991) *Chem Res Toxicol.* 4, 168-179). According to a recent study (Zheng et al. (2001) *Cancer Epidemiol Biomarkers Prev* 10, 237-242), high *CYP3A4* activity may be a risk factor for breast cancer risk.

Single nucleotide polymorphisms (SNPs) are the most common type of genetic variation in the human genome, and are expected to be helpful in identifying human disease genes. In addition to occurring frequently, on average every 500-2,000 bp (Li & Sadler (1991) *Genetics* 129, 513-523; Chakravarti (1998) *Nat Genet* 19, 216-217; Cargill et al. (1999) *Nat Genet* 22, 231-238; Halushka et al. (1999) *Nat Genet* 22, 239-247), SNPs have a low mutation rate when compared to microsatellite markers, both of which are characteristics that may have particular advantages for association analysis. The utility of SNPs is not only in their use as markers for discovering additional functional variants and for the general evaluation of a specific gene in the context of a given clinical phenotype but also in their potential functional relevance. However, rather than finding a single SNP with drastic effect on the phenotype, more likely it will be multiple SNPs in relevant genes, either linked (i.e., grouped as a haplotype) or independent (perhaps on different chromosomes), that contribute to the phenotype.

Recently, several studies have shown the utility of haplotypes, i.e., a combination of SNPs with alleles physically assigned to a chromosome, in association analysis (Daly et al. (2001) *Nat Genet* 29, 229-232). Studying

haplotypes might give the analysis more power but traditionally demands either samples from multiple generations or tedious molecular haplotyping.

Alternatively, several algorithms have been developed for inferring haplotypes from genotype data (Clark (1990) Mol Biol Evol 7, 111-122; Excoffier & Slatkin
5 (1995) Mol Biol Evol 12, 921-927; Stephens et al. (2001) Am J Hum Genet 68, 978-989). These algorithms have been proven to work with a very low error rate (Drysdales et al. (2000) PNAS 97, 10483-10488). In a sense, haplotyping is equivalent to performing a study in a family or other select group of people. It helps to get back the power of linkage, and can be regarded as a crucial step in
10 association studies using random individuals.

WO02/055735 discloses specific nucleic acids useful for identifying, diagnosing, monitoring, staging, imaging and treating prostate cancer and breast cancer. Similar compositions comprising prostate specific nucleic acids are described by the same applicant (Diadexus Inc.) in related applications
15 (WO02/42776, WO02/42499, WO02/42463, WO02/42329, WO02/39431, WO02/239431, WO02/38810, WO02/38810, WO02/236808 and WO0224718).

Diadexus Inc. have also disclosed a method of diagnosing, monitoring, staging, imaging and treating prostate and breast cancer by means of specific nucleic acids, in a series of related applications (WO01/39798 & WO00/23111 &
20 WO00/23108).

WO01/53537 (DZ Genes Inc.) describes isolated polynucleotides containing at least one polymorphism useful for the diagnosis of disease, particularly prostate and breast cancer.

Single nucleotide polymorphisms associated with prostate cancer are
25 disclosed in WO01/83828, as are methods for using these SNPs to determine susceptibility to this disease.

In order to improve the lives of prostate and breast cancer patients it is essential to develop prognostic markers for cancer as well as markers allowing general assessment of disease risk. Patients need to be categorized into those
30 needing immediate, extensive treatment, and those who just need watchful waiting. As a result, prostate and breast cancer mortality could be reduced and unnecessary side effects caused by invasive treatments could be avoided. There is therefore a need for prognostic molecular markers for aggressive breast and

prostate cancer to aid predicting, diagnosing and monitoring these diseases in individuals. Furthermore, there is a continued need for improved methods of treatment of both conditions in patients. The present invention addresses these needs and provides improvements over the prior art in the form of novel and
5 specific nucleic acids, microarrays and kits useful for the diagnosis of breast and prostate cancer.

Summary of the Invention

According to the first aspect of the present invention, there is provided an
10 isolated polynucleotide selected from the group consisting of a nucleotide sequence comprising one or more polymorphic sequences of SEQ ID NOS 1-34. Suitably, a fragment of the isolated polynucleotide comprises a polymorphic site in the polymorphic sequence.

In a second aspect of the present invention, there is provided an isolated
15 polynucleotide comprising a sequence complementary to one or more of the polymorphic sequences of SEQ ID NOS 1-34. Suitably, a fragment of the complementary nucleotide sequence comprises a polymorphic site in the polymorphic sequence.

Preferably, the polynucleotides of the first and second aspect comprise
20 DNA, RNA, cDNA, or mRNA

Preferably, at least one single nucleotide polymorphism of the isolated polynucleotide is at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop
25 codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs
30 after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15,

position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position

5 [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No.

10 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, and position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34.

15 More preferably, at least one single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4,

20 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12,

25 [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of

30 SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1

+466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, and [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34.

Optionally, the polynucleotide is the complement of any of the isolated polynucleotides hereinbefore described.

In one aspect, the polynucleotide comprises part of the *CYP17* gene, the *CYP3A4* gene or the *SRD5A2* gene.

Preferably, the isolated polynucleotide further comprises a detectable label. More preferably, the detectable label is selected from the group consisting of fluorophore, radionuclide, peptide, enzyme, antibody and antigen. In a preferred embodiment, the fluorophore is a fluorescent compound selected from the group consisting of Hoechst 33342, Cy2, Cy3, Cy5, CypHer, coumarin, FITC, DAPI, Alexa 633, DRAQ5 and Alexa 488.

In a third aspect of the present invention, there is provided a method for diagnosing a genetic susceptibility for a disease, condition or disorder related to prostate or breast cancer in a subject, the method comprising analysing a biological sample containing nucleic acid obtained from the subject to detect the presence or absence of one or more single nucleotide polymorphisms at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of

SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position
5 [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs
10 after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35,
15 position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44, and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

Suitably, the nucleic acid is DNA, RNA, cDNA or mRNA.

20 Preferably, the single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs
25 after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9
30 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19,

[CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, 5 [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region - 10 2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the 15 stop codon, G>A] of SEQ ID No.45.

Optionally, the single nucleotide polymorphism is selected from the complement of any of the single nucleotide polymorphisms described hereinbefore.

Suitably, the analysis is accomplished by sequencing, genotyping, 20 fragment analysis, hybridisation, restriction fragment analysis, oligonucleotide ligation or allele specific PCR. Preferably, the analysis is accomplished by hybridisation, the method comprising the steps of

- i) contacting the nucleic acid with an oligonucleotide that hybridises to one or more isolated polynucleotide polymorphic sequence selected 25 from the group consisting of SEQ ID NOS 1-36, 42-45 or its complement
- ii) determining whether the nucleic acid and the oligonucleotide hybridize;

whereby hybridisation of the nucleic acid to the oligonucleotide indicates the 30 presence of the polymorphic site in the nucleic acid.

In a fourth aspect of the present invention, there is provided a method for diagnosing a genetic susceptibility for a disease, condition or disorder related to prostate or breast cancer in a subject, or predicting an individual's response to a

drug, the method comprising adding an antibody to a polypeptide present in a biological sample obtained from the subject which polypeptide is encoded by a polynucleotide selected from the group consisting of SEQ ID NOS 1-36 and SEQ ID NOS 42-45, or the complement thereof, and detecting specific binding of the antibody to the polypeptide.

In a fifth aspect of the present invention, there is provided a kit comprising at least one isolated polynucleotide of at least 5 contiguous nucleotides of SEQ ID NOS: 1-36 or 42-45, or the complement thereof, and containing at least one single nucleotide polymorphic site associated with a disease, condition or disorder related to prostate or breast cancer together with instructions for the use thereof for detecting the presence or the absence of said at least single nucleotide polymorphism in said nucleic acid.

In a sixth aspect of the present invention, there is provided an oligonucleotide array comprising at least one oligonucleotide capable of hybridising to a first polynucleotide at a polymorphic site encompassed therein, wherein the first polynucleotide comprises a nucleotide sequence comprising one or more polymorphic sequences of SEQ ID NOS: 1-36 and SEQ ID NOS: 42-45.

Suitably, the first polynucleotide comprises a fragment of any of the nucleotide sequences, the fragment comprising a polymorphic site in the polymorphic sequence.

Suitably, the first polynucleotide is a complementary nucleotide sequence comprising a sequence complementary to one or more polymorphic sequences of SEQ ID NOS: 1-36 and SEQ ID NOS: 42-45.

Suitably, the first polynucleotide comprises a fragment of said complementary sequence, the fragment comprising a polymorphic site in the polymorphic sequence.

Suitably, the position of the polymorphic site in the kit or the microarray as hereinbefore described is at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -

132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44 and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

Preferably, at least one single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after

the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

Optionally, at least one single nucleotide polymorphism is the complement of any of the single nucleotide polymorphisms as hereinbefore described.

Suitably, the oligonucleotide further comprises a detectable label.

Preferably, the label is selected from the group consisting of fluorophore, radionuclide, peptide, enzyme, antibody or antigen. More preferably, the fluorophore is a fluorescent compound selected from the group consisting of Hoechst 33342, Cy2, Cy3, Cy5, CypHer, coumarin, FITC, DAPI, Alexa 633 DRAQ5 and Alexa 488.

In a seventh aspect of the present invention, there is provided a method of treatment or prophylaxis of a subject comprising the steps of

- i) analysing a biological sample containing nucleic acid obtained from the subject to detect the presence or absence of at least one single

- nucleotide polymorphism in SEQ ID NOS 1-36 or SEQ ID NOS 42-45, or the complement thereof, associated with a disease, condition or disorder related to prostate or breast cancer; and
- ii) treating the subject for the disease, condition or disorder if step i) detects the presence of at least one single nucleotide polymorphism in SEQ ID NOS: 1-36 or SEQ ID NOS 42-45, or the complement thereof.

Treatment may take a variety of forms depending upon the nature of the cancer. Hormonal therapy is a widely used treatment for patients with metastatic carcinoma of the prostate (Goethuys et al. (1997) Am J Clin Oncol. 20, 40-45). Such treatment may, for example, involve androgen deprivation by surgical (e.g. orchiectomy) or androgen suppressive agents such as estrogens, (e.g. diethylstilbestrol), antiandrogens (e.g. flutamide) and luteinising hormone-releasing hormone agonists (e.g. leuprolide). Radiotherapy using radionuclides, such as ³²Phosphorus or ⁸⁹Strontium, can be an effective treatment for the disease. There is also growing interest in the development of vaccines (Slovin (2001) Hematol. Oncol. Clinic N. Am, 15, 477-496) or the use of gene therapeutic methods (Ferrer & Rodriguez (2001) Hematol Oncol Clinic of N. Am 15, 497-508) for the treatment of prostate cancer.

Suitably, the nucleic acid is selected from the group consisting of DNA, RNA and mRNA.

Preferably, the sample is analysed to detect the presence or absence of at least one single nucleotide polymorphism at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position

[CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44, and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

More preferably, at least one single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17,

[CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24,
 5 [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

Optionally, at least one single nucleotide polymorphism is the complement of any of the single nucleotide polymorphisms hereinbefore described.

Suitably, the method counteracts the effect of at least one single
 20 nucleotide polymorphism detected.

In a first embodiment of the seventh aspect, the method comprises treatment with a polynucleotide selected from the group consisting of polymorphic sequences SEQ ID NOS 1-36 or SEQ ID NOS 42-45, or their complement, provided that the polymorphic sequence, or the complement, does not contain at
 25 least one single nucleotide polymorphism at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon,] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position
 30 [CYP3A4, 2204 base pairs after the stop codon,] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base

pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position
5 [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141]
10 of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ
15 ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position
20 [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44, and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

Preferably, the polymorphic sequence does not contain at least one single nucleotide polymorphism selected from the group consisting of [CYP3A4_IVS9
25 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -
30 868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13,

[CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

Preferably, the polymorphic sequence does not contain at least one single nucleotide polymorphism which is the complement of any of the single nucleotide polymorphisms hereinbefore described.

In a second embodiment of the seventh aspect, the method comprises treatment with a polypeptide which is encoded by a polynucleotide selected from the group consisting of polymorphic sequences SEQ ID NOS 1-36 and SEQ ID NOS 42-45 or their complement, provided that the polymorphic sequence, or the complement, does not contain at least one single nucleotide polymorphism at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ

ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No.
 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11,
 position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841]
 of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position
 5 [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of
 SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position
 [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID
 No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1
 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position
 10 [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID
 No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5'
 region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No.
 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base
 pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs
 15 after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base
 pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5'
 region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -
 2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon
 (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35,
 20 position [SRD5A2_5' region -8029] of SEQ ID No. 36, position
 [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of
 SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44 and
 position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

Preferably, the polymorphic sequence does not contain at least one single
 25 nucleotide polymorphism selected from the group consisting of [CYP3A4_IVS9
 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon,
 A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of
 SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -
 202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C]
 30 of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -
 868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9,
 [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4,
 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3

+1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, 5 [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of 10 SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, 15 [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

20 Suitably, the polymorphic sequence does not contain at least one single nucleotide which is the complement of any of the single nucleotide polymorphisms as hereinbefore described.

In a third embodiment of the seventh aspect, the method comprises treatment with an antibody that binds specifically with a polypeptide encoded by a 25 polynucleotide selected from the group consisting of SEQ ID NOS 1-34, or SEQ ID NOS 42-45, or the complement thereof.

According to an eighth aspect of the present invention, there is provided a method for predicting the genetic ability of a subject or an organism to metabolise a chemical, the method comprising analysing a biological sample containing 30 nucleic acid obtained from the subject or organism to detect the presence or absence of one or more single nucleotide polymorphisms at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2,

position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44, and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

Wherein the presence of a polymorphism at one or more of the positions is indicative of the subject's or organism's ability or inability to metabolise the chemical.

Preferably, the analysis comprises detecting the presence or absence of one or more single nucleotide polymorphisms selected from the group consisting

of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

Preferably, the method further comprises predicting the response of the subject or the organism to the chemical by their ability or inability to metabolise the chemical.

Suitably, the chemical is a drug or a xenobiotic.

Suitably, the organism is selected from the group consisting of bacterium, fungus, protozoa, alga, insect, nematode, amphibian, plant, fish and mammal.

In a ninth aspect of the present invention, there is provided a vector comprising a polynucleotide selected from the group consisting of a nucleotide
5 sequence comprising one or more polymorphic sequences of SEQ ID NOS 1-34 or SEQ ID NOS 42-45.

In a tenth aspect of the present invention, there is provided a host cell transformed with the vector hereinbefore described.

Preferably, the host cell is selected from the group consisting of,
10 bacterium, fungus, protozoa, alga, insect, nematode, amphibian, plant, fish and mammal. More preferably the mammalian cell is a human cell.

In an eleventh aspect of the present invention, there is provided a method of metabolising a chemical using the host cell as hereinbefore described.

In a twelfth aspect of the present invention, there is provided a method for
15 making a host cell resistant to a chemical, the method comprising transforming a cell with any of the polynucleotides or with any of the vectors as hereinbefore described.

In a thirteenth aspect of the present invention, there is provided an isolated haplotype selected from the group consisting of CYP3A4_Hap4 and
20 SRD52_Hap3.

Preferably, the isolated CYP3A4_Hap4 haplotype consists of Allele T at [CYP3A4_5' region -1232C>T], Allele C at [CYP3A4_5' region -747C>G], Allele G at [CYP3A4_5' region -392A>G], Allele G at [CYP3A4_IVS7+34T>G], Allele T at [CYP3A4_IVS7-202C>T], Allele G at [CYP3A4_stop+766T>G], Allele C at
25 [CYP3A4_stop+1454C>T], Allele T at [CYP3A4_stop+1639A>T] and Allele C at [CYP3A4_stop+2204G>C].

Preferably, the isolated SRD52_Hap3 haplotype consists of Allele C at [SRD5A2_5' region -8029C>T], Allele G at [SRD5A2_5' region -3001G>A], Allele G at [SRD5A2_145G>A], Allele G at [SRD5A2_265G>C], Allele T at
30 [SRD5A2_IVS2+626C>T], Allele G at [SRD5A2_stop+1552G>A], Allele G at [SRD5A2_stop+3059G>A] and Allele G at [SRD5A2_stop+9301G>C].

In a fourteenth aspect of the present invention, there is provided a method for diagnosing a genetic susceptibility for a disease, condition or disorder related

to prostate or breast cancer in a subject, the method comprising analysing a biological sample obtained from the subject to detect the presence or absence of a haplotype as hereinbefore described.

In a fifteenth aspect of the present invention, there is provided a method of
5 diagnosing a genetic susceptibility for a disease, condition or disorder related to prostate or breast cancer in a subject, the method comprising adding an antibody to a polypeptide present in a sample obtained from the subject, which polypeptide is encoded by a haplotype as hereinbefore described, or the complement thereof, and detecting specific binding of the antibody to the polypeptide.

10 In a sixteenth aspect of the present invention, there is provided a method of treatment or prophylaxis of a subject comprising the steps of

- 15 i) analysing a sample of biological material containing a nucleic acid obtained from the subject to detect the presence or absence of at least one haplotype as hereinbefore described, or the complement thereof, associated with a disease, condition or disorder related to prostate or breast cancer; and
- ii) treating the subject for the disease, condition or disorder if step i) detects the presence of at least one haplotype, or the complement thereof.

20 Preferably, the method comprises treatment with a portion of the isolated CYP3A4_Hap4 haplotype as hereinbefore described wherein the portion of the haplotype does not consist of at least one allele from the group consisting of Allele T at [CYP3A4_5' region -1232C>T], Allele C at [CYP3A4_5' region -747C>G], Allele G at [CYP3A4_5' region -392A>G], Allele G at
25 [CYP3A4_IVS7+34T>G], Allele T at [CYP3A4_IVS7-202C>T], Allele G at [CYP3A4_stop+766T>G], Allele C at [CYP3A4_stop+1454C>T], Allele T at [CYP3A4_stop+1639A>T] and Allele C at [CYP3A4_stop+2204G>C].

Optionally, the method comprises treatment with a portion of the the isolated SRD5A2_Hap3 haplotype as hereinbefore described wherein the portion
30 of the haplotype does not comprise of at least one allele from the group consisting of Allele C at [SRD5A2_5' region -8029C>T], Allele G at [SRD5A2_5' region -3001G>A], Allele G at [SRD5A2_145G>A], Allele G at [SRD5A2_265G>C], Allele T at [SRD5A2_IVS2+626C>T], Allele G at

[SRD5A2_stop+1552G>A], Allele G at [SRD5A2_stop+3059G>A] and Allele G at [SRD5A2_stop+9301G>C].

Brief Description of the Figures

- 5 Figure 1 illustrates the Testosterone Biosynthetic Pathway.
- Figures 2A, 2B, and 2C show the location and allele frequencies of selected SNPs in *CYP17A1* (FIG. 2A), *CYP3A4* (FIG. 2B), and *SRD5A2* (FIG. 2C), together with the major haplotypes. Solid black triangles refer to the locations of novel SNPs while white triangles denote locations of known SNPs. All haplotypes
- 10 with frequency $\geq 3\%$ in at least one of the four sub-groups (European Americans(EA), African Americans(AA), cases, controls) are given, along with their case and control frequencies. Composite haplotype refers to all the remaining rare haplotypes pooled together.

Detailed Description of the Invention

Approach

- A two-phase study was undertaken of CYP17, CYP3A4, and SRD5A2, to evaluate the relationship between their genotypes/haplotypes and prostate cancer. Phase I of the study first searched for single nucleotide polymorphisms
- 20 (SNPs) in these genes by re-sequencing 24 individuals from Coriell Polymorphism Discovery Resource (Coriell Cell Repositories, Camden, NJ), approximately 100 men from prostate cancer case-control sibships, and by leveraging public databases. Eighty-seven SNPs were discovered and genotyped in 276 men from case-control sibships. Those SNPs exhibiting preliminary case-
- 25 control allele frequency differences, or distinguishing (i.e., 'tagging') common haplotypes across the genes, were identified for further study (24 SNPs total). In Phase II of the study, the 24 SNPs were genotyped in an additional 841 men from case-control sibships. Finally, associations between genotypes/haplotypes in CYP17, CYP3A4, and SRD5A2 and prostate cancer were evaluated in the total
- 30 case-control sample of 1,117 brothers.

Subjects

A family-based association study population of 1,117 men (637 cases, 480 controls) was recruited between January 1998 and January 2001 from the major medical institutions in the greater Cleveland area and from the Henry Ford Health
5 System in Detroit. The study was approved by the collaborating institution's Review Boards, and informed consent was obtained from all participating men. Characteristics of the study population have been described (Casey et al. (2002) Nat Genet 32, 581-583).

Men diagnosed with histologically confirmed prostate cancer at age 73 or
10 younger were invited to join the study if they had a living unaffected brother who was either older than the proband, or at most eight years younger than the age at diagnosis of the proband. This age restriction was selected in an attempt to increase the potential for genetic factors affecting disease, and to help make certain that the controls were not unaffected due simply to being of a younger
15 age. To help confirm that the controls were not diseased, the prostate specific antigen (PSA) levels in their blood was tested. Individuals in the study with PSA levels above 4 ng/ml were retained as 'controls' unless a subsequent diagnosis of prostate cancer was made, at which time they were reclassified as cases. Keeping them in the study was important because automatically excluding men
20 with elevated PSA levels regardless of their ultimate prostate cancer status can lead to biased estimates of association (Lubin & Hartge (1984) Am J Epidemiol 120, 791-793; Poole (1999) Am J Epidemiol 150, 547-551). Information on the cases' Gleason score (a measure of prostate cancer cellular differentiation) and tumor stage (TNM, tumor-node-metastasis stage) was determined from their
25 medical records. The study population was comprised of 90% Caucasians (European Americans), and the remainder primarily African American (9%).

Polymorphism discovery

Polymorphisms were discovered by sequencing individuals from prostate
30 cancer sibships (67 cases and 43 controls for CYP17 and CYP3A4, and 51 cases and 41 controls for SRD5A2). Of the 110 individuals sequenced for CYP17 and CYP3A4, 106 were Caucasian, 2 were Hispanic, and 2 were African-American. Of the 92 individuals sequenced for SRD5A2, 84 were Caucasian and 8 were

African American. In addition, the 24 individuals from the Coriell Cell Repository Polymorphism Discovery Resource (Collins et al. (1998) Genome Res 8, 1229-1231) were sequenced against the three genes.

PCR primers covering coding regions, splice sites, 5' and 3' regions, and parts of introns of *CYP3A4* (reference sequence No. 39), *CYP17* (reference sequence No. 40), and *SRD5A2* (reference sequence No. 41), were designed using the Primer3 program (<http://www.genome.wi.mit.edu/cgi-bin/primer/primer3.cgi>). PCR products were sequenced using energy transfer dye terminators on the Amersham Bioscience's MegaBACE1000 (Amersham Biosciences, Sunnyvale, California) using standard protocols. Sequence analysis was performed by assigning quality values (Phred; University of Washington, Seattle, Washington), assembling contigs (Phrap; University of Washington), automated identification of candidate heterozygote SNPs (PolyPhred, University of Washington), automated identification of candidate homozygote SNPs (High Quality Mismatch, Amersham Biosciences, Sunnyvale, California) and by operator confirmation (Consed, University of Washington). All polymorphisms were confirmed by Single Nucleotide Primer Extension (SNuPE) assay (Amersham Biosciences, Sunnyvale, California)

In addition to novel polymorphisms discovered in this study, several publicly available SNPs from the dbSNP (<http://www.ncbi.nlm.nih.gov/SNP/>), Utah Genome Center (UGC) (<http://www.genome.utah.edu/genesnps/genes/>), the Human Cytochrome P450 Allele Nomenclature Committee (HCANC) (<http://www.imm.ki.se/CYPalleles/>), the Human Gene Mutation Database (HGMD) (<http://archive.uwcm.ac.uk/uwcm/mg/hgmd0.html>) and the Human Genic Bi-Allelic SEquences (HGBASE) Release 8 (<http://hgbase.interactiva.de/>) were searched for *CYP17*, *CYP3A4*, and *SRD5A2*. For the *Androgen Receptor* gene, several publicly available SNPs from dbSNP, HGBASE and the Androgen Receptor Mutation Database (ARMD) (<http://ww2.mcgill.ca/androgendb/>) were included.

Genotyping

In Phase I, 276 individuals from prostate cancer sibships were genotyped for 29 SNPs (11 novel, 18 known) in *CYP17*, 33 SNPs (18 novel, 15 known) in

CYP3A4, and 25 SNPs (5 novel, 20 known) in *SRD5A2*. The individuals included 153 cases and 123 brother controls, 70% European Americans and 30% African Americans. The information from the 276 men was then used to determine initial case-control frequency differences and haplotype tagging. The results were then
5 used to determine which SNPs should be genotyped in the remainder of the study population (i.e. in Phase II of the study).

In Phase II, a total of 24 SNPs were genotyped in 841 individuals, giving information on a total of 1117 individuals for Phase II.

Genotyping was performed utilizing the Single Nucleotide Primer
10 Extension (SNUPE) assay on the MegaBACE1000 (Amersham Biosciences, Sunnyvale California) capillary electrophoresis platform (Amersham Biosciences). The Primer3 program (<http://www.genome.wi.mit.edu/cgi-bin/primer/primer3.cgi>) was used to design PCR primers to amplify regions containing the SNPs of interest. PCR fragments were purified with 0.5U of Shrimp Alkaline Phosphatase
15 (Amersham Biosciences) and 10U of Exonuclease I (Amersham Biosciences) by incubating at 37°C for 40 min and at 85°C for 15 min. The single base extension (SBE) reaction was set with 1 pmol of HPLC purified SBE primer, 2-4 µl of SNUPE Premix (Amersham Biosciences), 2-4 µl of sterile water, and 1 µl of purified PCR fragment, and incubated at 25 cycles of 96°C for 10 sec, 50°C for 5
20 sec, and 60°C for 10 sec. For phase I of the study, SNUPE reactions were set in 96-well plates at 10 µl volume and purified with AutoSeq™96 Plates (Amersham Biosciences) prior to injecting into the MegaBACE1000 system. For phase II of the study, SNUPE reactions were set in 384-well plates at 5-6 µl volume, diluted with 3-4 µl of sterile water and purified with 1 U of Shrimp Alkaline Phosphatase
25 (Amersham Biosciences) by incubating at 37°C for 45 min and at 85°C for 15 min prior to injecting into the MegaBACE4000 system. In cases where low signal was anticipated (due to faint PCR), SNUPE reactions were desalted using a custom 384-well filter plate incorporating modified size-exclusion technology (Millipore Corporation, Billerica, MA). The Scierra Genotyping LWS™ (Amersham
30 Biosciences) system was utilized for the tracking and management of samples and laboratory activity for Phase II of the study.

Specific software (SNPriDe) was developed for the automated design of SNUPE primers. Using a purified PCR fragment containing the SNP of interest as

a template, a third, internal primer was designed so that the 3' end anneals adjacent to the polymorphic base-pair, and during the SNUPE reaction a fluorescently labeled dideoxynucleotide (terminator) was added onto the primer. A separate software package has been developed (SNP Profiler™, Amersham Biosciences) that automatically processes the signal data and outputs the maximum likelihood SNP genotypes. The system includes a user interface for editing and verification.

Three SNPs, SRD5A2_SNP20 (V89L), SRD5A2_SNP22 (A49T) and CYP17_SNP29(-34>C) were analysed by restriction enzyme digestion (Cicek et al., unpublished data).

Proofreading genotype data

A large number of haplotypes inferred during initial rounds of haplotyping implied erroneous genotype data. A phylogenetic study of inferred haplotypes was performed to reveal the relationships between different haplotypes. All haplotypes differing from another haplotype by only one SNP, and being represented by only one individual, were subject to inspection. Genotype data for the individual at stake were reanalysed by SNP Profiler™ (Amersham Biosciences) to exclude the possibility of an incorrect genotype. Rounds of phylogenetic study of haplotypes, followed by reanalysing suspicious genotypes and inferring new haplotypes were applied until no more incorrect genotypes could be found. Three to six rounds were applied for each of the genes.

Haplotyping

Alleles within each of the three candidate genes were in strong linkage disequilibrium with one another. Thus, for each gene, haplotypes were estimated using the resulting genotypes, by disease status and within major ethnic groups using the software PHASE. This program uses Markov chain Monte Carlo to estimate haplotypes, imputes information for missing genotypes, and incorporates a statistical model for the distribution of unresolved haplotypes based on coalescent theory (Stephens et al. (2001) Am J Hum Genet 68, 978-989).

Haplotypes and haplotype tagging SNPs were first determined among the 276 men genotyped for Phase I of the study, where tagging SNPs was necessary to define the most common haplotypes (e.g., >5%). After completing genotyping on the entire study population (Phase II of the study), the resulting data were used to estimate haplotypes.

Association analysis

Case versus control allele frequencies were first compared within major ethnic groups. Then the association between the resulting genotypes/haplotypes and prostate cancer risk was evaluated by calculating odds ratios (OR, estimates of relative risk) and 95% confidence intervals from conditional logistic regression with family as the matching variable, using a robust variance estimator that incorporates familial correlations. This is a standard approach for analyzing sibling matched case-control data, although sibling sets without any controls do not contribute any information (197 cases total here) (Breslow and Day (1980) IARC Sci Publ 32, 335-338). In the analyses of CYP17, CYP3A4, and SRD5A2 a log-additive coding was used which treats the most common polymorphism (or haplotype) as the null-risk referent group and assumes that the relative risk of carrying one polymorphism (or haplotype) is the square-root of the risk of carrying two. Since haplotypes were estimated for these three genes, the probabilities of observed haplotypes were used in the analyses (Schaid et al. (2002) Am J Hum Genet 70, 425-434).

To control for potential confounding, age was adjusted for in all regression models. In addition to looking at the main effects of each SNP or haplotype, the analyses were also stratified by the case's disease aggressiveness, where high aggressiveness was defined by TNM stage \geq T2B or Gleason score \geq 7; and low aggressiveness by TNM stage < T2B and Gleason score < 7. All statistical analyses were undertaken with the S+ software (version 6.0, Insightful Corp, 2001).

Polymorphism discovery (Phase I)

A total of 34 novel SNPs were detected: 11 in CYP17, 18 in CYP3A4, and 5 in SRD5A2 (Table 2). In addition, 11 SNPs were "rediscovered" from the public

databases. Including these 11 SNPs, 53 SNPs were selected in total from the databases: 18 in *CYP17*, 15 in *CYP3A4*, and 20 in *SRD5A2*. These were chosen based on the intention to obtain an even distribution of SNPs across the genes and the availability in the databases at that time (January-April 2001). Twenty-
5 one SNPs were chosen from dbSNP, 27 from GeneSNPs, 12 from HGMD, 8 from HGVbase, and 2 from HCAN (the total number of SNPs listed here exceeds 53 as several SNPs were present in multiple databases). Table 3 lists all 87 SNPs (34 novel, 53 from databases), with their origins, exact locations and allele frequencies.

10 Among the 34 novel SNPs, 26 (76%) were discovered in both the Coriell and case-control populations. Three SNPs were only observed in the Coriell data, and the remaining five were found only in the prostate cancer sibships. Of these five, three were relatively rare (allele frequencies 0.2-1.5%), suggesting that they may not have been discovered in the Coriell population simply due to its small
15 sample size (n=24). Nevertheless, the other two SNPs that were only found in the prostate cancer sibships (*CYP3A4*_SNP12 and *CYP17*_SNP42) showed higher allele frequencies (7.5% and 21.8%, respectively), suggesting that they might be specific to the prostate cancer case-control population.

20 **Genotyping and Haplotyping**

Phase I

The 87 SNPs were genotyped in a total of 276 males from prostate cancer sibships (29 in *CYP17*, 33 in *CYP3A4*, and 25 in *SRD5A2*). Eleven SNPs gave ambiguous genotyping results. This might have been due to unoptimized
25 genotyping reactions or primer self-priming due to secondary structures and unspecificity of PCR and/or SNUpe primers, especially within the Cytochrome P450 gene family. Of the remaining 76 SNPs, a similar percentage of those novel (41%, or 12/29) and known (38%, or 18/47) had allele frequencies $\geq 10\%$. However, 19/47 (40%) of the known SNPs were found to be monoallelic in the
30 276 men, suggesting that they are either extremely rare, population specific, or artifacts.

In light of these results, the 11 SNPs with ambiguous genotype results, the 19 SNPs that appeared monoallelic in all samples tested, and an additional four

that were seen only in the Coriell Diversity Set but not in the prostate cancer sibships were excluded. Also excluded was one SNP because >15% of data was missing (due to a low success rate for PCR and SNUPe reaction). Finally, 12 SNPs were excluded because their minor allele frequencies were less than 5% in all of the following four subgroups: European Americans, African Americans, cases, and controls (Table 3). Following these exclusions, a total of 40 SNPs remained for consideration in the Phase II association study (14 in *CYP17*, 16 in *CYP3A4*, and 10 in *SRD5A2*) (Table 3).

Using the preliminary genotype information, haplotypes estimated with a frequency $\geq 5\%$ in at least one of the four major subgroups (i.e., European American, African American, cases, or controls) were identified. Each gene had a single "common" haplotype, with a frequency ranging between 42 and 51 percent (not shown). Haplotype tagging SNPs were identified and used as a basis for inclusion in Phase II of the study. In addition, non-tagging SNPs exhibiting suggestive case versus control allele frequencies were considered (Table 3). Altogether 24 SNPs were selected for Phase II.

Phase II

The 24 tagging and suggestive SNPs were genotyped in an additional 841 men, giving information on a total of 1117 individuals for Phase II. Case versus control allele frequency differences by ethnic group are presented in Table 3. Haplotypes estimated with a frequency $\geq 3\%$ in at least one of the four major subgroups of the study population were identified. The major haplotypes for *CYP17*, *CYP3A4*, and *SRD5A2* along with their frequencies are presented in Figure 2.

Association analyses

In the association analyses, no associations between *CYP17* genotypes/haplotypes and prostate cancer were detected. When looking at *CYP3A4*, SNP1 was found to be associated with an approximately 50% reduction in risk (OR=0.53, 95% CI=0.29-0.99; p-value=0.05) (Table 4A). Furthermore, the haplotype analysis revealed an association with an approximately 55% decrease in prostate cancer risk and *CYP3A4_Hap4* (OR=0.46, 95% CI=0.21-1.02; p-

value=0.05) (Table 5A). Two SNPs in SRD5A2 were also found to be associated with an approximately 50% increase in prostate cancer risk: SRD5A2_SNP26 (OR=1.57, 95% CI=1.08-2.30; p-value=0.02), and SRD5A2_SNP20 (V89L) (OR=1.56, 95% CI=1.08-2.25; p-value=0.02) (Table 4A). These SNPs, however,
5 were in almost complete linkage disequilibrium.

When the study population was stratified by high and low aggressiveness of prostate cancer, several interesting associations emerged (see Table 4B and 5B). First, five SNPs in CYP3A4 showed statistically significant associations with low aggressiveness: CYP3A4_SNP11 (CYP3A4*1B) (OR=0.20, 95% CI=0.06-
10 0.67; p-value=0.009), CYP3A4_SNP47 (OR=0.19, 95% CI=0.06-0.62; p-value=0.006), CYP3A4_SNP1 (OR=0.21, 95% CI=0.05-0.86; p-value=0.03), CYP3A4_SNP25 (OR=6.54, 95% CI=0.99-43.10; p-value=0.05) and CYP3A4_SNP15 (OR=0.41, 95% CI=0.22-0.79; p-value=0.007). Second, an association was observed between CYP3A4_Hap4 and low aggressiveness
15 (OR=0.06, 95% CI=0.008-0.50; p-value=0.009) (Table 5B). Finally, an inverse association was observed between SRD5A2_Hap3 and high aggressiveness (OR=0.52, 95% CI=0.29-0.91; p-value=0.02) (Table 5B).

Table 6 provides annotation of *CYP3A4*, *CYP17* and *SRD5A2* genomic sequences.

20 All of the SNPs disclosed in the present invention have utility in the prognosis and diagnosis of prostate and breast cancer.

Although this invention has been described in terms of certain preferred embodiments, other embodiments which will be apparent to those of ordinary skill in the art in view of the disclosure herein are also within the scope of this
25 invention. Accordingly, the scope of the invention is intended to be defined only by reference to the appended claims. All documents cited herein are incorporated herein by reference in their entirety.

Table 1. Known polymorphisms in CYP17, CYP3A4, and SRD5A2 associated with increased risk for prostate cancer or increased risk for progression of prostate cancer.

Gene	Polymorphism	Association with	References
CYP17	-34 bp T→C	increased risk	Lunn et al. (1999) Carcinogenetics 20, 1727-1731 Wadelius et al. (1999) Pharmacogenetics 9, 635-639 Gsur et al. (2000) International Journal of Cancer 87, 434-437 Habuchi et al. (2000) Cancer Res 60, 5710-5713 Kittles et al. (2001) Cancer Epidemiol Biomarkers Prev 10, 943-947
CYP3A4	-392 bp A→G	increased risk, progression	Rebbeck et al. (1998) J Nat Cancer Inst 90, 1225-1229
SRD5A2	145G>A (A49T)	increased risk, progression	Paris et al. (1999) Cancer Epidemiol Biomarkers Prev 8, 901-905 Makridakis et al. (1999) Lancet 354, 975-978
SRD5A2	265G>C (V89L)	increased risk, progression	Jaffe et al. (2000) Cancer Res 60, 1626-1630 Nam et al. (2001) Urology 57, 199-204

Table 2(a) : Novel SNPs

SNP identified in Seq ID Number	Novel SNPs	Location	Comment	Sequence
1	CYP3A4_SNP2	Intron 9 [IVS9 +187C>G]		ATGAGAAATTTCTGCCACATAGCAGAAACGACACATGTT TGAATGTTATAAGTGGTAGTTGGAGGCACCTTTCTAGA GGCATGCAGGCATAGATAGCCATGTT(C/G)TAAGAGT AAAGGGCAACCCCTAAGCAACCTGGCATGCTAGAAA GTCAGTCTGCGGTCTGTGGATCACCTACATCAGATCA AATGCCAATTTCTCAGCCTCC
2	CYP3A4_SNP5	1639 base pairs after the stop codon, A>T	Possible association (OR 0.51, 95% CI 0.26-0.99, p=0.05) with prostate cancer in the European American population	TGATAGAAGCCAGGCTTCTCACCTTTGCAGAAAGGA GTCATGGATTGAGAAAGGGAGAAACTAGCATGAATC CTATGAAATTAGATTGGAATGGATGTA(AT)CCGTGTA TATTCATACCCCTTGTAGATAGATAGATGGGTAGTAG ATGATAGATAGGTAACAGATAGATGACAGATAATGAG ATAGATAGATGTAATGTA
3	CYP3A4_SNP6	945 base pairs after the stop codon, A>T		GGCAGGAGAAATCACTTGAACCTGGGAGGGGGATGTT GAAGTGAGCTGAGATTGCACCACTGCACCTCCAGTCT GGGTGAGAGTGAGACTCAGTCTTAAAAA(AT)ATATGC CTTTTGAAGCAGTACATTTTGTAAACAAAGAACTGAA GCTCTTATTATATTAGTTTGAATTAATGTTTTCAG CCCATCTCCTTTCATAT
4	CYP3A4_SNP12	5' region [-747C>G]	Possible association (OR 12.067, 95% CI 1.491-97.692, p=0.020) with increased risk of prostate cancer	AAGTCACCAAGAAAGTCAGAAGGGATGACATGCAGAG GCCACGCAATCTCAGCTAAGTCAACTCCACCAGCCTT TCTAGTTGCCCACTGTGTACAGCAC(C/G)CTGGTA GGACCCAGAGCCCATGACAGGGGAATAGACTAGACTA TGCCCTTGAGGAGCTCACCTCTGTTCAGGGAAACAG GCGTGGAAACACAATGGTGGTA
5	CYP3A4_SNP13	Intron 7 [IVS7 -202C>T]		CTGTAGTCCAATAGATAAAGGCAAGAGATTAGGGCA TTGAAATTTTGTCTTTTATCTTCAAAAGATGCACAA GGGGCTGCTGATCTCACTGCTGTAG(C/T)GGTGTCTCC TTATGCATAGACCTGCCCTTGCTCAGCCACTGGCCTG AAAGAGGGGGCAAAAGTCATAGAAGGAATGGCTTCCA

6	CYP3A4_SNP15	2204 base pairs after the stop codon, G>C	Possible association (OR 0.41, 95% CI 0.22-0.79, p=0.007) with prostate cancer	GTGAGAACCTTGATGCT GAACTATTGGAACCTGATAAACACACATTCAGTAAAGTTG CAGGATACAAAATCAGCATACAAAAATCAGTAGCAT TCTATATGCCAATAGTGAACAACTG(G/C)CAAAAAATA AAAAAGTAATCCCATTTACAATAGCCACAAATAAAACT AAATACCTAGAAAATTAACCTTAATCAAAAGAGAGAAAG GCTCTACAATGAATAC
7	CYP3A4_SNP19	Intron 2 [IVS2 -132C>T]		ATAAGTCATTCAGTATCCACAACACTTGGAGAGAATT CAAGAGTGATTTTAAATTTCCCTTTTCAAAATACCTCCT CTGTTTTCTTATTTCCCTTATGA(C/T)GTCTCCAAAT AAGCTTCTCTAACTGCCAGCAAGTCTGATTTTCATTG GCTTCGACTGTTTTTCATCCCAATTAGAGGCAGGGTTA AGTACATTAAAAATAA
8	CYP3A4_SNP21	Intron 1 [IVS1 -868C>T]		AAGTCCCCCTAGGATCCAATCATCTCTACAGGCCCC CACCTCCAGTATTGGGATTGCATTTCAACATGAGAT TTTGGTAGGGGCACAGATTCAGACCATA(C/T)ACTG GCACTGTGCTAATCAGATGAATATCACCAGTTGGAAG GCTAGATTCACAAGAGGAGGAATGACCTGGAAAT GGTCTTTAGTTGATCT
9	CYP3A4_SNP22	5' region [-847A>T]		GGGTCCCCCTGCCAACAGAAATCACAGAGGACCCAGC CTGAAAGTGCAGACAGACAGCTGAGGCACAGCCAA GAGCTCTGGCTGATTAAATGACCTAAG(A/T)AGTCACC AGAAAGTCAGAAAGGGATGACATGCAGAGGCCCCAGCA ATCTCAGCTAAGTCAACTCCACCAGCCTTCTAGTTG CCCACTGTGTACAGCACCC
10	CYP3A4_SNP24	766 base pairs after the stop codon, delT		TCAGGCACAGTGGCTCAGCCCTGTAATCCTAGCAGTT TGGAGGCTGAGCCGGTGGATCGCCTGAGGTCAG GAGTTCAAGACAAGCCTGGCCTACATGG(T/-) TGAACCCCATCTCTACTAAAAATACACAAATTAGCTA GGCATGGTGGACTCGCCTGTAATCTCACTACACAGG AGGCTGAGGCAGGAGAAATCACTTGAA
11	CYP3A4_SNP25	1454 base pairs after the stop codon, C>T	Possible association (OR 6.54, 95% CI 0.99-43.10, p=0.05) with prostate cancer	TGGGTGTGGAGTCCAAAGCAAGCAGAGAGGGGTC GAGCAGAGGGGTGGCTTGCAAGAGCAGCCAGAGC CTAAATAGGGTATGGAGAACCCACATGAGG(C/T)GAG GAGGGCATCCATGAGTGGAGGGGTTGGGTGAGGT TTGGCTACATAAAAGGGGATTGATCAAAATAAGTAAATG TATTAAGGATGATAAGCCAGGCT
12	CYP3A4_SNP26	Intron 3 [IVS3 +1992T>C]		TTGCATTTCTCTAATGACCAGTGTATGAGCATTTT TCACATGTCTGTGGCTGCATAGATGTCTCTTTTGA GAAGTGCTGTTCATATCCTTTGCCC(T/C)ATTTTITGAT

13	CYP3A4_SNP27	Intron 9 [IVS9 +841T>G]	GGGGTGGTTTGGCTTTTCTTTCTTTGTAATAATTTGTTTAAGT TCTTTGTAGATTCTGGATGTTAGCCCTTCGTCAGATG GATAGATTGCAAAAA TAACATTGGTCTCTAGAGAGCAGGACTGGGCTTACTC CAGCATCTGCTTTAAATATATCCATGTCTACATCCAC TTTTGCTGTATGCTATGTATCTA(T/G)CTATGTATCT ATCTAGCTATGTATCTATCTATCTATCTATCTATCATCT ATCTATCTATCTATCATCTATCCATCTATCATCTATCAT TTATCCATCTAT
14	CYP3A4_SNP28	Intron 12 [IVS12 - 473T>G]	CTTCCCATCTTACACTGGATGGGTTCAATTGGGAGG AATTACTGGACTCTGGAAGTTGAAGACTGTCCATATA ATTAAATGTACAATAACTACCAGG(T/G)TTACCTTG CAAGTTTCAACATACACAAAAATTAACTTTATATGACTC TTCAAAAACAGTTGGCCATCATAGCTAAATAATCTGGTT TAAATTTAAAAACTC
15	CYP3A4_SNP29	Intron 12 [IVS12 +581C>T]	TGCCAGAGGTGGCTTTAAAAGCTTCCCCATTGCTT CTCATGTGAAGCCAAAGTTGAGAATGACTAATTTAAG GCATTTCTGGTGATATAAAGGACTA(C/T)CACAGTCC AAGGCCATCCTGACTGACCTCACCTTCCAGGTGCCTA GCTCCATCCAGCTGGCTCCTTTTCAACCCCAATTATA ACTCTAATATGTTGTTG
16	CYP3A4_SNP30	Intron 12 [IVS12 +586G>A]	AGAGTGGCTTTAAAAGCTTCCCCATTGCTTCTCAT GTGAAGCCAAAGTTGAGAATGACTAATTTAAGGCATT TCTGGTGATATAAAGGACTACCCACA(G/A)TCCAAGG CCATCCTGACTGACCTCACCTTCCAGGTGCCTAGCTC CATCCAGCTGGCTCCTTTTCAACCCCAATTATAACTC TATTAATGTTGTTCCGAG
17	CYP3A4_SNP31	Intron 12 [IVS12 +646C>A]	TAATTAAGGCATTTCTGGTGATATAAAGGACTACC ACAGTCCAAGGCCCATCCTGACTGACCTCACCTTCCAG GTGCTAGCTCCATCCAGCTGGGCTC(G/A)TTTTCAA CCCAATTATAACTCTATTAAATGTTGTTCCAGCCAGG CATGTGGCTCATGCCTGTAATCCAGCACTTTGGGA GGCCGAAGCAGCGGATCA
18	CYP3A4_SNP32	Intron 3 [IVS3 -734G>A]	CTAATTTGATTGCACGTGGTCTGAGAGACAGTTTGT TATGATTTCTGTTCTTTTACATTTGCTGAGGAGTGCTT TACTTCCAAATTATGTGGTCAATTTT(G/A)GAATAAGTG CGATTTGGTGTCTGAGAAGAATGTATATTCTGTTGATT TGGGTGGAGAGTTCTGTAGATGTCTATTAGGTCCG CTTGGTGCAGAGCTGAGT

19	CYP17_SNP1	Intron 1 [IVS1 -271A>C]		GGACAGGCATAGTTAGAGAGTTATCCCATCCAGAG TTGCCCTTCTGTGGTCAGAACTGATGACCAAAAGAA GCCAGAGGGGACCCTGTACGGAA(AC)AGAACCC CAATGCTGCTGCAATTAATTAAGGGTTCTTTCTCT CCTGATCTACTGTATTTCTGAAGGAAATGGGAGTAG GAGGCTTAGGGTCTGTC
20	CYP17_SNP3	Intron 5 [IVS5 +75C>G]		TGGCCTTCTGCTGCACAATCCTCAGGTGCTTCCC CCTCATTTGATCCTAGACCCAGCCAGCCCAATCTCTG GGCTCCAGAGAAAGGAGAGCCAAAT(C/G)JCTCAGG CTTTCTGTGCAGGAAGACTAGGCCCTGCCCTGCTCCTT ACCCAAGCAGTAGTTGGCTTTGACCCCAAGATAGAG CTGCCCATCTTCTGAAGC
21	CYP17_SNP4	Intron 1 [IVS1 +426G>A]		CAGCACTTAGCCTAGCACCCAGCACAGTAAGTGCCC CTTATACAGCCAGGATTCATGTTACTTTTCATGGAAA TGGGGGCAGTGACTACTGTCTCCAT(G/A)AAAGCTG CTGGGGAGAAATAGCCTAGCTATTGCAGGCTGGAT TGCTGCTTCTCTGTGTCTATTCCAGCTACTCAGGCT CACAGGGCAGTTTTCTACA
22	CYP17_SNP6	Intron 1 [IVS1 -99C>T]	Possible association (OR 2.130, 95% CI 1.141-3.977, p=0.018) with increased risk of prostate cancer	ATTGGGAGTAGGAGGCTTAGGGTGTGTCCTACCAA GTCCCTGCAGTCATGGTGGAGTCAGTGGGGCTGTG CCACATGGGAGTCAGCATGCCAGGTAC(C/T)TGCCT TCTCTCCAGGAAGAAAGCAGGGACACAGAGGTGA AGGGCAAGAGTGGGTGGATGGTGTGAGATTCTCTAC AGCCTTGCCTGCTCTCTAAAGGC
23	CYP17_SNP8	Intron 1 [IVS1 -700C>G]		GCCACTGTGCCCTGCCAGCCTCTCAGCTTTGATCAA GCCAAGGTTGGTTATTTTCTTGGACCAATCAGC CAGGTCTGCTGACCAACTACCTAGTCT(C/G)CACCTC TGCTGGCTTCTCCCGGGGAGAGAGATGGAGAA GGCTAGTCATGTGGATCTTCAGGGTCAGGAAATGGA AAAGGGAGGCTTTGGACCCCTT
24	CYP17_SNP11	Intron 1 [IVS1 -565G>A]		ATGGAGAAGGCTAGTCATGTGGATCTTCAGGGTCAG GAAATGGAAGGAGGCTTTGGACCCCTTTGCTTTG GGGGCACCTCTAGGAGGAGGAGCTC(G/A)GCCCCA AGTCCAGACTGGGTAGACAAACATCTGCACCTCTCCA AATGTGGGCTTGTGGCTGGGTATGACGGCTTGCAAT GGAAGGTAAACCTGAGTGAGG
25	CYP17_SNP12	Intron 3 [IVS3 +141A>T]		CTGACATTGCCCCCAATCTTCTCTCTTTTACTTCCC TGCTCCAGCCGCAATGACCCATCTTTTCTGATTAC CTCCGCCACCTCTACCTCTCTGCC(AT)CTTAAACC TTTGCCATTCTCTGCAGAGATAGATTAGCCCTTTAA

				TTATGCACCTTAGTACTCCAGATAATGACCTTCATTTC TTTCCAAATTACCAT
26	CYP17_SNP18	5' region [-1488C>G]		ATTTTGGGAAAGGGGAAAAACCAACCAATAGGTCTG ACTGCCTGCAGGTCGGGCAGAAAGAGCCATATTTT CCTTCTTGAGAGAGGCTATAAATGGA(C/G)ATGCAAG TAGGGAAGATATCACTAAATCTTTTCTAGCAAGGA GTATTATTATTAACCTGGGAAAGGAATGCATTCCCT GGGGGAGGCTATAACA
27	CYP17_SNP19	5' region [-1204C>T]		TAGGGTGGGAAAAACTCCGCCCTGGTAAATTTGTG GTCAGACCGGTTCTGCTGTCGAACCCCTGTTTGCTG TTGTTAAGGTGTTTATCAAGACAGTA(C/T)GTGCACC GCTGAACATAGACCCCTCATCTGTAGTTCTGCTTTG CCTTGCCCTGTGATCTTTGTTGGACCCCTATCAGTG GTCTGCTTTGCCCCTTG
28	CYP17_SNP20	Intron 1 [IVS1 +466G>A]		TACAGCCAGGATTTCATGTTACTTTTCATGGAAAAATGG GGCAGTACTACTGCTCTCCATAAAAGCTGCTGGG GAGAATTAGCCTAGCTATTGCAGGCTG(G/A)GATTGC TGCTTCTGCTGCTATTTCCAGCTACTCAGGCTCAC AGGGCAGTTTTCTACAATGACATTTTCAGGGTTGCTG ATGAGCCTCCCACTCAGCAG
29	CYP17_SNP42	712 base pairs after the stop codon, G>A		CTGGAGGATTTAAGTATGTAAGTGGAACTCTGTT TTTTGTTTTGTTTTGTTTGAAGGAGTTTCGCTC TTGTGCCCTGGCTGGAGTGCAATG(G/A)CATGATCT TGCTCACTGCAACCCCTGCCCTCCTGAGTTCAAGTGA TTCTCCTGCCTCAGCCTCCAAAATAGCTGGGATTGCA GGCGTGTGCCACCACATGCC
30	SRD5A2_SNP2	1356 base pairs after the stop codon (3' UTR), A>C		TCTTGTAAGGGGTCACCCACGATGAGTGTGAGAGA TATGGACTCTCTA(A/C)GGAAAGGGCCGACGCTTGT AATTGGAATACATGGAAATATTGTCTTCTCAGGCCTA TGTTTGGGAATGCATTGTCAATATTAGCAAACTGTT TTGA
31	SRD5A2_SNP4	849 base pairs after the stop codon (3' UTR), A>G		CGAGAACAGTTTACAATAGACATTGCAAACTCTCAT GTTTTGGAAACT(A/G)GTGGCAATATCCAAATATGA GTAGTGTAACAAAGAGAAATTAATGATGAGGTTACA TGCTGCTTGCCTCCACCAGATGTCCACAACAATATGA AGTAC
32	SRD5A2_SNP30	5' region [-870G>A]		GTCTGCGTGTATGACGGCTAGACAGGAGTTCAGAGA ACAGCGGGTGCACCGGCGCCACCACCTGATGGGCA CGGCTCATGGCTAGGAGCTGGGAAAG(G/A)GCAT CCCAGGAAAGAGCCCTAGACTTTAGCCTGAGTCTG

				GGCCACTCTAGGGGACCGGGAGTGGGGTGGCGGGA GAGGACGGCAGAACTCTCGACTTCT
33	SRD5A2_SNP31	5' region [-2036(A)7-8]		AGCTAATTGTTATAATAGTGGAGAAAAGATCATGAGG ACAAAAGTGGGCAGAGTCGGAAGAAAAGAGAGGAA GAAATTGAGACAGAAAGACATTTCAATTT[A ₇ /A ₈]TATTCCA TTGAGCTGGGTTTGAATAGTGCACCTGCCTGTTCTCC TAATGCTGTATGGTGTATGAAATCTATTGTTTACTGA GTCTATGAGCC
34	SRD5A2_SNP32	545 base pairs after the stop codon (3' UTR), T>C		AACTCTGAAGCCACAAAAGACCCAGAGCAAAACCCACT CCCAAATGAAAACCCAGTCATGGCTTCCTTTTCTT GGTTAATTAGGAAGATGAGAAATTAT(T/C)AGGTAGA CCTTGAATACAGGAGCCCTCTCCTCATAGTGTGAAA AGATACTGATGCATTGACCTCATTTCAAAATTTGTGCAG TGTCTTAGTTGATGAGTG
Table 2(b) : Public SNPs				
SNP Present in Seq ID Number	Public SNPs	Location	Comment	
35	SRD5A2_SNP12 (NCBI ss#543530; rs#413836)	Intron 2 [IVS2 +626C>T]	Possible association (OR 3.006, 95% CI 1.231-7.343, p=0.016) with increased risk for progression of prostate cancer	AAAGAAACATTGTTTCTTAAACCAATGTTTAAAGAAAG TGACGAAATTTGTGTGTCAGGCCACATCCAAACTGTCC TGGGTGCATGTGGCCACAGGCTG(C/T)GGGTTGG ACAAGCCTGGCCTAGAGGCTTGGCCCATGTATTC ATGGGGTGGTTCCTCACCTTATTAGTCCCTACC AATTTGCACCTCCTCAAAGGGACTTTCCC
36	SRD5A2_SNP17 (NCBI ss#1037918; rs#545303)	5' region [-8029C>T]	Possible association (OR 0.308, 95% CI 0.126-0.750, p=0.010) with increased risk for progression of prostate cancer	GGGAACACAGTTTTTGGCTGTCTCATAGAGTTTG CAACAGTAAACTGCTTCTTTCAAAGGGTCTGTGAAT TCTTTCAGTTTTCTGGTATGTTCCCATGGTAGTTCTT GCAGCAAAAG(C/T)TCACAGTGTGAGTCTCCACACAC TGTTCTGTCCATTCCAAGCAGGAGCTGCATGTTAGTT CTGTCTGCTATCCACCATTTTCCCAATTTG
42	CYP3A4_SNP1 (NCBI)	Intron 7 [IVS7 +34T>G]	Possible association (OR 0.21, 95% CI)	CCCTTTGTGAAAACACCAAGAGCTTTTAAGATTG ATTTTGGATCCATTCTTCTCTCAATAAGTATGTGG

	ss#6903779 ; rs#2687116)		0.05-0.86, p=0.03) with prostate cancer	ACTACTATTTCCCTTTTATCTT(T/G)CTCTCTTAAAA ATAACTGCTTTATTGAGATATAAATCACCATTGTAATTC ATCCACTTAAATATACAGTTGAGTATTTGTAGTACA TTTGAAGATATGT
43	CYP3A4_SNP47 (NCBI ss#2723639 ; rs#1851426)	5' region [-1232C>T]	Possible association (OR 0.19, 95% CI 0.06-0.62, p=0.006) with prostate cancer	TTGGGTGTGTGGCGGGGTGTGTCGCGCTTTTAAAAAG CGCCGCACGCTTTGAACCTCCAATTCACCCCAAGA GGCTGGGACCATCTTA(C/T)TGGAGTCCTTGATGCTG TGTGACCTGCAGTGACCACTGCCCATCATTTGCTGG CTGAGGTGGTTGGGGTCCATCTGGCTATCTGGGCAG CTGTTCTCTTC
44	SRD5A2_SNP26 (NCBI ss#1037925 ; rs#676033)	5' region [-3001G>A]	Possible association (OR 1.57, 95% CI 1.08-2.30, p=0.02) with prostate cancer	ACTATTCTCTGCCCTAATCAGCCAGGTCAGGTAAC AGAAAAGTAAAGACAGCCGCTGTACCCAGAGCCTG CTAAAAGTATTCAAACGAGCTAATCCTAAGCCTGATTA CCTTGTCATGCCACTCTTCTCGCAGAACTACAGT AA AGGCTCTTGGCCACTTGACCCCTCACTCC (G/A) GCTGCCCTCCTAACACTGGTCTTCTCCATGTGGTCTT GGTGGTGTGCTGTGCTCTTCTGTTGTAGGGATCTGT CGATATAAACCTTTTC CTTCACGATA
45	SRD5A2_SNP1 (NCBI ss# 4403959; rs# 1042578)	1552 bp after the stop codon, G>A	Possible association (OR 0.52, 05% CI 0.27-1.00, p=0.05) in the European American population	GGTACTAAGCACAGAACTCACTATATAAGTCACATA GGAACCTTGAAGGTCTGAGGATGATGTAGATTACTG AAAAAT(G/A)CAAAATGCAATCATATAAATAAGTGT TGTTGTTTCATTAATAACCTTTAAATCATGGATGTAAAGC AGTTTGTGTGATA

* SNP was discovered in the Coriell Diversity Set and was not present in the 276 individuals from prostate cancer sibships (still obviously a real SNP since it's seen in the Diversity Set)

@ ambiguous genotyping results; SNP was excluded from all further analyses. However, most likely real SNPs

The numbering system for the location of SNPs is according to the common mutation nomenclature (den Dunnen and Antonarakis (2000) Human Mut 15, 7-12; <http://www.dmd.nl/mutnomen.html#DNA>).

Table 3. The origins, nucleotide changes and allele frequencies of single nucleotide polymorphisms (SNPs) in *CYP17*, *CYP3A4*, and *SRD5A2* observed in the Coriell Diversity set (CDS), European Americans, and African-Americans.

SNP	Origin ^a	Nucleotide Change ^b	c	d	Allele Frequency				
					CDS	European Americans		African- Americans	
						Ctrls	Cases		Ctrls
CYP17									
SNP18	Novel (C+C)	-1488C>G	B	I	.26	NA ^e	NA	NA	NA
SNP19	Novel (C+C)	-1204C>T	B	I	.10	NA	NA	NA	NA
SNP29	dbSNP / HGVbase (-)	-34T>C	1,2,3	II	.44	.40	.38	.33	.38
SNP30	GeneSNPs / dbSNP (-)	C22W (66C>G)	B	I	-	NA	NA	NA	NA
SNP31	GeneSNPs / dbSNP / HGVbase (-)	H46H (138C>T)		I	.43	.43	.36	.41	.35
SNP32	GeneSNPs / dbSNP / HGVbase (-)	S65S (195G>T)		I	.46	.44	.33	.40	.32
SNP4	Novel (C+C)	IVS1 +426G>A	1	II	.27	.40	.39	.30	.36
SNP20	Novel (C+C)	IVS1 +466G>A	4	II	.06	.03	.01	.02	.02
SNP8	Novel (C+C)	IVS1 -700C>G		I	.19	.14	.15	.21	.08
SNP26	GeneSNPs / dbSNP (+<)	IVS1 -679C>T	D	I	-	.06	.02	.04	.01
SNP11	Novel (CDS)	IVS1 -565G>A	A	I	.04	-	-	-	-
SNP1	Novel (C+C)	IVS1 -271A>C		I	.44	.46	.40	.40	.43
SNP6	Novel (C+C)	IVS1 -99C>T	2	II	.38	.29	.28	.11	.15
SNP23	HGMD (*)	S106P (316T>C)	A	I	-	-	-	-	-
SNP25	HGMD (*)	IVS2 +5G>T	A	I	-	-	-	-	-
SNP7	dbSNP (R)	IVS2 +105A>C	1	II	.46	.29	.28	.13	.15
SNP22	dbSNP (+ <)	IVS2 -83C>T	1	II	.04	.002	.0008	.06	.09
SNP24	HGMD (+ <)	E194X (580G>T)	D	I	-	-	-	-	.01
SNP5	dbSNP (R)	IVS3 +35T>C		I	.06	.16	.16	.20	.07
SNP12	Novel (C+C)	IVS3 +141A>T		I	.04	.04	.02	-	.01
SNP21	GeneSNPs /dbSNP (*)	D283D (849C>T)	A	I	-	-	-	-	-
SNP3	Novel (C+C)	IVS5 +75C>G	1	II	.33	.40	.39	.20	.23
SNP33	HGMD (-)	IVS7 +5G>A	D	I	-	-	.02	-	-
SNP34	HGMD (*)	F417C (1250T>G)	A	I	-	-	-	-	-

SNP35	GeneSNPs / dbSNP / HGVbase (-)	P428P (1284G>A)	B	I	-	NA	NA	NA	NA
SNP36	HGMD (*)	R440H (1319G>A)	A	I	-	-	-	-	-
SNP37	HGMD (*)	R496C (1486C>T)	A	I	-	-	-	-	-
SNP42	Novel (CAP)	stop + 712G>A	I	I	-	.28	.18	.21	.21
SNP16	GeneSNPs (R)	stop + 2074G>A	D	I	.06	.01	.02	.03	.03
CYP3A4									
SNP48	GeneSNPs (*)	-8086G>A	A	I	-	-	-	-	-
SNP49	GeneSNPs (-)	-6790G>A	B	I	.50	NA	NA	NA	NA
SNP47	dbSNP (R)	-1232C>T	1	II	.19	.05	.04	.56	.56
SNP22	Novel (CDS)	-847A>T	I	I	.06	-	-	.20	.15
SNP12	Novel (CAP)	-747C>G	1,2	II	-	.08	.08	.01	.04
SNP11	HCANC (+)	-392A>G	3	II	.13	.04	.04	.58	.54
SNP45	HGVbase (*)	-290A>G	A	I	-	-	-	-	-
SNP50	GeneSNPs (*)	-26G>A	A	I	-	-	-	-	-
SNP21	Novel (CDS)	IVS1 -868C>T	I	I	NA	-	.009	.18	.17
SNP20	dbSNP (R)	IVS2 +671T>A	I	I	.15	.07	.07	.42	.44
SNP19	Novel (CDS)	IVS2 -132C>T	D	I	.02	-	.009	-	-
SNP26	Novel (C+C)	IVS3 +1992T>C	B	I	.40	NA	NA	NA	NA
SNP32	Novel (CDS)	IVS3 -734G>A	B	I	NA	NA	NA	NA	NA
SNP33	GeneSNPs (+ <)	IVS4 -172G>A	A	I	.02	-	-	-	-
SNP17	HCANC (*)	S222P (664T>C)	A	I	-	-	-	-	-
SNP1	dbSNP (R)	IVS7 +34T>G	1	II	.17	.06	.05	.62	.56
SNP14	dbSNP (R)	IVS7 +526C>T	I	I	.02	-	.02	.11	.11
SNP13	Novel (C+C)	IVS7 -202C>T	1	II	.31	.14	.13	.66	.72
SNP2	Novel (C+C)	IVS9 +187C>G	B	I	.08	NA	NA	NA	NA
SNP27	Novel (C+C)	IVS9 +841T>G	I	I	.06	-	.01	.07	.08
SNP46	HGVbase (+ <)	M318I (954G>A)	B	I	-	NA	NA	NA	NA
SNP10	dbSNP (R)	IVS10 +12G>A	I	I	.42	.16	.14	.67	.66
SNP34	GeneSNPs / dbSNP (*)	I431T (1292T>C)	A	I	-	-	-	-	-
SNP18	HCANC (*)	M445T (1334T>C)	A	I	-	-	-	-	-
SNP29	Novel (CDS)	IVS12 +581C>T	A	I	.02	-	-	-	-
SNP30	Novel (CDS)	IVS12 +586G>A	D	I	.02	.04	.01	-	.01

SNP31	Novel (CDS)	IVS12 +646C>A	A	I	.02	-	.01	-	.27
SNP28	Novel (C+C)	IVS12 -473T>G	1	I	.08	.006	.14	.24	.27
SNP24	Novel (C+C)	stop + 766delT; T>G	1	I	.33	.14	.13	.52	.53
SNP6	Novel (CAP)	stop +945A>I	D	I	-	.02	.02	-	-
SNP25	Novel (CDS)	stop + 1454C>I	1	II	.08	.003	.006	.23	.28
SNP5	Novel (C+C)	stop + 1639A>I	1	II	.63	.17	.16	.61	.62
SNP15	Novel (C+C)	stop + 2204G>C	1	II	.13	.13	.11	.24	.20
SRD5A2									
SNP17	GeneSNPs (R)	-8029C>I	1,2	II	.33	.46	.46	.46	.37
SNP18	GeneSNPs (*)	-7819G>C	A	I	-	-	-	-	-
SNP26	GeneSNPs (+)	-3001G>A	1	II	.30	.29	.30	.27	.39
SNP28	GeneSNPs (*)	-2851A>I	A	I	-	-	-	-	-
SNP31	Novel (C+C)	-2036(A)7-8, A>I	C	I	NA	.29	.28	.43	.33
SNP5	GeneSNPs (R)	-1971G>A	B	I	.48	NA	NA	NA	NA
SNP30	Novel (CAP)	-870G>A	D	I	-	.01	.02	-	.01
SNP21	HGMD (*)	G34R (100G>A)	A	I	-	-	-	-	-
SNP22	GeneSNPs / dbSNP / HGvbase (-)	A49T (145G>A)	1,3	II	NA	.04	.04	.01	.03
SNP20	GeneSNPs / dbSNP / HGvbase (-)	V89L (265G>C)	1,3	II	NA	.29	.29	.32	.34
SNP23	GeneSNPs / dbSNP (-)	IVS1 +15C>I	B	I	.46	NA	NA	NA	NA
SNP11	GeneSNPs / dbSNP (-)	IVS1 +24664G>I	1	I	.48	.24	.27	.19	.22
SNP12	GeneSNPs / dbSNP (-)	IVS2 +626C>I	1,2	II	.48	.41	.40	.27	.30
SNP7	HGMD (*)	G183S (547G>A)	A	I	-	-	-	-	-
SNP8	HGMD (*)	N193S (578A>G)	A	I	-	-	-	-	-
SNP9	HGMD (*)	P212R (635C>G)	A	I	-	-	-	-	-
SNP10	HGMD (*)	IVS4 +1G>I	A	I	-	-	-	-	-
SNP32	Novel (CAP)	stop +545T>C	D	I	-	-	.005	-	-
SNP4	Novel (C+C)	stop +849A>G	D	I	.13	.11	.12	.16	.23
SNP2	Novel (C+C)	stop +1356A>C	D	I	.02	.006	.009	-	-
SNP1	GeneSNPs (R)	stop +1552G>A	1	II	.16	.12	.12	.19	.23
SNP13	GeneSNPs (+)	stop +3059G>A	1	II	.13	.09	.09	.13	.14
SNP14	GeneSNPs (-)	stop +5179A>C	D	I	.02	.01	.005	-	-

SNP15	GeneSNPs (-)	stop +9301G>C	1	II	.46	.26	.27	.21	.23
SNP16	GeneSNPs (-)	stop +9502C>T	D	I	-	.006	-	-	-

^a Explanations: (*), SNP did not show up in our study population; (R), rediscovered; (+), we had sequence coverage but did not rediscover the SNP; (+ <), we had sequence coverage but did not rediscover the SNP, most likely due to the low minor allele frequency; (-), we did not have sequence coverage explaining why we did not rediscover the SNP; (CDS), novel SNP discovered originally in the Coriell Diversity Set; (CAP), novel SNP discovered originally in the prostate cancer sibships; (C+C), novel SNP discovered originally in both populations

^b Underlined bases indicate the allele for which frequencies are given

^c Excluded from haplotyping in Phase I and from consideration for Phase II based on (A) being monoallelic in the prostate cancer sibships, (B) yielding ambiguous genotyping results, (C) low success rate, (D) allele frequency <5%. Included in Phase II association analyses based on (1) being a haplotype tagging SNP, (2) case-control difference in Phase I, (3) previous publications supporting association, (4) SNP conveniently located within the same PCR fragment as another included SNP

^d I, allele frequencies based on 276 samples; II, allele frequencies based on 1117 samples

^e NA, data not available

Table 4A. All non-stratified association results between CYP17, CYP3A4, and SRD5A2 variants and risk of prostate cancer among cases and sibling controls^a

Genes	Genotype Comparison ^b	All Subjects (n=886...920)		European Americans (n=781...834)		African-Americans (n=74...76)	
		OR (95% CI)	p-value	OR (95% CI)	p-value	OR (95% CI)	p-value
CYP17							
SNP29	CC or TC vs. TT	0.91 (0.65-1.29)	0.61	0.86 (0.59-1.25)	0.42	1.96 (0.72-5.31)	0.19
SNP4	AA or GA vs. GG	0.88 (0.62-1.25)	0.47	0.82 (0.56-1.19)	0.30	1.96 (0.72-5.31)	0.19
SNP20	AA or GA vs. GG	0.57 (0.25-1.31)	0.19	0.52 (0.21-1.28)	0.15	1.87 (0.55-6.35)	0.31
SNP6	TT or CT vs. CC	0.90 (0.64-1.27)	0.56	0.81 (0.57-1.17)	0.27	2.38 (0.71-7.92)	0.16
SNP7	CC or AC vs. AA	0.84 (0.59-1.19)	0.33	0.77 (0.53-1.11)	0.16	2.00 (0.59-6.72)	0.27
SNP22	TT or CT vs. CC	1.99 (0.67-5.86)	0.21	NA ^c	NA	1.69 (0.43-6.68)	0.45
SNP3	GG or CG vs. CC	0.90 (0.63-1.27)	0.54	0.81 (0.56-1.19)	0.28	2.23 (0.76-6.54)	0.14
CYP3A4							
SNP47	TT or CT vs. CC	0.59 (0.31-1.09)	0.09	0.60 (0.29-1.23)	0.16	0.56 (0.17-1.86)	0.34
SNP12	GG or CG vs. CC	1.51 (0.92-2.50)	0.11	1.44 (0.86-2.38)	0.16	NA	NA
SNP11	GG or AG vs. AA	0.76 (0.43-1.36)	0.36	0.83 (0.41-1.66)	0.59	0.61 (0.23-1.63)	0.32
SNP1	GG or TG vs. TT	0.53 (0.29-0.99)	0.05	0.57 (0.28-1.18)	0.13	0.44 (0.13-1.57)	0.21
SNP13	TT or CT vs. CC	0.79 (0.51-1.22)	0.29	0.71 (0.45-1.12)	0.14	2.33 (0.42-12.84)	0.33
SNP24	GG or TG vs. TT	0.95 (0.62-1.44)	0.79	0.88 (0.56-1.36)	0.56	1.81 (0.45-7.25)	0.40
SNP25	TT or CT vs. CC	1.59 (0.58-4.39)	0.37	NA	NA	1.21 (0.37-3.98)	0.75
SNP5	TT or AT vs. AA	0.86 (0.56-1.31)	0.47	0.74 (0.48-1.15)	0.19	4.48 (0.67-30.07)	0.12
SNP15	CC or GC vs. GG	0.69 (0.46-1.05)	0.09	0.68 (0.44-1.05)	0.08	0.82 (0.22-3.03)	0.77
SRD5A2							
SNP17	TT or CT vs. CC	0.87 (0.58-1.29)	0.48	0.93 (0.61-1.41)	0.74	0.21 (0.04-1.12)	0.07
SNP26	AA or GA vs. GG	1.57 (1.08-2.30)	0.02	1.59 (1.08-2.34)	0.02	1.00 (0.19-5.31)	1.00
SNP22	AA or GA vs. GG	0.84 (0.38-1.85)	0.66	0.90 (0.40-2.02)	0.79	NA	NA
SNP20	CC or GC vs. GG	1.56 (1.08-2.25)	0.02	1.47 (1.00-2.16)	0.05	2.29 (0.81-6.50)	0.12

SNP12	TT or CT vs. CC	1.00 (0.69-1.46)	0.98	0.98 (0.67-1.44)	0.94	0.94 (0.18-4.97)	0.94
SNP1	AA or GA vs. GG	0.81 (0.53-1.24)	0.33	0.83 (0.53-1.31)	0.43	1.20 (0.23-6.21)	0.83
SNP13	AA or GA vs. GG	0.94 (0.61-1.47)	0.80	0.98 (0.61-1.55)	0.92	1.64 (0.25-10.54)	0.61
SNP15	CC or GC vs. GG	1.14 (0.79-1.63)	0.49	1.14 (0.79-1.65)	0.49	0.77 (0.15-3.94)	0.75

- ^a From conditional logistic regression, with matching on family, and a variance estimator that incorporates sibling correlations.
^b All results are from dominant models that compare homozygous and heterozygous carriers of variant versus the homozygous wildtype (OR=1.0).
^c NA, data not available

Table 4B. Statistically significant allele associations obtained from analysis stratified by aggressiveness ^a

SNP	Stratification	All Subjects (n=443...465)		European Americans (n=394...418)		African-Americans (n=39)	
		OR (95% CI)	p-value	OR (95% CI)	p-value	OR (95% CI)	p-value
CYP3A4							
SNP47	Low TNM and grade	0.19 (0.06-0.62)	0.006	0.07 (0.01-0.53)	0.10	0.66 (0.14-3.04)	0.59
SNP11	Low TNM and grade	0.20 (0.06-0.67)	0.009	0.08 (0.01-0.59)	0.13	0.66 (0.14-3.04)	0.59
SNP1	Low TNM and grade	0.21 (0.05-0.86)	0.03	0.16 (0.03-0.82)	0.03	0.65 (0.03-16.26)	0.80
SNP25	Low TNM and grade	6.54 (0.99-43.10)	0.05	NA ^b	NA	6.57 (1.26-34.17)	0.03
SNP5	Low TNM and grade	0.57 (0.30-1.10)	0.09	0.51 (0.26-0.99)	0.05	NA	NA
SNP15	Low TNM and grade	0.41 (0.22-0.79)	0.007	0.52 (0.27-1.01)	0.06	NA	NA
SRD5A2							
SNP1	Low TNM and grade	0.59 (0.32-1.10)	0.09	0.52 (0.27-1.00)	0.05	1.41 (0.18-10.79)	0.74

^a From conditional logistic regression, with matching on family, and a variance estimator that incorporates sibling correlation.^b NA, data not available

Table 5A. All non-stratified haplotype association results for CYP17, CYP3A4, and SRD5A2 ^a.

Haplotype	All Subjects (n=920)		European Americans (n=834)		African-Americans (n=76)	
	OR (95% CI)	p-value	OR (95% CI)	p-value	OR (95% CI)	p-value
CYP17						
Hap1	1.0	-	1.0	-	1.0	-
Hap2	0.83 (0.61-1.12)	0.22	0.80 (0.58-1.10)	0.17	2.63 (0.45-15.33)	0.28
Hap3	1.07 (0.67-1.70)	0.78	1.09 (0.65-1.83)	0.74	1.41 (0.49-4.08)	0.52
Hap4	0.85 (0.56-1.31)	0.47	0.84 (0.51-1.40)	0.51	1.02 (0.43-2.42)	0.97
CYP3A4						
Hap1	1.0	-	1.0	-	1.0	1
Hap2	1.25 (0.74-2.08)	0.41	1.16 (0.69-1.96)	0.57	NA ^b	NA
Hap3	1.20 (0.70-2.03)	0.51	1.07 (0.62-1.82)	0.82	3.34 (0.49-22.89)	0.22
Hap4	0.46 (0.21-1.01)	0.05	0.44 (0.20-0.96)	0.04	0.99 (0.06-16.37)	0.99
Hap5	1.08 (0.78-1.50)	0.66	1.05 (0.74-1.51)	0.77	1.86 (0.60-5.75)	0.28
SRD5A2						
Hap1	1.0	-	1.0	-	1.0	-
Hap2	1.14 (0.82-1.60)	0.43	1.12 (0.80-1.58)	0.50	2.57 (0.43-15.52)	0.30
Hap3	0.76 (0.48-1.21)	0.25	0.81 (0.51-1.30)	0.39	NA	NA
Hap4	1.13 (0.72-1.77)	0.61	1.03 (0.64-1.66)	0.90	NA	NA
Hap5	1.59 (0.78-3.24)	0.20	1.58 (0.79-3.19)	0.20	NA	NA
Hap6	1.27 (0.60-2.68)	0.52	2.16 (0.87-5.37)	0.10	0.64 (0.10-4.00)	0.63
Hap7	0.74 (0.50-1.09)	0.13	0.80 (0.51-1.23)	0.30	1.11 (0.29-4.27)	0.88

^a From conditional logistic regression, with matching on family, and a variance estimator that incorporates sibling correlation.^b NA, data not available

Table 5B. Statistically significant haplotype associations obtained from analysis stratified by high aggressiveness (i. e., high TNM stage or Gleason score) and low aggressiveness (i. e., low TNM stage and Gleason score) ^a

Haplotype	Stratification	All Subjects (n=395...465)		European Americans (n=362...418)		African-Americans (n=33...39)	
		OR (95% CI)	p-value	OR (95% CI)	p-value	OR (95% CI)	p-value
CYP3A4							
Hap4	Low TNM and grade	0.06 (0.008-0.50)	0.009	0.09 (0.01-0.68)	0.02	NA ^b	NA
SRD5A2							
Hap3	High TNM or grade	0.52 (0.29-0.91)	0.02	0.53 (0.30-0.95)	0.03	NA	NA

^a From conditional logistic regression, with matching on family, and a variance estimator that incorporates sibling correlation.

^b NA, data not available

Table 6. Annotation of *CYP3A4*, *CYP17* and *SRD5A2* genomic sequences

Gene	Annotation	Base pairs	Sub annotation	Base pairs
CYP3A4	5' region	1-10481		
	Exon 1	10482-10642		
			5' UTR	10482-10571
			Start codon	10572-10574
			Translated region	10572-10642
	Intron 1	10643-14574		
	Exon 2	14575-14668		
	Intron 2	14669-16579		
	Exon 3	16580-16632		
	Intron 3	16633-22072		
	Exon 4	22073-22172		
	Intron 4	22173-24526		
	Exon 5	24527-24640		
	Intron 5	24641-24905		
	Exon 6	24906-24994		
	Intron 6	24995-26259		
	Exon 7	26260-26408		
	Intron 7	26409-27502		
	Exon 8	27503-27630		
	Intron 8	27631-28314		
	Exon 9	28315-28381		
	Intron 9	28382-30736		
	Exon 10	30737-30897		
	Intron 10	30898-32482		
	Exon 11	32483-32709		
	Intron 11	32710-33768		
	Exon 12	33769-33931		
	Intron 12	33932-36520		
	Exon 13	36521-37073		
			Translated region	36521-36613
			Stop codon	36614-36616
			3' UTR	36617-37073
	3' region	37074-39071		

CYP17	5' region	1-9992		
	Exon 1	9993-10337		
			5' UTR	9993-10040
			Start codon	10041-10043
			Translated region	10041-10337
	Intron 1	10338-12009		
	Exon 2	12010-12148		
	Intron 2	12149-12387		
	Exon 3	12388-12617		
	Intron 3	12618-13279		
	Exon 4	13280-13366		
	Intron 4	13367-14193		
	Exon 5	14194-14409		
	Intron 5	14410-14721		
	Exon 6	14722-14891		
	Intron 6	14892-15790		
	Exon 7	15791-15894		
	Intron 7	15895-16416		
	Exon 8	16417-16872		
			Translated region	16417-16697
			Stop codon	16698-16700
			3' UTR	16701-16872
	3' region	16873-26865		
SRD5A2	5' region	1-9995		
	Exon 1	9996-10307		
			5' UTR	9996-10026
			Start codon	10027-10029
			Translated region	10027-10307
	Intron 1	10308-57160		
	Exon 2	57161-57324		
	Intron 2	57325-59454		
	Exon 3	59455-59556		
	Intron 3	59557-61469		
	Exon 4	61470-61620		
	Intron 4	61621-64664		
	Exon 5	64665-66344		
			Translated region	64665-64728
			Stop codon	64729-64731
			3' UTR	64732-66344
	3' region	66345-76341		

What is claimed is:

1. An isolated polynucleotide selected from the group consisting of a nucleotide sequence comprising one or more polymorphic sequences of SEQ ID NOS 1-34.
2. A fragment of said isolated polynucleotide of claim 1, wherein said fragment comprises a polymorphic site in the polymorphic sequence.
3. An isolated polynucleotide comprising a sequence complementary to one or more of the polymorphic sequences (SEQ ID NOS 1-34) of claim 1.
4. A fragment of said complementary nucleotide sequence of claim 3, wherein said fragment comprises a polymorphic site in the polymorphic sequence.
5. The isolated polynucleotide of any of claims 1 to 4, wherein said polynucleotide is DNA, RNA, cDNA, or mRNA.
6. The isolated polynucleotide of any of claims 1 to 5, wherein at least one single nucleotide polymorphism is at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581]

of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33 and position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34.

7. The isolated polynucleotide of claim 6, wherein at least one single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19,

5 [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of
SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -
700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24,
[CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G]
of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27,
[CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after
the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after
the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base
pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5'
10 region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of
SEQ ID No. 33 and [SRD5A2, 545 base pairs after the stop codon (3'
UTR), T>C] of SEQ ID No. 34.

- 15 8. The complement of any of the isolated polynucleotides of claim 7.
9. The isolated polynucleotide of any of claims 1 to 8, wherein the nucleotide
comprises part of the *CYP17* gene, the *CYP3A4* gene or the *SRD5A2*
gene.
- 20 10. A polypeptide encoded by a polynucleotide according to any of claims 1 to
9.
11. An antibody to a polypeptide according to claim 10.
- 25 12. The isolated polynucleotide of any of claims 1 to 9, further comprising a
detectable label.
13. The isolated polynucleotide of claim 12, wherein said detectable label is
selected from the group consisting of fluorophore, radionuclide, peptide,
30 enzyme, antibody and antigen.
14. The isolated polynucleotide of claim 13, wherein said fluorophore is a
fluorescent compound is selected from the group consisting of Hoechst

33342, Cy2, Cy3, Cy5, CypHer, coumarin, FITC, DAPI, Alexa 633, DRAQ5 and Alexa 488.

15. A method for diagnosing a genetic susceptibility for a disease, condition or disorder related to prostate or breast cancer in a subject, said method comprising analysing a biological sample containing nucleic acid obtained from said subject to detect the presence or absence of one or more single nucleotide polymorphisms at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID

No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position
 5 [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44 and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

10 16. The method according to claim 15, wherein said nucleic acid is DNA, RNA, cDNA or mRNA.

17. The method according to claims 15 or 16, wherein said single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9
 15 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -
 20 132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13,
 25 [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of
 30 SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27,

5 [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, 10 [SRD5A2_5' region -3001G>A] of SEQ ID No. 44 and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

18. The method according to claims 15 or 16, wherein said single nucleotide polymorphism is selected from the complement of any of the single 15 nucleotide polymorphisms of claim 17.

19. The method of any of claims 15 to 18, wherein said analysis is accomplished by sequencing, genotyping, fragment analysis, hybridisation, restriction fragment analysis, oligonucleotide ligation or 20 allele specific PCR.

20. The method of claim 19, wherein the analysis is accomplished by hybridisation, the method comprising the steps of

- 25 i) contacting said nucleic acid with an oligonucleotide that hybridises to one or more isolated polynucleotide polymorphic sequence selected from the group consisting of SEQ ID NOS 1-36 and SEQ ID NOS 42-45 or its complement;
- ii) determining whether the nucleic acid and said oligonucleotide hybridize;

30 whereby hybridisation of the nucleic acid to the oligonucleotide indicates the presence of the polymorphic site in the nucleic acid.

21. A method for diagnosing a genetic susceptibility for a disease, condition or disorder related to prostate or breast cancer in a subject, or predicting an individual's response to a drug, said method comprising adding an antibody to a polypeptide present in a biological sample obtained from said subject which polypeptide is encoded by a polynucleotide selected from the group consisting of SEQ ID NOS 1-36 and SEQ ID NOS 42-45, or the complement thereof, and detecting specific binding of said antibody to said polypeptide.
22. A kit comprising at least one isolated polynucleotide of at least 5 contiguous nucleotides of SEQ ID NOS 1-36 or SEQ ID NOS 42-45, or the complement thereof, and containing at least one single nucleotide polymorphic site associated with a disease, condition or disorder related to prostate or breast cancer, together with instructions for the use thereof for detecting the presence or the absence of said at least single nucleotide polymorphism in said nucleic acid.
23. An oligonucleotide array comprising at least one oligonucleotide capable of hybridising to a first polynucleotide at a polymorphic site encompassed therein, wherein the first polynucleotide comprises a nucleotide sequence comprising one or more polymorphic sequences of SEQ ID NOS 1-36 or SEQ ID NOS 42-45.
24. The oligonucleotide array according to claim 23, wherein said first polynucleotide comprises a fragment of any of said nucleotide sequences, said fragment comprising a polymorphic site in said polymorphic sequence.
25. The oligonucleotide array according to claim 23 wherein the first polynucleotide is a complementary nucleotide sequence comprising a sequence complementary to one or more polymorphic sequences of SEQ ID NOS 1-36 or SEQ ID NOS 42-45.

26. The oligonucleotide array according to claim 25, wherein the first polynucleotide comprises a fragment of said complementary sequence, said fragment comprising a polymorphic site in said polymorphic sequence.
- 5
27. The kit of claim 22 or the array of any of claims 23 to 26, wherein the position of said polymorphic site is at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID

No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44 and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

28. The kit of claim 22 or the array of claim 27, wherein at least one single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5'

- 5 region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of
SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR),
T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35,
[SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G]
10 of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43,
[SRD5A2_5' region -3001G>A] of SEQ ID No. 44 and [SRD5A2, 1552
base pairs after the stop codon, G>A] of SEQ ID No. 45.
29. The kit of claim 28 or the array of claim 27, wherein at least one single
10 nucleotide polymorphism is the complement of any of the single nucleotide
polymorphisms of claim 28.
30. The kit of claim 22 or 27 to 29 or the array of any of claims 23 to 29,
wherein said oligonucleotide further comprises a detectable label.
- 15 31. The kit of claim 30 or the array of claim 30, wherein said label is selected
from the group consisting of of fluorophore, radionuclide, peptide, enzyme,
antibody or antigen.
- 20 32. The kit of claim 30 or the array of claim 30, wherein said fluorophore is a
fluorescent compound selected from the group consisting of Hoechst
33342, Cy2, Cy3, Cy5, CypHer, coumarin, FITC, DAPI, Alexa 633 DRAQ5
and Alexa 488.
- 25 33. A method of treatment or prophylaxis of a subject comprising the steps of
i) analysing a biological sample containing nucleic acid obtained from
said subject to detect the presence or absence of at least one
single nucleotide polymorphism in SEQ ID NOS 1-36 or SEQ ID
NOS 42-45, or the complement thereof, associated with a disease,
30 condition or disorder related to prostate or breast cancer; and
ii) treating the subject for said disease, condition or disorder if step i)
detects the presence of at least one single nucleotide polymorphism

in SEQ ID NOS: 1-36 or SEQ ID NOS 42-45, or the complement thereof.

34. The method of claim 33, wherein said nucleic acid is selected from the group consisting of DNA, RNA and mRNA.
35. The method of claims 33 or 34, wherein the sample is analysed to detect the presence or absence of at least one single nucleotide polymorphism at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31,

position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44 and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

36. The method of claim 35, wherein at least one single nucleotide polymorphism is selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base

pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35,
5 [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

- 10 37. The method of claim 35, wherein at least one single nucleotide polymorphism is the complement of any of the single nucleotide polymorphisms of claim 36.
- 15 38. The method of any of claims 33 to 37, wherein said method counteracts the effect of said at least one single nucleotide polymorphism detected.
- 20 39. The method of claims 33 to 38, wherein the method comprises treatment with a polynucleotide selected from the group consisting of polymorphic sequences SEQ ID NOS 1-36 and SEQ ID NOS 42-45, or their complement, provided that the polymorphic sequence, or the complement, does not contain at least one single nucleotide polymorphism at a position selected from the group consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14,
- 25
- 30

position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position
 [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646]
 of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18,
 position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5
 5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21,
 position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700]
 of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position
 [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488]
 of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27,
 10 position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base
 pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356
 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position
 [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31,
 position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5'
 15 region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2,
 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position
 [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -
 8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42,
 position [CYP3A4_5' region -1232] of SEQ ID No. 43, position
 20 [SRD5A2_5' region -3001] of SEQ ID No. 44 and position [SRD5A2, 1552
 base pairs after the stop codon] of SEQ ID No. 45.

40. The method of claim 39, wherein the polymorphic sequence does not
 contain at least one single nucleotide polymorphism selected from the
 25 group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4,
 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4,
 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5'
 region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID
 No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID
 30 No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -
 868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9,
 [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10,
 [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11,

[CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G]
 of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14,
 [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A]
 of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17,
 5 [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of
 SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1
 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22,
 [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of
 SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5'
 10 region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ
 ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base
 pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base
 pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849
 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31,
 15 [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -
 2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop
 codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ
 ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36,
 [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T]
 20 of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and
 [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

41. The method of claim 39, wherein the polymorphic sequence does not
 contain at least one single nucleotide polymorphism which is the
 25 complement of any of the single nucleotide polymorphisms of claim 40.
42. The method of any of claims 33 to 38, wherein said method comprises
 treatment with a polypeptide which is encoded by a polynucleotide
 selected from the group consisting of polymorphic sequences SEQ ID
 30 NOS 1-36 and SEQ ID NOS 42-45 or their complement, provided that the
 polymorphic sequence, or the complement, does not contain at least one
 single nucleotide polymorphism at a position selected from the group
 consisting of position [CYP3A4_IVS9 +187] of SEQ ID No. 1, position

[CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6, position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21, position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488] of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44, and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45.

43. The method of claim 42, wherein the polymorphic sequence does not contain at least one single nucleotide polymorphism selected from the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 5 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, 10 [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G] of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, 15 [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 25 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, 20 [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, and [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45. 30

44. The method of claim 42, wherein the polymorphic sequence does not contain at least one single nucleotide which is the complement of any of the single nucleotide polymorphisms of claim 43.
- 5 45. The method of claims 33 to 38, wherein said method comprises treatment with an antibody that binds specifically with a polypeptide encoded by a polynucleotide selected from the group consisting of SEQ ID NOS 1-36 and SEQ ID NOS 42-45, or the complement thereof.
- 10 46. A method for predicting the genetic ability of a subject or an organism to metabolise a chemical, said method comprising analysing a biological sample containing nucleic acid obtained from said subject or organism to detect the presence or absence of one or more single nucleotide polymorphisms at a position selected from the group consisting of position
- 15 [CYP3A4_IVS9 +187] of SEQ ID No. 1, position [CYP3A4, 1639 base pairs after the stop codon] of SEQ ID No. 2, position [CYP3A4, 945 base pairs after the stop codon] of SEQ ID No. 3, position [CYP3A4_5' region -747] of SEQ ID No. 4, position [CYP3A4_IVS7 -202] of SEQ ID No. 5, position [CYP3A4, 2204 base pairs after the stop codon] of SEQ ID No. 6,
- 20 position [CYP3A4_IVS2 -132] of SEQ ID No. 7, position [CYP3A4_IVS1 -868] of SEQ ID No. 8, position [CYP3A4_5' region -847] of SEQ ID No. 9, position [CYP3A4, 766 base pairs after the stop codon] of SEQ ID No. 10, position [CYP3A4, 1454 base pairs after the stop codon] of SEQ ID No. 11, position [CYP3A4_IVS3 +1992] of SEQ ID No. 12, position
- 25 [CYP3A4_IVS9 +841] of SEQ ID No. 13, position [CYP3A4_IVS12 -473] of SEQ ID No. 14, position [CYP3A4_IVS12 +581] of SEQ ID No. 15, position [CYP3A4_IVS12 +586] of SEQ ID No. 16, position [CYP3A4_IVS12 +646] of SEQ ID No. 17, position [CYP3A4_IVS3 -734] of SEQ ID No. 18, position [CYP17_IVS1 -271] of SEQ ID No. 19, position [CYP17_IVS5 +75] of SEQ ID No. 20, position [CYP17_IVS1 +426] of SEQ ID No. 21,
- 30 position [CYP17_IVS1 -99] of SEQ ID No. 22, position [CYP17_IVS1 -700] of SEQ ID No. 23, position [CYP17_IVS1 -565] of SEQ ID No. 24, position [CYP17_IVS3 +141] of SEQ ID No. 25, position [CYP17_5' region -1488]

of SEQ ID No. 26, position [CYP17_5' region -1204] of SEQ ID No. 27, position [CYP17_IVS1 +466] of SEQ ID No. 28, position [CYP17, 712 base pairs after the stop codon] of SEQ ID No. 29, position [SRD5A2, 1356 base pairs after the stop codon (3' UTR)] of SEQ ID No. 30, position
5 [SRD5A2, 849 base pairs after the stop codon (3' UTR)] of SEQ ID No. 31, position [SRD5A2_5' region -870] of SEQ ID No. 32, position [SRD5A2_5' region between -2036 and -2030] of SEQ ID No. 33, position [SRD5A2, 545 base pairs after the stop codon (3' UTR)] of SEQ ID No. 34, position [SRD5A2_IVS2+626] of SEQ ID No. 35, position [SRD5A2_5' region -
10 8029] of SEQ ID No. 36, position [CYP3A4_IVS7+34] of SEQ ID No. 42, position [CYP3A4_5' region -1232] of SEQ ID No. 43, position [SRD5A2_5' region -3001] of SEQ ID No. 44 and position [SRD5A2, 1552 base pairs after the stop codon] of SEQ ID No. 45,
wherein the presence of a polymorphism at one or more of said positions
15 is indicative of the subject's or organism's ability or inability to metabolise said chemical.

47. The method of claim 46, wherein said analysis comprises detecting or absence of one or more single nucleotide polymorphisms selected from
20 the group consisting of [CYP3A4_IVS9 +187C>G] of SEQ ID No. 1, [CYP3A4, 1639 base pairs after the stop codon, A>T] of SEQ ID No. 2, [CYP3A4, 945 base pairs after the stop codon, A>T] of SEQ ID No. 3, [CYP3A4_5' region -747C>G] of SEQ ID No. 4, [CYP3A4_IVS7 -202C>T] of SEQ ID No. 5, [CYP3A4, 2204 base pairs after the stop codon, G>C] of
25 SEQ ID No. 6, [CYP3A4_IVS2 -132C>T] of SEQ ID No. 7, [CYP3A4_IVS1 -868C>T] of SEQ ID No. 8, [CYP3A4_5' region -847A>T] of SEQ ID No. 9, [CYP3A4, 766 base pairs after the stop codon, delT] of SEQ ID No. 10, [CYP3A4, 1454 base pairs after the stop codon, C>T] of SEQ ID No. 11, [CYP3A4_IVS3 +1992T>C] of SEQ ID No. 12, [CYP3A4_IVS9 +841T>G]
30 of SEQ ID No. 13, [CYP3A4_IVS12 -473T>G] of SEQ ID No. 14, [CYP3A4_IVS12 +581C>T] of SEQ ID No. 15, [CYP3A4_IVS12 +586G>A] of SEQ ID No. 16, [CYP3A4_IVS12 +646C>A] of SEQ ID No. 17, [CYP3A4_IVS3 -734G>A] of SEQ ID No. 18, [CYP17_IVS1 -271A>C] of

SEQ ID No. 19, [CYP17_IVS5 +75C>G] of SEQ ID No. 20, [CYP17_IVS1 +426G>A] of SEQ ID No. 21, [CYP17_IVS1 -99C>T] of SEQ ID No. 22, [CYP17_IVS1 -700C>G] of SEQ ID No. 23, [CYP17_IVS1 -565G>A] of SEQ ID No. 24, [CYP17_IVS3 +141A>T] of SEQ ID No. 25, [CYP17_5' region -1488C>G] of SEQ ID No. 26, [CYP17_5' region -1204C>T] of SEQ ID No. 27, [CYP17_IVS1 +466G>A] of SEQ ID No. 28, [CYP17, 712 base pairs after the stop codon, G>A] of SEQ ID No. 29, [SRD5A2, 1356 base pairs after the stop codon (3' UTR), A>C] of SEQ ID No. 30, [SRD5A2, 849 base pairs after the stop codon (3' UTR), A>G] of SEQ ID No. 31, [SRD5A2_5' region -870G>A] of SEQ ID No. 32, [SRD5A2_5' region -2036(A)7-8] of SEQ ID No. 33, [SRD5A2, 545 base pairs after the stop codon (3' UTR), T>C] of SEQ ID No. 34, [SRD5A2_IVS2+626C>T] of SEQ ID No. 35, and [SRD5A2_5' region -8029C>T] of SEQ ID No. 36, [CYP3A4_IVS7+34T>G] of SEQ ID No. 42, [CYP3A4_5' region -1232C>T] of SEQ ID No. 43, [SRD5A2_5' region -3001G>A] of SEQ ID No. 44, [SRD5A2, 1552 base pairs after the stop codon, G>A] of SEQ ID No. 45.

48. The method of either of claims 46 or 47, wherein the method further comprises predicting the response of the subject to the chemical by their ability or inability to metabolise the chemical.
49. The method according to any of claims 46 to 48, wherein said chemical is a drug or a xenobiotic.
50. The method according to any of claims 46 to 49, wherein said organism is selected from the group consisting of bacterium, fungus, protozoa, alga, fish, plant, insect and mammal.
51. A vector comprising a polynucleotide selected from the group consisting of a nucleotide sequence comprising one or more polymorphic sequences of SEQ ID NOS 1-36 or SEQ ID NOS 42-45.
52. A host cell transformed with the vector of claim 51.

53. The host cell of claim 52, wherein said host cell is selected from the group consisting of bacterium, fungus, protozoa, alga, fish, plant, insect and mammal.
54. The host cell of claim 53, wherein said mammal cell is a human cell.
55. Method of metabolising a chemical using the host cell of either of claims 52 or 53.
56. Method for making a host cell resistant to a chemical, said method comprising transforming said cell with any of the polynucleotides of claims 1 to 9 or with any of the vectors of claim 51.
57. An isolated haplotype selected from the group consisting of CYP3A4_Hap4 and SRD52_Hap3.
58. The isolated CYP3A4_Hap4 haplotype of Claim 57 wherein said haplotype comprises Allele T at [CYP3A4_5' region -1232C>T], Allele C at [CYP3A4_5' region -747C>G], Allele G at [CYP3A4_5' region -392A>G], Allele G at [CYP3A4_IVS7+34T>G], Allele T at [CYP3A4_IVS7-202C>T], Allele G at [CYP3A4_stop+766T>G], Allele C at [CYP3A4_stop+1454C>T], Allele T at [CYP3A4_stop+1639A>T] and Allele C at [CYP3A4_stop+2204G>C].
59. The isolated SRD52_Hap3 haplotype of Claim 57 wherein said haplotype comprises Allele C at [SRD5A2_5' region -8029C>T], Allele G at [SRD5A2_5' region -3001G>A], Allele G at [SRD5A2_145G>A], Allele G at [SRD5A2_265G>C], Allele T at [SRD5A2_IVS2+626C>T], Allele G at [SRD5A2_stop+1552G>A], Allele G at [SRD5A2_stop+3059G>A] and Allele G at [SRD5A2_stop+9301G>C].

60. A method for diagnosing a genetic susceptibility for a disease, condition or disorder related to prostate or breast cancer in a subject, said method comprising analysing a biological sample obtained from said subject to detect the presence or absence of a haplotype as defined in any of claims 57-59.
61. A method of diagnosing a genetic susceptibility for a disease, condition or disorder related to prostate or breast cancer in a subject, said method comprising adding an antibody to a polypeptide present in a sample obtained from said subject which polypeptide is encoded by a haplotype as defined in any of claims 57-59, or the complement thereof, and detecting specific binding of said antibody to said polypeptide.
62. A method of treatment or prophylaxis of a subject comprising the steps of
- i) analysing a sample of biological material containing a nucleic acid obtained from said subject to detect the presence or absence of at least one haplotype as defined in any of claims 57-59, or the complement thereof, associated with a disease, condition or disorder related to prostate or breast cancer; and
 - ii) treating the subject for said disease, condition or disorder if step i) detects the presence of at least one said haplotype, or the complement thereof.
63. The method of claim 62 wherein the method comprises treatment with a portion of the isolated CYP3A4_Hap4 haplotype according to claim 58 wherein said portion of said haplotype does not consist of at least one allele from the group consisting of Allele T at [CYP3A4_5' region -1232C>T], Allele C at [CYP3A4_5' region -747C>G], Allele G at [CYP3A4_5' region -392A>G], Allele G at [CYP3A4_IVS7+34T>G], Allele T at [CYP3A4_IVS7-202C>T], Allele G at [CYP3A4_stop+766T>G], Allele C at [CYP3A4_stop+1454C>T], Allele T at [CYP3A4_stop+1639A>T] and Allele C at [CYP3A4_stop+2204G>C].

64. The method of claim 62 wherein the method comprises treatment with a portion of the isolated SRD5A2_Hap3 haplotype of Claim 59 wherein said portion of said haplotype does not comprise of at least one allele from the group consisting of Allele C at [SRD5A2_5' region -8029C>T], Allele G at
5 [SRD5A2_5' region -3001G>A], Allele G at [SRD5A2_145G>A], Allele G at [SRD5A2_265G>C], Allele T at [SRD5A2_IVS2+626C>T], Allele G at [SRD5A2_stop+1552G>A], Allele G at [SRD5A2_stop+3059G>A] and Allele G at [SRD5A2_stop+9301G>C].

1/4




Figure 1: Testosterone biosynthetic pathway

CYP17A1

26 865 bp



	SNP29: -34T>C	SNP04: IVS1 +426G>A	SNP20: IVS1 +466G>A	SNP06: IVS1 -99C>T	SNP07: IVS2 +105A>C	SNP22: IVS2 -83C>T	SNP03: IVS5 +75C>G
Hap1	T	C	C	C	A	C	C
Hap2	C	T	.	T	C	.	G
Hap3	C	T	G
Hap4	Composite						

Frequency (all)		Frequency (EA)		Frequency (AA)	
Controls	Cases	Controls	Cases	Controls	Cases
547 (.57)	527 (.60)	494 (.57)	475 (.60)	50 (.66)	47 (.62)
259 (.27)	216 (.25)	253 (.29)	208 (.26)	5 (.07)	6 (.08)
91 (.09)	86 (.10)	85 (.10)	79 (.10)	3 (.04)	7 (.09)
63 (.07)	51 (.06)	42 (.05)	32 (.04)	18 (.24)	16 (.21)

Figure 2A

CYP3A4

37 073 bp



SNP47: -1232C>T	C	.	.	T	Composite
SNP12: -747C>G	C	G	.	.	
SNP11: -392A>G	A	.	.	G	
SNP01: IVS7 +34T>G	T	.	.	G	
SNP13: IVS7 -202C>T	C	.	T	T	
SNP24: stop +766 delT	T	.	G	G	
SNP25: stop +1454C>T	C	.	.	.	
SNP05: stop +1639A>T	A	.	T	T	
SNP15: stop +2204G>C	G	.	C	C	

	Frequency (all)		Frequency (EA)		Frequency (AA)	
	Controls	Cases	Controls	Cases	Controls	Cases
Hap1	651 (.68)	596 (.68)	629 (.72)	577 (.73)	16 (.21)	13 (.17)
Hap2	65 (.07)	62 (.07)	64 (.07)	59 (.07)	1 (.01)	2 (.03)
Hap3	63 (.07)	64 (.07)	59 (.07)	58 (.07)	4 (.05)	6 (.08)
Hap4	45 (.05)	25 (.03)	34 (.04)	19 (.02)	10 (.13)	5 (.07)
Hap5	136 (.14)	133 (.15)	88 (.10)	81 (.10)	45 (.59)	50 (.66)

3/4

Figure 2B

SRD5A2

76 341 bp



SNP17: - 8029C>T	G	C	C	C	C	C	C
SNP26: - 3001G>A	G	A	.	.	A	.	.
SNP22: A49T (145G>A)	G
SNP20: V89L (265G>C)	G	C	.	.	C	.	.
SNP12: IVS2 + 626C>T	C	T	T	.	T	.	.
SNP01: stop + 1552G>A	G	.	.	A	.	.	.
SNP13: stop + 3059G>A	G	.	.	A	.	.	.
SNP15: stop + 9301G>C	G	C

4/4

	Frequency (all)		Frequency (EA)		Frequency (AA)	
	Controls	Cases	Controls	Cases	Controls	Cases
Hap1	376 (.39)	348 (.40)	352 (.40)	321 (.40)	19 (.25)	20 (.26)
Hap2	218 (.23)	212 (.24)	206 (.24)	197 (.25)	11 (.14)	13 (.17)
Hap3	108 (.11)	84 (.10)	102 (.12)	81 (.10)	6 (.08)	3 (.04)
Hap4	73 (.08)	73 (.08)	70 (.08)	65 (.08)	-	7 (.09)
Hap5	41 (.04)	42 (.05)	41 (.05)	42 (.05)	-	-
Hap6	32 (.03)	27 (.03)	19 (.02)	20 (.03)	13 (.17)	7 (.09)
Hap7 Composite	112 (.12)	94 (.10)	84 (.10)	68 (.09)	27 (.36)	26 (.34)

Figure 2C

WO 2004/028346

pto_PB0262.txt
SEQUENCE LISTING

<110> Loukola, Anu-Maria
Penn, Sharron G.
Rank, David R.
Hanzel, David K.
Casey, Graham.
Witte, John S.

<120> Detection Methods

<130> PB0262

<140> to be assigned
<141> 2003-09-25

<150> US 60/413,583
<151> 2002-09-25

<150> US 60/491,842
<151> 2003-08-01

<160> 45

<170> PatentIn version 3.1

<210> 1
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: G.

<400> 1
atgagaattt ctgccacata gcagaacgac acatgtttga atgttataag tggtagttgg 60
aggcactttc tagaggcatg caggcataga tagccatgtt ctaagagtaa agggcaaccc 120
taagcaaacc tggcatgcta gaaagtcagt ctgcggtctg tggatcacct acatcagatc 180
aaatgccaat tctcagcctc c 201

<210> 2
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: T.

<400> 2
tgatagaagc caggcttctc acctttgcag aaggagtgca tggattcaga aaggagaaaa 60
actagcatga atcctatgaa attagattgg aatggatgta accgtgtata ttcataccct 120
tgtagataga tagatgggta gatagatgat agataggtaa cagatagatg acagataatg 180

pto_PB0262.txt

agatagatag atgtaaatgt a

201

<210> 3
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: T.

<400> 3
ggcaggagaa tcacttgaac ctgggaggcg gatgttgaag tgagctgaga ttgcaccact 60
gcactccagt ctgggtgaga gtgagactca gtcttaaaaa aatatgcctt tttgaagcac 120
gtacattttg taacaaagaa ctgaagctct tattatatta ttagttttga tttaatgttt 180
tcagcccatc tcctttcata t 201

<210> 4
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: G.

<400> 4
aagtcaccag aaagtcagaa gggatgacat gcagaggccc agcaatctca gctaagtcaa 60
ctccaccagc ctttctagtt gccactgtg tgtacagcac cctggtaggg accagagcca 120
tgacagggaa taagactaga ctatgccctt gaggagctca cctctgttca gggaaacagg 180
cgtggaaaca caatggtggt a 201

<210> 5
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: T.

<400> 5
ctgtagtcca atagataaag gcaaagagat tagggcattg aattttgttc cttttatcct 60
tcaaaagatg cacaaggggc tgctgatctc actgctgtag cgggtgtcct tatgcataga 120
cctgcccttg ctgagccact ggctgaaag agggggcaaaa gtcatagaag gaatggcttc 180

pto_PB0262.txt

cagttgagaa ccttgatgtc t 201

<210> 6
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: C.

<400> 6
 gaactattgg aactgataaa cacattcagt aaagttgcag gatacaaaat cagcatataa 60
 aaatcagtag catttctata tgccaatagt gaacaatctg gcaaaaataa aaaagtaatc 120
 ccatttacaa tagccacaaa taaaactaaa tacctagaaa ttaacttaat caaagaagag 180
 aaaggtctct acaatgaata c 201

<210> 7
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: T.

<400> 7
 ataagtcatt cagtatccac aacacttgga gagaattcaa gagtgatttt aaatttccct 60
 tttcaaatac ctctctgtt ttctcttatt tctttatga cgtctccaaa taagcttcct 120
 ctaactgcca gcaagtctga ttctattggc ttcgactgtt ttcattccaa ttagaggcag 180
 gggttaagtac attaaaaata a 201

<210> 8
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (104)..(104)
 <223> Alternative allele: T.

<400> 8
 aactgcccct aggatccaat catctcctac caggccccac ctccagtatt ggggattgca 60
 tttcaacatg agatttttgt aggggcacag attcagacca tatcactggc actgtgctaa 120
 tcagatgaat atcaccagtt ggaaggctag attccacaag aggaggaatg acctggaaat 180
 tggttcttta gttgtgattc t 201

pto_PB0262.txt

<210> 9
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (100)..(100)
 <223> Alternative allele: T.

<400> 9
 ggggtcccct tgccaacaga atcacagagg accagcctga aagtgcagag acagcagctg 60
 aggcacagcc aagagctctg gctgtattaa tgacctaaga agtcaccaga aagtcagaag 120
 ggatgacatg cagaggccca gcaatctcag ctaagtcaac tccaccagcc tttctagttg 180
 cccactgtgt gtacagcacc c 201

<210> 10
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: base deleted.

<400> 10
 tcaggcacag tggctcacgc ctgtaatcct agcagtttgg gaggctgagc cgggtggatc 60
 gcctgaggtc aggagttcaa gacaagcctg gcctacatgg ttgaaacccc atctctacta 120
 aaaatacaca aattagctag gcatggtgga ctgcctgta atctcactac acaggaggct 180
 gaggcaggag aatcacttga a 201

<210> 11
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: T.

<400> 11
 tgggtgtggg agtccaagca agcagagaag gggctcgacgc agaggggtgg cttgcaagag 60
 cagccagagc ctaaataagg tatggagaac ccacatgagg cgaggagggc atccatgagt 120
 gggaggggtt ggggtgaggtt tggctacata aaggggattg atcaaataag taaatgtatt 180
 aaggatgata gaagccaggc t 201

pto_PB0262.txt

<210> 12
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: C.

<400> 12
 ttgcatttct ctaatgacca gtgatgatga gcattttttc acatgtctgt tggctgcata 60
 gatgtcttct tttgagaagt gtctgttcat atcctttgcc tattttttga tggggttggt 120
 tgcttttttt cttgtaaaatt tgtttaagtt cttttagat tctggatgtt agcccttcgt 180
 cagatggata gattgcaaaa a 201

<210> 13
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: G.

<400> 13
 taactattgg ttctagagag caggactggg ctactccag catactgctt taaatatatc 60
 catgtctaca tccacttttg tctgtatgtc tatgtatcta tctatgtatc tatctagcta 120
 tgtatctatc tatctatcta tctatcatct atctatctat ctatcatcta tccatctatc 180
 atctatcatt tatccatcta t 201

<210> 14
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: G.

<400> 14
 cttcccatct ttacactgga tgggttcaat tgggaggaat tactggactc tgggaagttga 60
 agactgtcca tataattaaa atgtacaata actaccagg tttaccttgc aagtttcaac 120
 atacacaaaa ttaactttat atgactcttc aaaaacagtt tgccatcata cctaataatc 180
 tggttttaat tttaaaaaact c 201

pto_PB0262.txt

<210> 15
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: T.

<400> 15
tgcccagagt gtggctttaa aagcttcccc attgcttctc atgtgaagcc aaggttgaga 60
atgactaatt taaggcattt ctggtggata taaaggacta ccacagtcca aggccatcct 120
gactgacctc accttccagg tgcctagctc catccagctg ggctcctttt caaccaatt 180
ataactctat taatgttggt c 201

<210> 16
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: A.

<400> 16
agagtgtggc tttaaaagct tccccattgc ttctcatgtg aagccaaggt tgagaatgac 60
taatttaagg ctttcttggt ggatataaag gactaccaca gtccaaggcc atcctgactg 120
acctcacctt ccaggtgcct agctccatcc agctgggctc cttttcaacc caattataac 180
tctattaatg ttgttcccag c 201

<210> 17
<211> 201
<212> DNA
<213> Homo sapiens

<220>
<221> SNP
<222> (101)..(101)
<223> Alternative allele: A.

<400> 17
taatttaagg ctttcttggt ggatataaag gactaccaca gtccaaggcc atcctgactg 60
acctcacctt ccaggtgcct agctccatcc agctgggctc cttttcaacc caattataac 120
tctattaatg ttgttcccag ccaggcatgg tggctcatgc ctgtaatccc agcactttgg 180
gaggccgaag caggcgatc a 201

<210> 18

pto_PB0262.txt

<211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: A.

<400> 18
 ctaatttgat tgcactgtgg tctgagagac agtttggtat gatttctggt cttttacatt 60
 tgctgaggag tgctttactt ccaattatgt ggtcaatttt ggaataagtg cgatgtggtg 120
 ctgagaagaa tgtatattct gttgatttgg ggtggagagt tctgtagatg tctattaggt 180
 ccgcttggtg cagagctgag t 201

<210> 19
 <211> 200
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (100)..(100)
 <223> Alternative allele: C.

<400> 19
 ggacaggcat agtttagaga gtttatccca tccagagttg ccttctgtgg tcagaaactg 60
 atgagcaaaa agaagcccag agggcacccct gtcagcgaaa agaaccctaa tgctgctgca 120
 ttctaattaa gggttctttc tttctccttg atctactgta tttctgaagg aattgggagt 180
 aggaggcctt aggggtctgtc 200

<210> 20
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: G.

<400> 20
 tggccttcct gctgcacaat cctcaggtgt gcttccccct cattgatcct agaccccagc 60
 cagcccaatc tctgggctcc agagaaaggg agagccaatt ctctcaggct ttctgtgcag 120
 gaagactagg cctgccctgc tccttaccba agcagtagtt ggctttgacc ccagagtaga 180
 gctgccccat cttctggaag c 201

<210> 21
 <211> 201

pto_PB0262.txt

<212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: A.

<400> 21
 cagcacttag cctagcaccc agcacagtaa gtgcccctta tacagccagg attcatgtta 60
 cttttcatgg aaaatggggg cagtgactac tgtcctccat gaaagctgct ggggagaatt 120
 agcctagcta ttgcaggctg ggattgctgc tttcctggtg ctatttccag ctactcaggc 180
 tcacaggggc agttttctac a 201

<210> 22
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: T.

<400> 22
 attgggagta ggaggcctta gggctctgtcc taccaagtcc ttgcagtcatt ggtggagtgc 60
 agtggggctg tgccacatg ggagtcagca tgccaggtag ctgccttctc ctccaggaag 120
 gaaagcaggg accagaggtg taagggaag agtggggtg atggtgtgag attcctacag 180
 ccttgctgc tctctaaagg c 201

<210> 23
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: G.

<400> 23
 gccactgtgc cctgccagcc tctcagcttt gatcaagcca aggggttggtt tattttttct 60
 tggaccaatc agccaggtct gctgaccaac tacctagctc ccacctctgc tggcttcctc 120
 ccgggggcag agaagatgga gaaggctagt catgtggatc ttcagggtca ggaaatggaa 180
 aaggagggtc ttggaccctt t 201

<210> 24
 <211> 201
 <212> DNA

pto_PB0262.txt

<213> Homo sapiens

<220>

<221> SNP

<222> (101)..(101)

<223> Alternative allele: A.

<400> 24

atggagaagg ctagtcatgt ggatcttcag ggtcaggaaa tggaaaaggg aggctttgga 60

cccttttgct ttggggggca cctctaggag gaggcagctc ggcccaagtc cagactgggt 120

agacaaaaca tctgcactct ccaaagtgtg gcttgtggct gggatatgag gcttgcaatg 180

gaagggtaaa cctgagttag g 201

<210> 25

<211> 201

<212> DNA

<213> Homo sapiens

<220>

<221> SNP

<222> (101)..(101)

<223> Alternative allele: T.

<400> 25

ctgacattgt cccaatctt ccttcctttt tacttcctg ctccagccgc aatgacccat 60

ctttttcctg attacctcg ccacctctac ctctctgccc acttaaaacc tttgccattt 120

ctctgcagag atagatttag ccttttaatt atgcacctta gtactccaga taatgacctt 180

catttctttt ccaattacca t 201

<210> 26

<211> 201

<212> DNA

<213> Homo sapiens

<220>

<221> SNP

<222> (100)..(100)

<223> Alternative allele: G.

<400> 26

atttttaggg aacaaggga aacaaccata aggtctgact gcctgcaggg tcgggcagaa 60

agagccatat ttctcttctt gagagaggct ataaatggac atgcaagtag ggaagatatt 120

actaaattct ttctctagca aggagtatta ttattaatac cctgggaaag gaatgattc 180

ctgggggggag gtctataaac a 201

<210> 27

<211> 201

<212> DNA

<213> Homo sapiens

pto_PB0262.txt

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: T.

<400> 27
 taggggtgggg aaaaactccg ccctggtaaa tttgtgggtca gaccggttct ctgctgtcga 60
 accctgtttg ctgttgttta aggtgtttat caagacagta cgtgcaccgc tgaacataga 120
 ccctcatctg tagttctgct tttgcccttt gccttgtgat ctttgttgga cccttatcag 180
 tggttctgct tttgcccttt g 201

<210> 28
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: A.

<400> 28.
 tacagccagg attcatgtta cttttcatgg aaaatggggg cagtgactac tgtcctccat 60
 aaaagctgct ggggagaatt agcctagcta ttgcaggctg ggattgctgc tttcctgggtg 120
 ctatttccag ctactcaggc tcacaggggc agttttctac aatgacattt cagggttgct 180
 gatgagcctc ccactcagca g 201

<210> 29
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: A.

<400> 29
 ctggaggatt ttaagtatgt aagtgaaca atctgttttt ttgtttttgt ttttgtttga 60
 gaaggagttt cgctcttggt gccctggctg gaggatgaat gcatgatctt ggctcactgc 120
 aaccctgcc tcctgagttc aagtgattct cctgcctcag cctccaaaat agctgggatt 180
 gcaggcgtgt gccaccatgc c 201

<210> 30
 <211> 150
 <212> DNA
 <213> Homo sapiens

pto_PB0262.txt

<220>

<221> SNP

<222> (50)..(50)

<223> Alternative allele: C.

<400> 30

tcttgtgaag gggtcacccc agcatgagtg ctgagatatg gactctctaa ggaaggggcc 60

gaacgcttgt aattggaata catggaaata tttgtcttct caggcctatg tttgcggaat 120

gcattgtcaa tatttagcaa actgttttga 150

<210> 31

<211> 151

<212> DNA

<213> Homo sapiens

<220>

<221> SNP

<222> (51)..(51)

<223> Alternative allele: G.

<400> 31

cgagaacagt tttacaatag acattgcaaa ctctcatgtt tttggaaact agtggcaata 60

tccaaataat gagtagtgta aaacaaagag aattaatgat gaggttacat gctgcttgcc 120

tccaccagat gtccacaaca atatgaagta c 151

<210> 32

<211> 201

<212> DNA

<213> Homo sapiens

<220>

<221> SNP

<222> (101)..(101)

<223> Alternative allele: A.

<400> 32

gtctgcgtgt atgacggcta gacaggagtt cagagaacag cggggtcgcc aggccaccac 60

ctgatgggcc acggctcatt ggctctagga gctgggaaag ggcattccag gaaagaagcc 120

ctagacttta gcctgagtct gggccactct aggggaccgg gagtggggtg gcgggagagg 180

acgcgcagaa tctcgacttc t 201

<210> 33

<211> 200

<212> DNA

<213> Homo sapiens

<220>

<221> SNP

<222> (101)..(107)

<223> Alternative allele: eight A's instead of seven after base 100.

pto_PB0262.txt

<400> 33
 agctaattgt tataatagtg gagaaaagat catgaggaca aaaagtgggc agagtcggaa 60
 gaaaagagag gaagaaattg agacagaaga catttcattt aaaaaaatat tccattgagc 120
 tgggtttgaa atagtgcact gcctgttctc ctaatgctgt atggtgtcat gaaatctatt 180
 gtttactgag tctatgagcc 200

<210> 34
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: C.

<400> 34
 aactctgaag ccacaaagac ccagagcaaa ccactccca aatgaaaacc ccagtcatgg 60
 cttccttttt cttggttaat taggaaagat gagaaattat taggtagacc ttgaatacag 120
 gagccctctc ctcatagtgc tgaaaagata ctgatgcatt gacctcattt caaatttgtg 180
 cagtgtctta gttgatgagt g 201

<210> 35
 <211> 211
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: T.

<300>
 <308> NCBI SNP CLUSTER ID: rs413836
 <309> 2003-03-07

<400> 35
 aaagaaacat tgtttcttaa aacaatgttt taagaaagtg tacgaatttg tgcaggcca 60
 catccaaaac tgtcctgggc tgcattgtggc ccacaggctg cgggttggac aagcctggcc 120
 tagaaggctt tgcccccatg tattcatggg gggttggttc tcactttatt tagttcccta 180
 ccaatttgca cctcctcaaa gggactttcc c 211

<210> 36
 <211> 213
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP

pto_PB0262.txt

<222> (123)..(123)

<223> Alternative allele: T.

<300>

<308> NCBI SNP CLUSTER ID: rs545303

<309> 2003-03-07

<400> 36

gggaactcac agtttttttg ctgtctcata gagtttgcaa cagtaaaact gcttctttca 60

aagggtctgt gaattctttc agttttcctg gtatgttccc atggtagttc ttgcagcaaa 120

agctcacagt gtgagtctcc acacactgtt ctgtccattc caagcaggag ctgcatgtta 180

gttctgtctg ctatccacca ttttccaatt ttg 213

<210> 37

<211> 20

<212> DNA

<213> Homo sapiens

<400> 37

tggccttgta cgtcgcgaag 20

<210> 38

<211> 21

<212> DNA

<213> Homo sapiens

<400> 38

agcagggcag tgcgctgcac t 21

<210> 39

<211> 39071

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (37334)..(37334)

<223> Unknown base.

<300>

<308> <http://www.genome.utah.edu/genesnps/>

<309> 2002-06-05

<313> (1)..(37073)

<400> 39

ggatccctac tcaactgtctt ctctctacag aacgagatgt ctctggagtc catagaaagc 60

ccaggagcct ggctgggcac ggtggctcct gcctgtaatc ccagcacttt gggaggccga 120

ggcaggcaga tcacctgagc tcaggagttc aagaccagcc tgggcaacat ggcaaaaccc 180

catctctact aaaaatacaa aaaattagct gggcgtggtg gtgcatgcct ctaatcccag 240

ctacttgga ggctgaggca caagaattgc ttgagcccag gaggcagcag ttgcagttag 300

ctgagattgt gccagtgcac tccagcctgg gcaacagagc aagattccat ttcaaaaaca 360

pto_PB0262.tkt

aaaacaaaca caaacaaaca aacaaaaata gaaagcccag ggaccacctg cgtcagggttc	420
ccagccacac ctttttcttg tcctcctctg tctctggcat cttctcacag gtccctaatt	480
gtttgtggtt gcacaaattc aaaatcccag aaaaattacc acttcacacc cactcagatg	540
gctatTTTTT ttttgaagga agataacaag tgttgacaag aacatggaga aattggaatt	600
ctcaccatt gctggtgaga atgtaatacg gtgctgctgc tatggaaaac agcttgaggt	660
ttcctcaaaa agttcaacag aatttcaatg tgaccagca attccctct aagttataga	720
tctgagagga ttaaaaacag ttactaaaat acacggactc acataatttct aacagtccaa	780
ttcacaaggg ccaaaagggtg ctaatagccc acatgtccat cgatggatgg ataaataaat	840
tgtggtctat ccatacaatg gaatattatt cggccataaa tggaatgaag tactgacgca	900
tgctacagaa tggatgaacc gcaaaaaaaaa tggatgaaca catgctacag aatggatagc	960
ctcactttac tatgaagtga aggccagaaa cgaagtccat atattgcac atacaaaata	1020
tccagaagag ggaagcccac agagacagaa tgtgcaatgg tggatgccag ggtctgggga	1080
gaggggagag tggggagaaa ctgctcaact ggtacaggct ttattttgga atgatgggaa	1140
cattttgcaa ctagatagag gtagtgattg cagaacacag aatgtactga attccactga	1200
tttttttcac cttaaatgg ttaattttca gtcctgagat tggataatca taaaaaatg	1260
gttaatttta tgttatgtga atttcatccc tatacatatt ttaaacctca gaaatataca	1320
ctagcaggca tggaacagggt cactgtggtg cctgccaagc cgggtgatgt tatctggggt	1380
ccccggccag ccttaagcct ctgctgacc ggtggagggc agaacctttg ccctaaaagt	1440
ataatatcca catgctggca tgattcctgg ccagatggct tctttattag cagtaattga	1500
aactgcctcg atacagacac tgtaccttgc aaccaaaaaa tgactcaaca atgataataa	1560
gggttaagct gggcctttct ctctttgcc gttaaattat atttattata gcttgacatg	1620
aaaaacaaag caactccaac aggtatcaca agggcaaagg acatgaacat tttatcaaag	1680
aagaaatgca gctgtcaaaa atacagaaat attcaacctt gttcataata aagtggctgg	1740
gctcagtggt tcatgcctgt aatcccagtg ctttgcaagg ctgagacagg aggatcattt	1800
gaagccagaa gttcaagacc atcctaggca agtcagttca ataccagact tcatgtctac	1860
aaaacatcaa aaaattagcc aggcattggt atgcatgcct gttgtcccag ctactcagga	1920
ggctgaggca ggagaattgc ttgagcctgg gaggtgcgg tggcggtgag ccatgattgt	1980
gccattgtac tccagcctgg gcaatgcagc aagactgtct aaataacaaa aataatagta	2040
aagaaaagga ttgggatgcc atttacttgc gtattcaata cacagagtta aaagtaattt	2100
ctacgttttc tattttttta ttactaaaaa aagctggacc attctcacag cctgaaatgc	2160
ttctcacttt cccttcttct gtccaaacac ttctctatga taatgcaaac agtcactcct	2220
ttaggaagac ttcaccccag gtagttccag atccccttat ctctgccttc ccagaactcc	2280

pto_PB0262.txt

tggtgtctct ccagttccct ccgtgtggtg aagtacccta cctaggggtt cagtatggct	2340
ctgtctgcaa aggtcttgtt cacaccttcc cttatggttc tgttgccctg tgttgtgtca	2400
tagcacaggg cacagtggag aaccattca cactgataga gagggcccca tggctctgga	2460
gataaccatg taaccgatca gaataaggca ttgagggctg ggtgtcaggc gtgggctgca	2520
cttgggtggg caggtcccct ggaaagtcac tgggtttggc aagcttccta gtaacatgtc	2580
tctctggggt ccccttggga acttcatgca aaaatgctgg ttgctgggtt attctagaga	2640
gatggttcat tcctttcatt tgattatcaa agaaactcat gtcccaatta aaggtcataa	2700
agcccagttt gtaaactgag atgatctcag ctgaatgaac ttgctgacct tctgctttcc	2760
tccagcctct cggtgccctt gaaatcatgt cggttcaagc agcctcatga ggcattacaa	2820
agtttaatta ttctagtgat tattaacact tgtcctgtgt tgacccagg tgaatcacia	2880
gctgaacttc tgacaagaac aagctatcat attcttttca attacagaaa aaagtaagtt	2940
aattgatagg attttttttg tttaaaaaaa atgttactag ttttgaaaag gtaatatgtg	3000
cacatggtaa acactaagaa ggtataagag cataatgctt ttatactact aagaataatg	3060
tttctcttaa gttttttttg gtagatgctt tcatcagatt aagaaaattc cctgctatta	3120
gttggtgaag gtttttatat cataaatgaa agttgaatat tattatcata tattattaat	3180
atattgttat tgaactatca aagccttttc ctaaaaccat tgagatgatc ttataaccat	3240
tctcctttaa cctgttgacg agatcattgg tatttatact atttctctgt taaccattct	3300
tgagtctcag gtttaaatc aacttgggtc tgggtgtgtc tctttgatca ttgctgtctg	3360
tggcttgcta ctgttttgtt taggattttt gactgatgc tcatcaatga gactggcatg	3420
ccatcttccct ttgcagtcct gatttttttc tgatttggat catgtgggtta tggccctcat	3480
ggaatgagtt gggcatgatg cctttttttc atgtctctgg attgatggga cactttggat	3540
tctctccaga tggccctcaa tggctccctgc ctctcattg ttaggcccct gggcaagccc	3600
ttctcatttc tggtaggccc aggaacctgt gggggtttt tttgtttgtt tgtttcttga	3660
gtcggagtct cactctgtca cccaggctgg agttggagt caatggcccg atcttggctc	3720
actgcaacct ccacctccca gattcaagca attctcctgc ctacagcctc tgagtagctg	3780
gaattacagg caccaccga cacacctgc taatttttgt atttttagta cagatggggt	3840
ttcacaatat tggccaagct ggtctcgaac tctgatctc atgatctgcc cggcttggcc	3900
tcccaaagtg ttgagattac aagcatgagc caccacaccc agtgaacctg tggtttttag	3960
aagctcccca tgcattgtgaa tgctgtgagc atcccaggat gacagccact gtgtgttcag	4020
ctgttggaa tgtgagaaag caccagtggg accttctcca gcacctgct gctgagttca	4080
tggaaagaggc ttgttgggga gatgatgcc tggctgactc ctgaaggatg gttaggaatg	4140
caccagatgg aagctggggt ggaccactc tatgctgaag aacagcttgt gtggacacaa	4200

pto_PB0262.txt

ggagacacgg atatgtcatt tttgtagagc ctgaggagtg tccaatcaca ccatttgctt 4260
 aaaacatcat gcacacttgg aaaagtggac tgagaccgaa tgaagaagct aacagtggcc 4320
 agatcagaaa ggggtcttgtg ttacttccta gagatactta gattttatcc tgtgggtgat 4380
 aggagcagtt ggaggggactg aagacaagga aagaaacatg tttcaagatc tatgtttttc 4440
 aagacgcttt tctgggtggct gagtagggaa ttccctggat aagtcctgcc cagggtcagg 4500
 caaaacaagt taggggggta ctgaaataag gagtatgaga aatgggtgtag gttgtgctga 4560
 cgttttgtaa cacatctcat gatgatcttc atttccttca ctaatttcct gtttcattaa 4620
 ttcccttcca cgtgctcttc tgaaatttgc ctcacattct ctgatttctc ttttacctgt 4680
 tggtttcac accttttact ttttgctttc ctggaaacac aaatgattct gattgtgaca 4740
 tgtcagaatt atttgcaaca ttgaccttc tgctgaaacc atgagttcac tgaatacaca 4800
 atttagtaaa gtgtaggatg cacatgtcgt tttcgtggtc acaaccagct ctgtagcatt 4860
 ttataactac actggcagtg tgctgggagg tgtagagaga aatatattac acatgtgtgg 4920
 ctgacacaac ctgccaagtt attttaggag cctccttga atcccagcaa gaatgctacc 4980
 ggcacaattt gtaatcacag catcctgctc catgccttgg ctcatggca tagtcacttc 5040
 tgcaagtctc tttccagctg tctgttccca tgtctataaa gtatgagtta aatcatccta 5100
 aactactca tcttacaag ttttcttgc gatgttaaga gagttgggaa agaactgtat 5160
 aaactgtgaa gtgccatgga gatgttagtg gttactttat caagaaatag aactctaga 5220
 atggagtaga aagccaacag ttatgattga gtcctcctcc tcttcttctt tttattaatt 5280
 tataaagaaa agaggtttta ttgactcaca gttccatatg gctggggagg cctcgggaaa 5340
 ctctcagtc tagcaggagg caaaggggaa gaaggcacct tcttcacaag gcggcaggag 5400
 agagagagct cctgttcttt tttgtcataa agtctacaga agtgcttata cttcaggaca 5460
 agggcaggca gagagaagga aggacattgc ttcaccccag ccctcactga cgagtttgct 5520
 aggggacctc actttgtccc agagtagggc agaactctgg ccactacca ttcagaaggc 5580
 ctgggctgca ctgctagttc ctactaact ctgtgtggcc ttgggcaagg ttgggcctgt 5640
 gttaacagat tatgacctg ggctctcaag ctagaggatc taaatttgaa tcctggctct 5700
 gctaaagcaa ttagtgatgt aaactttaat gggtcagtta accttctgt ggcttagttt 5760
 gctcatctgt aaaataggga tcataacagt atcaatacca catgattgtt ggacagattg 5820
 aatcagttaa tgcaggggaa gtacttagca tgacacgtat tcactatcat ttctggagt 5880
 aagagctgtg tgtgagtggg tgtgagcatg tgtgaaacct tttctctgca atctcagtta 5940
 agaaaccaat ccagaattta aagttcaggc cctaaatggg tggttatctt ctcccagttc 6000
 catcctatcc cacctttgct ctccctccc cccacaggag ctgttggtcc ttgattgggc 6060
 tggaagacct ggtggaccct aagtgatcta taagaggaga atagagaaca gggaatgtct 6120

pto_PB0262.txt

tcaaaaatct agagggacac agaggctgag aggcaggcag tcttgcaggg tcttctgatt	6180
gggacaagga gaaccttggt cttcacaggc caattctggt cagtttcccc catggacaga	6240
tgaggaaaca ggcccaggaa tatccaaggt ctcacacttc ccatctgtca agtcttgttg	6300
attctgttgt attcatgtct ctcaaagga gatagagttt agggaagaaa gaaggatcaa	6360
ctgtgtctga taccactggg agcttaagta aagggttctt ttacttcata gcatttatcc	6420
caatttgtaa ttcagtatta tttgtgtggc tgtttggtgt ctctttctcc tatatgagtg	6480
ctagcttcat aagggaagg attttgattc tttaatattt agtgcttgcc acatgccctg	6540
aacacagcag gcatacaggc taaccaacat acagtggcat gaaagtcag aaagtgagac	6600
acctacctcc tccagtcca agagagcata accatgcacc tgtcactctc ctcaacacca	6660
cccccaagca tgaggcccaa aagcattagc taatcccctc ctccagccac taaaacttaa	6720
aggccagggtg tgggtggtcc catctgaaat ccagaaactt caggagacag cagcaggagg	6780
atcacttgag gccaggagtt tgagatcagc ctgggcaaca tagctaggtc ccatctgtac	6840
taaaaattag ctgggcgttg ttgcatgcct gtagtccag ctactaagga ggctgaggtg	6900
ggaggatcac ttgagcccag gaggtggaaa caacagtaag ctataatcac agcactgaac	6960
tctagcctgg gcaacagagt gacaccctgc ctcaaaacaa ttttaaaaat aaataagagc	7020
aaaacttaga taccacgtgg tcacccaac atgcaaaatc aagttttccc ctactgagaa	7080
gaatggggac ttgacagctg agttacagag agataatctt cttcttcttt tttttttttt	7140
ggtttacatc ctcaagatca tgacttgtga aatttgaatc gaatacacat gtaattccag	7200
agcaatgttg cctccgcata ccatcagcaa ttcacttggc tactggaagt caggataagc	7260
ttcccagaag agaggtagca cttgggctac caatataaaa ggatgaaaat atcagagtga	7320
tggtgttctt tacaacgttg agtccctgga cagcctgtcc actgatgctg atatctgagc	7380
ctaattgctt tctgaatgtt gagattgaac tttgatccaa tgaaactaga acgagaaaga	7440
agataagtct ttcattgttg ataaggacat tatgtttctc atacttgtat gattatTTTT	7500
ccttagctgt actataatta tctgcttatt tgtctctgct ctatgtgctt agggtagaaa	7560
gttgaccaag accaactttg gttggaagca tagtactaag agcacagtac tgagagcaca	7620
gtattgagag cacagcttta aaaaacatga tgaaggcttt aatacaggaa atgagcaggg	7680
gagaggcatg tgggtggttg atgtatcttc cttgacacag tcagtgcagc tctcagtagt	7740
caagtccta catgttagaa gatgttacct tctgtggaat taagtggcag aacttgcctt	7800
caattatTTT cctttgcaga acaacaccaa ctgcattagt taggacacag tgctggctgc	7860
atttaagtcc caagcgatga ttagtctctc actgttggtg tagattcaaa ccaatcagac	7920
cacctcctaa agtttgtagg gcaggtaa at cctcatctta gaataaaaat catcttacca	7980
agtatgtgtt ttagaggcaa gaagaaaaca tatttgtttc tgtaagagtt ttgtttaaaa	8040

pto_PB0262.txt

aaaatataag aaaggctctc ggtttaggtg aggtaatgaa gttgttgata gttatcagat 8100
 gacactggaa tctttacttc tctgaacgtg ttctgtgcat ctctcagtgt gggaacatag 8160
 agagggagat cctccagcaa tgccactgat atggtcagaa actgcactctt tctttctccc 8220
 tgctgagatg agatggagtc ctttgttcta gaagacccat ggtggtgccg ctgggagtaa 8280
 cccttgagac aggaacacaa atcccaacca atttgtgggt gcagccttga gtctcactat 8340
 ttcccatagt gatgcgtagc agggaatggc aggtgcacca gagcaggaga ggacctata 8400
 tctcccttcc tgttagcttt ttataaagtt ttattgtgat cagtagcagt tgggaagcta 8460
 cttgcagtca ctgagcctca gtttctacat ctgtaaactg gggatagtag catggcccct 8520
 acttaatgtg ctacgcaaag ccactgaaag gagacagaaa tgtatctaaa ttacctgga 8580
 cttttatcct acctctcttg gggattgtca ccacctccc atgtttgtcc tttttggttt 8640
 gatgcttgct gtcacttctt tccttaggtg cctctctgta cggtctttt atcccagga 8700
 ttccagagtt acagcacatg cataccacca tccaagcatg tttatttgtc tcctgcttca 8760
 ctaggctgtc cccaaggaac atgtggctcc cggcacacac ctggcacaac actgcacatg 8820
 acattcacc acctggcctt gaatctgaca agaatctgg catgatgtt acccactcag 8880
 gccaggtgcc gagcagccct ggaggcttag gggccagagg gatgggaaa ggtgtctttc 8940
 tggggtgagt atcagtttct gcaggagggc tgaatgtgag aaagaataaa gagagaagga 9000
 agcgaacaag cacagcttaa acatcgcta tttctattga gttttaagaa cgctgtgatt 9060
 ttgtttgtca tgcaatccat tcatcaggcc aggcagacac agaacttggg tgtgagtac 9120
 gataatgagc tgatataatt ttacaccct catcactgag atctctcca tcaggaatgg 9180
 gtcaggagc tcacaggtgg cagcaactgc tattacaggc ctcatctcta ccagctcctg 9240
 gggcctgcc tcctccatt agaaaatcct ccacttgtca aaaaggaagc catttgcttt 9300
 gaactccaat tccaccccca agaggctgg accatcttac tggagtcctt gatgctgtgt 9360
 gacctgcagt gacctgcc ccatcattgc tggctgaggt ggttggggc catctggcta 9420
 tctgggcagc tgttctcttc tctcctttct ctctgtttc cagacatgca gtatttccag 9480
 agagaagggg ccactctttg gcaaagaacc tgtctaactt gctatctatg gcaggacctt 9540
 tgaaggggtc acaggaagca gcacaaattg atactattcc accaagccat cagctccatc 9600
 tcatccatgc cctgtctctc ctttaggggt ccccttgcca acagaatcac agaggaccag 9660
 cctgaaagtg cagagacagc agctgaggca cagccaagag ctctggctgt attaatgacc 9720
 taagaagtca ccagaaagtc agaagggatg acatgcagag gccagcaat ctacgctaag 9780
 tcaactccac cagcctttct agttgccac tgtgtgtaca gcacctggg agggaccaga 9840
 gccatgacag ggaataagac tagactatgc ccttgaggag ctacacctg ttacaggaaa 9900
 caggcgtgga aacacaatgg tggtaaagag gaaagaggac aataggattg catgaagggg 9960

pto_PB0262.txt

atggaaggtg cccaggggag gaaatgggta catctgtgtg aggagtttgg tgaggaaaga 10020
 ctctaagaga aggctctgtc tgtctgggtt tggaaggatg tgtaggagtc ttctaggggg 10080
 cacaggcaca ctccaggcat aggtaaagat ctgtagggtg ggcttggttg gatgaatttc 10140
 aagtattttg gaatgaggac agccatagag acaagggcaa gagagaggcg atttaataga 10200
 ttttatgcca atggctccac ttgagtttct gataagaacc cagaaccctt ggactcccca 10260
 gtaacattga ttgagttgtt tatgatacct catagaatat gaactcaaag gaggtcagtg 10320
 agtgggtgtg gtgtgattct ttgccaaactt ccaaggtgga gaagcctctt ccaactgcag 10380
 gcagagcaca ggtggccctg ctactggctg cagctccagc cctgcctcct tctctagcat 10440
 ataaacaatc caacagcctc actgaatcac tgctgtgcag ggcaggaaag ctccatgcac 10500
 atagcccagc aaagagcaac acagagctga aagggaagact cagaggagag agataagtaa 10560
 ggaaagtagt gatggctctc atcccagact tggccatgga aacctggctt ctctggctg 10620
 tcagcctggt gctcctctat ctgtgagtaa ctgtccaggc tcctcttctc tgtttccttg 10680
 gacttggggc gctaatacag cctctctttc ccttatctgg attgaagatc aaaaaagatg 10740
 ttcaggccgg gcgtggtggc ttacacctgt aatcccagca ctttgggagg ctaaggcaag 10800
 tggactgcct gaggtcaaga gtccaagacc agcctggcta acatggcgat actctgtctc 10860
 tactaaaaat aaaaaatta gctgggcatg gtggtgcacg cctgtattcc cagttacttg 10920
 ggaggctgag gcaggagaat tgcttgaacc cggcaggcgg aggttgagat gagctgagat 10980
 catgccagtg cacttcagcc tgggtgacag agtgaggctg tcttaaaaaa aaaaaaaaaa 11040
 aaaaaagat gttcaaggag cagtagctta agtggttgat gctacaaaca tatagagggt 11100
 attgtagatc ttatgcagct ctataaagga ataaataagc atcttcccca tccatcttta 11160
 gtggcaagaa gggttttggg atagcattga ttgaggatga tctacttgac aatagtttgg 11220
 acccaaggag gataaggaag gaaagtagtg acggatctca ttccaaactt ggctgtggaa 11280
 acctggcttc tccttactaa actagaattt ggattttaca ttttccctt tatgttgacg 11340
 tagaagagga tgaatcctct cactggtggg atcctgccat cctagagcag gtagagagaa 11400
 gagtcactcc ccactgtggg tagtggaggc ttctcacatg tcacatttca cttctacctc 11460
 aatttcactc ttactaagat ttgggaatca taatgacagg aaaatagaaa atataaacct 11520
 cattttaatt ctttcacaga aagggttagaa attcagtgag ttgtggcaac atattttcca 11580
 tcttctgacc ttttaacact aattgatatg gcttaaatc attctatttt aaaccagatt 11640
 tttttggaga tagtctattt ccaacatggt ccttctaggt gacaaatgag ggctgttagt 11700
 tcagtatttg ttacaataaa tgtgtgtaaa ataacctcac ctttccagaa tcatgtcagg 11760
 aatatgaatc taatgcacaa atgtataact ctatgacaag attgcatata tcttttaaaa 11820
 tataccttcc caacgttcat ttttaataccc ctatttcaaa caaacctgct tagcagggtta 11880

pto_PB0262.txt

tgttaaacgc tcagggcaga ggagtaagca agactgtgag ccagtgatga cagcaaaagc 11940
atccaggtag gatcaaaatg gagtaagaaa atattcctca tccctcaggg tagaactcca 12000
aagagatatt catgggtcct ggccccgtag tggagggtcac tcaaaggaca aacatgtttg 12060
catctcatct gcttgaagcc tggacacaga ggcaccatct gtgtcactct gtgtgtggtc 12120
tgccatgttg tggggtggtc actacagact cacagactag gcagctgggc agacaatacc 12180
ttagccttag atgatgctga tgcagcccag gagtcagaaa ctgtagtga gacaatgcc 12240
tccttaggcc aacacaatta agtgcaatag atgactggct tttctgttag cctcttcatt 12300
ggaacaaaa gcagcattac tctacaaac agaggggagc tggaaagaaa ctacacagtt 12360
tgcccagcct agcctctgcc ttgacacgga accatgtgag tctagacatt cacctagatc 12420
attccttggg gaccaatgct actgacacat taactcaata gtttgcctg gcctgagagg 12480
tcatgtaact tgtagaaagt ttagaagcag agattagtgt catttatttg ccatggctgt 12540
gacaacaaag gaaggaacag gagtgggaaa acccaaggcc accctggttt tggtagatgg 12600
tgcacacgct tccactagct gttctggggc aaagatccaa atgcactatt gggcctggct 12660
atgctgcttc tgctgggtcc cccaaacatg agcctccacg ccatttctca gttgtatttt 12720
accacatatt atcacagtca ccggatttgt acagaatatt tggaaacctat actgtcttaa 12780
gggctaccct ttaaagaaga gaaaacaagg ttttaattca actgtctgga acattttatg 12840
tttacttatg tggaaatacta catcttttgt tataaacagg agggaatgtg gacattcgaa 12900
ggcccctacc ttttagctaa aagcccatat gaagcatatg gatccattta tacacaccat 12960
gcttttcagc tacattttcc taatttgcct ctctggggcc aaccttgtgg gactagcaga 13020
ttcatggttg agttgaagga tggtgacctc ttccatcagc ttttcttctt cctccagtct 13080
tccaaccctc agtaacatca gactgggaag gtcttcagac atccagaaac cccagttcgg 13140
ggagttcata catgacccat caaagatgag ttgcaagcag gcctgcctta gggagcacca 13200
gccttaatgg gttttcctac agagatagtt gatgggcaga tgcaataaac tgactgcttt 13260
gtgattgacc accttgagaa aaatagcatg tctggctatg ttagtctttt cttgcattgt 13320
tataaagaaa taccagagtc tgggtattta taaagaaaag ggatttaatt gtctcatggt 13380
tctgcaggct gtacagaaag catagtgact tcttcctcta gggagggtctc gggaaattta 13440
caatcatggc agaaggtgaa ggagaagcag acagatctta catggctgga gcagaagcaa 13500
gagaggctgg ggagaaggcg ccacacattc aaaccaccag atctcataaa aactcattgt 13560
cacgaggaca acacctaagg cgggatgggt tgaacgatg agaaactgcc cctaggatcc 13620
aatcatctcc taccaggccc cacctccagt attggggatt gcatttcaac atgagatttt 13680
ggtaggggca cagattcaga ccatatcact ggcactgtgc taatcagatg aatatcacca 13740
gttgggaaggc tagattccac aagaggagga atgacctgga aattggttct ttagttgtga 13800

pto_PB0262.txt

ttctttctgca cactgtcatt cagggaaata tgagtcaatc atccttccca ataggtcaaa 13860
 tcaaccagat catctgatca tagagactga ggtgtagctg aaagctgctc acatttctat 13920
 gaggtcaatg gaagccttga gcacagttgt caatctgtag aaataaggac tctgtgactc 13980
 ctccaagacc tctctgtgaa tgacggttta agaagaacca gatcctaaaa cagggtcaga 14040
 gcttagaggg aagggaaagc ataaaagcct ctgagcaaat tctaaagaca gggtcacat 14100
 aggtctctcag tgaccctctg tgactgagtg gctgcagtga tgcaaaatct catcatcact 14160
 gcggaagaca aaaaaatgtc accctttcta cctaggatga gaatcccaa atttggggag 14220
 aggccactta ctaaatagac gtaaaggaac aaagtgaact ggaagaattc ctgcctgaac 14280
 ctctcaggat cattcacatt tgagaacatt tatcaaatat tcattccagg actgggacca 14340
 tgaagacttc agctgctttg agctaatacat tgtaactttt tgggtgtctca tgggtggagge 14400
 aggaaaggac ctgatgaaca aatataatca ttgccgtcag agttactgtt attatttctt 14460
 gccttaatgt tacctcgttc tcttgagcat tccagttcct cagtcaatga ctcatcaacc 14520
 cctatatcta taaagtcaca atcgctgtga cttgatttct gtttcacttt gtagatatgg 14580
 aaccatttca catggacttt ttaagaagct tggaattcca gggccacac ctctgccttt 14640
 tttgggaaat attttgtcct accataaggt gagtgttttt gagctcactc ttttgcttct 14700
 tatgattgcc aagagcagct tagttccatc agtaaaaatg cttctcctca gggggaaggt 14760
 ctgaagtttt acactttcag aaacagtgtg taggcatcac ccagaacatg gcaatgttta 14820
 cccaagggt ctcttgctaa ctctcaggaa cctcaggttt gcctcagttg aacagcccaa 14880
 atctcaggtg gatcagcaac ctgatgctca gaacttgatg tgcaaaacttt gtgagcgcgc 14940
 cataaagaag gttttctttt tgctctatgc aggttccag gaaggtacag tcatacttag 15000
 ttagtattaa aagtaggaaa aggacccctt gattgtgact tggtatctgt gtacatgaga 15060
 gtcaaaacttt cctctctgta gcaagagctc ttgagtagcc tttttccct tccttctgga 15120
 cagctttgaa actcaattta ttagggagcc caggtattta ctttgggtc atttgcacct 15180
 gcttcaatcc tctccgaaaa atgctaaatt ccctgagggt atctccatgg ctctacccca 15240
 gctcttactc cccatgacat cttttgcagc tttagagagac agaacaagg ggttctgctt 15300
 tatttctttt ctttcaaagg ctgcacctta tgggtgagac tgatcacaga ctggatataa 15360
 ctgagatgag acagtgggtg tcaatcaaac tcagatatat aagcacaaaa tgagtttgtg 15420
 ggggtttttt ttacacaaag gcggaatcac atgcaaaatc actagaaagg ggatgatttg 15480
 atgaaattat taaatattta attttgcgtg atagaatata atatgtgcca cgtggaccgt 15540
 gaactttggc cgagcctttg tgctaacct agtctgatgc tctgccagg gtctgggccc 15600
 tggatggaaa attaggagcc catgtccaca tggccagccg cagcagtcag ctctttggct 15660
 tacatcatct ttccacata cctgaggctt gtttctcaga ttctaattct ctcaagtgag 15720

pto_PB0262.txt

ggctttgttg tctaattact atccaggaat ttcataat ttcctgtgc aaaagcaata 15780
atttccccgc caccttttcc aggtcaactc tttagtagat gtacccocaa gatgcacatt 15840
cctgggacct ttgtttgcac agttaaaatg tcacccctga aatgtcgata caggaagggt 15900
tgtttttaag tttcagtga aactctgagc aagtgttgta atttgctgtg tccgatgtgt 15960
agaggggaca ttttctcaga acttccatgt taagctggaa aactggaaag tgagttcact 16020
ttgtcattct gtcactcgtt ctttttctca ctcaacaaca tgccctacac ttacctaaat 16080
ctgctagact aaaggagttc cctggtgtct gtactttcca attctgctag aactctagag 16140
cgagctcatg aaataaatga aaaggatgac aaagagataa aacactgtgc attctcttct 16200
gatgctaatt cactttccct tggcctcagt tccccatgt gccctggag gtgatcatc 16260
agggattcat gagattttca agacaacaca tgaaaaagca aaaagacatc agaaagacaa 16320
agaggactt agtatttata cacaaggata agtcattcag tatccacaac acttgagag 16380
aattcaagag tgattttaaa tttccctttt caaatacctc ctctgttttc tcttatttcc 16440
tttatgacgt ctccaaataa gcttctctca actgccagca agtctgattt cattggcttc 16500
gactgttttc atcccaatta gaggcagggt taagtacatt aaaaataata atcaaataat 16560
attttgtttc tcttcccagg gcttttgtat gtttgacatg gaatgtcata aaaagtatgg 16620
aaaagtgtgg ggggtgagtat tctggaaact tccattggat agacttgttt ctatgatgag 16680
tttaccocac tgcacagagg acagtctcag cccaaagcct cttgggatga agctcttgct 16740
aacctaacta caaacagaga gaagtctctt gaaagaagaa gatatttatt tgggtgtaga 16800
gtattgcaat ggggaatctgc atgcctttat aaactatgtg caaatcagg gaagtaaagc 16860
aagacaaaga ggctccaagg aaaatatgag gaggatttct tatcagtttt gaaataatta 16920
tccttcgcta caaagatcag taacaagggt gacgcctcac caagggttga caggcagttg 16980
ctgggcagggt gtccttgacag aaatattttt tttaatgttg ggatggcctt tgtgcaagct 17040
tgtagttttg cggagtcttt tgtgatagtt ttgttatcag gcacacaagc atgagaatcc 17100
tctcttcata gccttctttg atttatttgt cagggttttt acacacacac acacacacac 17160
acacacacac acaactagtg acatcatttt ggttctaaca acattcacac tggttattgt 17220
aaaacttttc gaaggttgct ctaccaagga tcccatgtgt caccagggtg caagttctac 17280
agtctgaact aggctgggag cattgtgatt acttttctcc agactttggg gcccaggga 17340
ctcacagcat catgctctgt ccagtgtctg cctattcccc tcttcttttt ttttttctt 17400
agggtgccctt ttattacatg tgttgctctca gacccttcta atatgtgctc ataaatacat 17460
catatcatct ccttccacac tcaattcact ttcaattaaa agccaaaact ctttcattta 17520
gactttggat ttaaagtgtt tttgaatgaa gggttgagag ataatagaga aatagattgg 17580
caaaccattt atactctgct gttgtgtttt tttaatttta tctgcaagtg tggaactttt 17640

pto_PB0262.txt

cattctgttt tgttattaaa tttaagccaa gacttttttaa tagaagggtta tataagcatt 17700
tctttgtcta taccttcttg ctgaatttga agaaatgctg aatattctta accactggcg 17760
ggctgatgga ctgtgatttt attttatttt ttatttttag ttttttaaata tataccttaa 17820
gttctgggtt acatgcatag aatgtgtagt tttgttacat aggtatacac gtgccatggt 17880
ggtttgctgc acccatcaac ctgtcaccta cattaggtat ttctcctaata gctatctctc 17940
ccctagcccc ccaccaaca acaggcccca gtgtgtgatg tttccctccc cgtgtccatg 18000
tgttctcatt gttcaactcc tacttaggag tgagaacatg tgggtgtgag ttttctgatc 18060
ttgtgatagt ttgctgagaa tgatggtttc cagcttcctc cttgtccctg caaaggacat 18120
gaactcattg tttttttatg gctgcatagt attccatggg gtatacgtgg cacattttct 18180
ttatccagtc tgtcactgat ggacatttgg gttgggtcca agtctttggg attgtgaata 18240
gttctgcaat aaacatatgc gtgcatgtgt ctttatcata gaatgattta tgctttgggt 18300
atatgccag taatgggatt gctgggtcaa atgggtatttc tagttctaga tccttgagga 18360
atcaccacac tgtcttcac aatgggtgaa ctaatttaca ctcccaccaa cagtgtaaaa 18420
gtgttcctat ttctccacat cctctccagc atctgttggt tcctgacttt ttaatgatca 18480
ccataccacc tggcatgaga tggatatctca ttgtggtttt gatttgcat tctctaata 18540
ccagtgatga tgagcatttt ttcacatgtc tgttggtgc atagatgtct tcttttgaga 18600
agtgtctgtt catatccttt gcctattttt tgatgggggtt gtttgctttt tttcttgtaa 18660
atttgtttaa gttctttgta gattctggat gttagccctt cgtcagatgg atagattgca 18720
aaaattttct ccattctgt aggttgctg tttgctctga tgatagtctt ttttgctgtg 18780
tagaagctct ttagtttaat catatcccat ttgtcaattt tggcttttgt tgccattgct 18840
tttggtgtta tatttatgaa gcctttgccc atgcctgtgt cctgaatggg attgcccagg 18900
ttttcttcta ggatttttat ggtcctaggt cttacattta agtctttaat ccatcttgag 18960
ttaatttttg tataagggtg aaggaagggg tccagtttca attttctgca tatggctagg 19020
cagtttcacc aacaccattt attaaatagg aaatcttttc ccattgctt ttgtgtgtca 19080
ggtttgtaa acatcagatg gtagtagatg catgggtgta tttctgaggc ctctgttctg 19140
ttccattgat ctatatttct gttttggtac ctgtaccatg ctgttttggg tactgtagcc 19200
tttagtata atttgaagtc aggtagcgtg atgcctccag tttgttctt tttgcttagg 19260
attgtcttgt ctatgtgggc tcttttttgg ttccatatga actttaaagt agtttttcc 19320
aattctatga ggaaagtcag tggtagcttg atggaaatag cattgaatct ataaattacc 19380
ttgggcagta tggccatttt catgatatgg agtcttccta cccatgagca tggaatgttc 19440
ttccatttgt ttgtgtcctc ttttatttca ttgagcagcg gttttagtt ctcttgaag 19500
aggagaactt cacatccctt gtaagctgga ttccatagata ttttattctc tttgtagtaa 19560

pto_PB0262.txt

ttgtgaatgg gagttcactc atgatttggc tctctgtttg tctattattg gtgtgtagga 19620
atgcttgtga tttttgtaaa ttgattttgt atcctgagggc tttcctgaag ttgcttatca 19680
gcttaaggag ttttggggct gagacgatgg ggttttctaa atatacaatc atgtcatctg 19740
caaacagaga caatttgact tcctcttttc ctaattgaat atccatttct ttctcttgcc 19800
tgattgccct attcagaact tccgacacta tgttgaatag gagtggtgag agaggacatc 19860
cttgtcttgt gccggttttc aaagggaaatg cttctagttt ttgcccattc agtatgatat 19920
tggtctgtagg tttgtcataa atagctctta ctattttgag atacgttcca ttgataccta 19980
gtttattcag agtttttagc atgaaaggct gttgaatttt gtcaaaggcc ttttctgcat 20040
ctattgaggt aattatgtgg tttttgtcat tggttctgtt tatgtgatgg attacattta 20100
ttgatttggg attttgaacc cagccttgca tccaggggat gatgctgact tgatcctggt 20160
ggataagttt tttgatgttt tgctggattt gatttgccag tattttattg aggattttcg 20220
catcgatatt cattagggat attggactaa aattctcttt ttttgttgtg tctctgtcag 20280
gctttggtat caggagatac tggcctcata aaatgagtta gggaggattc cctccttttc 20340
tattgttcag aaaaatttca gaaggaatga taacagctcc tctttgtatc tctggtagaa 20400
ttcagctgtg aatccatttg gtccctggact ttttttggtt ggtagcctat taataattgc 20460
ctcaattcaa aacctattat tggctctattc agagattcaa cttcttctctg gtttagtctt 20520
gggagggggc atgtgtccag gaatttatct atttcttcta gattttctag tttatttgca 20580
tagaggtgtt tatagtattc tctgatggta atttgcatth ctgtgggac agtggtgata 20640
tcctttttat cattatttat cgcattctatt tgattctgct tttttcttta ttagtcttgc 20700
tagcagtcta tcatattttg ttgacctttt tcaaaaaacc agctcctggc ttctctcatt 20760
ttttgaaggg tttgttgtgt ctcaatctcc ttctgttctg ctctgatctt agggctcagt 20820
caacgtagca tagccacagt aactcccgc tctcgatggg aaggggaacg ttacagagtc 20880
aggaatcgac ctatcctgca ttctctgggg ggcaatatct tagttatttc ttgtcttctg 20940
ctagcttttg aatttgttta ctcttgcttc tctagttctg ttaattgtga tgttactgtg 21000
tcaattttag atctttctctg ctttctctag tgggcattta atgctataaa tttccctcta 21060
cacactgctt taaatgtgtc ccagagattc tgggtacattg tgcctttggt ctcatgggtt 21120
tcatagaaca tctttatttc tgccttcaact tccttattta cccggtagtc attcaggagc 21180
aagttgttca gtttccatgt agttgtgtga ttttgagtca ctttcttaat catgagttgt 21240
aatttgattt cactgtggtc tgagagacag tttgttgtga tttcttttct ttacatttg 21300
ctgaggagta tattacttcc aattatgtgg tcaatttttag aataagtgcg atgtgggtgct 21360
gagaagaatg tatattctgt taatttgggg tggagatttc tgtagatgc tattaggtcc 21420
tcttgggtcca gagctgagtt caagttctga atatccttgt taattttctg tcttgttgat 21480

pto_PB0262.txt

ctgtctaata ttgacagtgg ggtgttaaaa tctcccattha ttattgtgtg gaaatccttag 21540
tctctttgta ggtctctaag aacttgcttt atgaatctgg gtgctcctgt atttggggtgc 21600
atatatatattt aggatattta gctcttcctg ttgaattgat cccatcacca ttatgtaaatg 21660
cccatctttg tctcttttga tctttgttgg ttttaatatc tttttaaaat aaaatatattt 21720
aaacatatga aacattatgg agaattggcat gggaaatata cacgtatgca ccaccagct 21780
taacaaatgc tctactgtca tttctaacca tgggtctcttt gaagagctct tttgtctttc 21840
aatgtctctt ccttggttgg cccacattat ccttcacat atgaagactt ggggtggctcc 21900
tgtgtcagac tcttgctgtg tgtcatacct aatgaactag aacctaagat tactgtgtat 21960
tgtacaacta agggattatg taaagtcagg atcaaagtct ggcttcctgg gttgggctcc 22020
agctgtagaa taaggctgtt gatgtttaat caactctgtt tttttcacac agcttttatg 22080
atgggtcaaca gctgtgctg gctatcacag atcctgacat gatcaaaaca gtgctagtga 22140
aagaatgtta ttctgtcttc acaaaccgga gggtaagcat tcatgtgttg aaattaaaat 22200
actgattgat taaatttata ttttgaaatt cttatatatt catagacagt tgoctaaaaa 22260
atgtccagga aggttccacg tccacttcat cctgtccccc ccgaatggta acatcttgca 22320
atcttgcata actataaata cagtatatthc atgttactat atagtacagg aaattgacat 22380
tgatacagtt cacagagctt attcagattt caccagcttt atgtgccctc atttctgttc 22440
tatgcaaatt tatcacaatc atagatttgt gcaatgacca gcatgatcaa aacgcagaac 22500
ccatttgtgt tctatacaaaa tttatcacat cattagtaga tttgtgcaat gaccagcatg 22560
atcaagatgc agatccactc tgtctccatg tggctccctc ctgctatcct acagtacaaa 22620
gtctttttct ctgacagggg ccatatcaga gcaaaactatt ttttattttg aggtgatcaa 22680
tgtattaata tttccttttc tggattgtac ttttgggtgc atgtttgaaa gttctttgcc 22740
tagccctcct tcttatattg ctgttttttt ctaaaagtca taaagtttaa cgctttacta 22800
aatgtagctc tataatcaat tttgtgttat tttttgtata aggtctgaga tttagatcaa 22860
ggttcatttt ttttgtggct tatggctgtc caattcctcc aacgccattt ttggaaagat 22920
gggtatattg ttaaaaaatca actgggcata cttctttgca tctctcacgt actactgtgt 22980
ccatttgatc actgtgttta ttattccacc aataccacac tgtgttgacc ctagtagctg 23040
tacactaact cttaacctcg tgtagagtga ttcttccac ttttattgac ttattttttc 23100
agatttgttt taactcttcc tggctcctctg cttttccata aaaattcaga atgagtttct 23160
cagtgtctac aaataaacgt gctgttattht tgacaagaat tgaattaaat atatagacca 23220
gtttatggaa aatgtgtatc tttactgttt gatctttcaa ttcatagaaca tagtatgcct 23280
ctccatttcc ttagattttc tttgattgct ttttaacatct tgtagttttc agcatagaga 23340
tctgtacat gttttgttag atttacagct aaactatttc atttttgttg gaatgaccgt 23400

pto_PB0262.txt

aaatgatatt atgtttttct tgtattttca gatattgatt gttgtttacat agaaatgtgc 23460
 tttgattttg tgtgttgatc tggatatcta gaaccttgca gaactgacat agtagttcta 23520
 gaagtctctt tgtatatgcc ttgagatttt acacattgtc agttatgtca cttgaaaata 23580
 gagacaattc ttttattttc tttccaatct gtatgccttt tatttctttt cttttgtcta 23640
 ttgcactagg acttccagat ataatgttga gtaaagtgtg tgaatttttg aattgttctt 23700
 aatcttagga ggaagcctt cagttctttc atcattaagc atcatttaga cgaagtgggc 23760
 tgtttttttg tagattctct ttatcaaatt gaggaatttt ctctccctag tttgctgagt 23820
 ttttatcata aatgaatgct ggaagtactc attataaaaa aaatggctat ggaagatgaa 23880
 agaaagtttc aagcatgttg gcttgatagg ccagttccaa gttggcaaaa ataattatct 23940
 cttttttctt tctatccatg aaataaaaaa ttaagagcca agaattgtta tggaattgca 24000
 ttatttcttc aaaatatgtt cctagtttta aaggatttac ctactatttc ttttaaaacc 24060
 atcacattga ggcacttctt tttcacgttg cccatgctgc aggagaacat aaagacagct 24120
 tgtctgaggc aacatacaat ccaccaaagt cacctgcttg tctgtctcca ctccgtctct 24180
 aactgcaga agtgctaggt cttgattctg tttattgtac tggaagaaca cattctctac 24240
 cacgtggata atttgcatgt aaaagaagac tgggatatag aggctggaga cgacatcagg 24300
 gtctcctgaa cactgccgcc accccccgc cccgcccac acaaatacat ccaggacac 24360
 tgggcatctg ggataaatct ctattgagca tctagcatag ggcccatcac ccagtagaca 24420
 gtcactaaat agttgttgaa taagtgttcc tgtttaacac attttctaca accatggaga 24480
 cctccacaac tgatgtagga caaatgttt ctgctttgaa ctctagcctt ttgggtccagt 24540
 gggatttatg aaaagtcca tctctatagc tgaggatgaa gaatggaaga gattacgac 24600
 attgctgtct ccaaccttca ccagtggaaa actcaaggag gtatgaaaat aacatgagtt 24660
 ttaataagaa acttaaagaa tgaatctggt ggggacaggt ataaaataag atcacagtcc 24720
 ctttccaagg ggtagtccac tgaatttgag ctgcctaaaa atgggtcttt atctttatgt 24780
 acagaaaaca catcacaaaa ttcattataa aatgtcactt actgctccat gctggggaaa 24840
 gccatgtcct tctgggacta gagtctgcac atttaactat ggggtggtgt gtgttttgtg 24900
 cttagatggt ccctatcatt gccagtatg gagatgtgtt ggtgagaaat ctgaggcggg 24960
 aagcagagac aggcaagcct gtcaccttga aagagtaagt agaagcgcag ccatgggggt 25020
 ctgagctgtc atgaaccct ccagctgcct gccatggagc tgatattcct gctgttgggt 25080
 tattccagt accagacaaa aggagggctg tggtaatgca acttcaatgg gtctcccaag 25140
 atggggcagc tcgatgagg aggtggggca gctggaggaa aaggatctt tcccctgtgc 25200
 acaggggcca gggtttacat atccattaaa ttgtcacctt ggatattcta gaagactaaa 25260
 tataccttt agggggaaaa agtgtgattg taccaaagtt ttaagcatgg agtgtatgg 25320

pto_PB0262.txt

atggtggaag gggaaggcac ttggtatctg ttggttggca gtgagtaggt tgggagagtt 25380
ataatggaga acttagaata actttgatca tttcatgttt ttttctgagg atatcagtag 25440
aataactaaat attaaaattc ctaccatttc tttttcctcc agtctcaaag agagaggggtg 25500
gtaaaaacac tataggtagg gcaagcctat tatttgcctat ctacacttat gcagtaaaaa 25560
caggtgtaat ctgagtttgt cctgggcaga ccagggatat gtggtcactc actatagaaa 25620
tttccaaatc aaattttgag agattttttt ttaaccagga cattattggt cattatatatt 25680
tacaaaaata attctgctgt cagggcaacc tcagctcacc acagctgggg atagtggaat 25740
tttccaaagc ttgagcaggg agtatagaga ataaggatga tatttctagg agctcagaac 25800
agggtactgt tgctttgtaa agtgctgaag aggaatcggc tctgggcata gagtctgcag 25860
tcaggcaata tcacctgtct tgagccctt aggaagagtt aattattcta ctctgttct 25920
gctgaagcac agtgcttacc catcttgat catccacaat caatacatgc tactgtagtt 25980
gtctgatagt gggctctctgt ctccctatga tgggctcctt gatctcagag gtaggtctaa 26040
ttcagttcag tgtctccatc acaccagcg tagggccagc tgcactcactg gcacctgata 26100
acaccttctg atggagtgtg atagaagggtg atctagtaga tctgaaagtc tgtggctggt 26160
tgtctgtcct gactggacat gtgggtttcc tgttgcatgc atagaggaag gatggtaaaa 26220
agggtgctgat tttaattttc cacatctttc tccactcagc gtctttgggg cctacagcat 26280
ggatgtgatc actagcacat catttggagt gaacatcgac tctctcaaca atccacaaga 26340
cccctttgtg gaaaacacca agaagctttt aagatttgat tttttggatc cattctttct 26400
ctcaataagt atgtggacta ctatttcctt taatttatct ttctctctta aaaataactg 26460
ctttattgag atataaatca ccatgtaatt catccactta aaatatacag ttcagtgatt 26520
tgtagtacat ttgaagatat gtgtgacat catcatttta aactttaaaa ctttttttgt 26580
caatctagag acctatata tttttagcta tcagccccct gtcacaaacc ctgtcatcat 26640
atgcaaccac taatcaactt tctgcttcta tggatttgcc tattctggac acttcataga 26700
aatgatatta attcatcagg gttttttatt ctctagttca tgaatttgta ctttagtctg 26760
tatcattttc tttcttctgc tggcttcagg cttagtttgc ccttcttctg ttactatggt 26820
gtggcatgaa catagattac tgatttgtga tttttttgtt cctctaaatt tagacattac 26880
agctgtaact ttccctctga gcacttcctt tgctaaatcc catgagattg tggcctatca 26940
catcttagtt ttgttcacct caaaacagtt tctatttgcc ctttgggttt ctactttgac 27000
tcattgggta cttaaatggt tattatttaa cttccacata tgtgtgagtt tctcaatttt 27060
ctttccctta ttgattttat ctttattcca tgataggtga cagagatatg ctgtgttatt 27120
tctatcttga ctacctacta tttcttgaac agcaagatta attttgagct tcagattatg 27180
atttgggtta ttctaggaga ctgtagtcca atagataaag gcaaagagat tagggcattg 27240

pto_PB0262.txt

aattttgttc	cttttatcct	tcaaaagatg	cacaaggggc	tgctgatctc	actgctgtag	27300
cgggtgctcct	tatgcataga	cctgcccttg	ctcagccact	ggcctgaaag	agggggcaaaa	27360
gtcatagaag	gaatggcttc	cagttgagaa	ccttgatgtc	ttttactctt	ctggttggta	27420
gagaaaacta	gaattgctcc	aggtaaattt	tgcacattca	caatgaattt	ctttttctgt	27480
ttttgttttg	tttttcctac	agcagtcttt	ccattcctca	tcccaattct	tgaagtatta	27540
aatatctgtg	tgtttccaag	agaagttaca	aattttttaa	gaaaatctgt	aaaaaggatg	27600
aaagaaagtc	gcctcgaaga	tacacaaaag	gtaaaatgtg	gtggtagtta	taggaggatg	27660
tttagttttt	cataattttt	tagataatat	acatatgatc	agtgcagtta	cctgtatggt	27720
tttaaagaat	gcttttaaca	tgaagactgc	tcattgtttg	agcaagagaa	ttcatttggt	27780
agaaatgcag	aaagtggggt	ttggggaagg	agatatgaga	atgagtcaga	gacagcacat	27840
gaaatttgat	atcagacaca	acaattagta	tgccacggca	taaattttat	tgagataaaa	27900
ctttaccact	ttacttcctt	tcaataaatt	gtcagaggat	aaacattact	gtttggaaat	27960
atattttact	gatattatgc	tttcccaga	tcataaattg	gtaaagactc	atttcaagta	28020
caaacctgtt	attttacaca	ttctcaaag	aaagtcccta	tcaggccacc	tgctgaagtg	28080
tacgtgtgtt	aaatttgagc	catctcacat	gatagccaga	tttgtttcag	gaaaacatcc	28140
tgctttccaa	ggatttagaa	gggtatgttt	ttcactgggtg	attcaggcaa	catgcatcag	28200
atttctgggtc	ttcaaggagc	catattctca	gaaggggagat	caaggaccac	gctgtgatta	28260
cttctgactt	caggagccac	tttctgtcag	tgaaatttct	ctttttgctt	ctagcaccga	28320
gtggatttcc	ttcagctgat	gattgactct	cagaattcaa	aagaaactga	gtcccacaaa	28380
ggtaaccaga	gtgtttctga	gggctacttg	tggggcactc	agagggaagg	ccttgttctg	28440
aaaatgtgca	ggaagtattc	caggatgatg	agaatttctg	ccacatagca	gaacgacaca	28500
tgtttgaatg	ttataagtgg	tagttggagg	cactttctag	aggcatgcag	gcatagatag	28560
ccatgttcta	agagtaaagg	gcaaccctaa	gcaaacctgg	catgctagaa	agtcagtctg	28620
cggctctgtg	atcacctaca	tcagatcaaa	tgccaattct	cagcctcctt	cagatccact	28680
gaataaaaat	ttctgcctag	aaatttatta	ggttgctgca	aaattaattg	tgggtttttc	28740
cattactttt	aattgcaaaa	aatgcaatt	aaaagtaatg	gcaaaaacca	caataacttt	28800
tgacagctacc	taatacatct	aacatccaat	caggagccac	gctgttccaa	aggggtgatt	28860
ttactggca	gtacttgtga	aagtgtgttc	accaggtaat	ctactgcaag	tattttcact	28920
ttggaatgga	tagtaactgt	ggggaaaacc	tctgagaccg	tgtaaataatc	ctctttgtct	28980
tcaatgttcc	acctacgagt	tttacaaccc	atgtatgttt	tttactgaag	tcactattac	29040
tatgacagtg	gcaaaatgat	gaccatgggtc	aattacaagc	caccaagact	tggcaaccat	29100
ctcacaaaat	tcctgaatat	ttaactattg	gttctagaga	gcaggactgg	gcttactcca	29160

pto_PB0262.txt

gcatactgct ttaaataatat ccatgtctac atccactttt gtctgtatgt ctatgtatct 29220
atctatgtat ctatctagct atgtatctat ctatctatct atcatctatc tatctatcat 29280
ctatccatct atcatctatc atttatccat ctatcatcta tctacttata tattatctat 29340
ctatcatcta actattcatc tatctatccc aatataaactt gctgtgataa aggaaatagt 29400
ctattgtttt actgtttcat atagaaatca ctagacacat atggctattg agcactggat 29460
atgtggctag tgccattgaa gatcaatttt aaatgggtatt tcagtttaat ttaataaaaat 29520
ttgattttaa atagccacta gtgggtagtg gctaccatat tggacagcag agctctaaac 29580
tttgagatta tagttcaatt tcacatcagt atcatcaggt tcatgataac tgaatactat 29640
gattaggtag ttgaatttac ttataactgc atcacagaag tcttcactgg taaatcacag 29700
ctctgtcgac ctttctcaca ctctttcat attgggttttg gttgtgaatt acatggtttg 29760
agcaggcatt atatttattt ctatgttcca ggtctctaaa ggtcctaata cagtctgat 29820
caaacagacc agtgatggac catcctgagc ttctctcagg agagaaatca agaggggccc 29880
aacttgtaat cataggagct tatgctattt taatgccatc catcagacta caatcaatta 29940
ccactcatct agctttttgt ccatctctca ttcttgtaaa tcctgagata gtcaattctg 30000
agaactgtag cctagatcta tcacctgatg cctctcaaag atataatccg tgcttctcaa 30060
gctaggctat gcacacaaat cactgcatct tgtgaaagtt cagattttga atcagtagtt 30120
caagggtggg gtttgagatt ttgcatttct aaatgagctc tcaagatgct tctgacccat 30180
ggaccacact ttgaatacca agaagtggc tgtagaccaa tattgggtccc ttaagttccc 30240
tcaaacatat cttcgggaaa cgtcctttga ttttcctac atttaaccat tagtggtgca 30300
aattctctca aagtittgtca agatatattg tagctaaaat aaattacatt tttcttgggg 30360
gagagtacta cctcatatta acttacaata aagtactttt aggatcattc aaggaacaca 30420
cccataacac tgagtatgtt atgcggaaat gctctctctg gaaattacac agctgtgcag 30480
gtggcggggg tggcatgagg aggagtggat ggcccacatt ctogaagacc ttggggaaaa 30540
ctggattaaa atgatttgcc ttattctggg tctgtaagat acacatcaga atgaaaccac 30600
ccccagtgt cctctgaatt gcttttctat tcttttccct tagggatttg agggttcac 30660
ttagatttct cttcatctaa actgtgatgc cctacattga tctgatttac ctaaaatgtc 30720
tttctctcc tttcagctct gtccgatctg gagctcgtgg cccaatcaat tatctttatt 30780
tttgctggct atgaaaccac gagcagtgtt ctctccttca ttatgtatga actggccact 30840
caccctgatg tccagcagaa actgcaggag gaaattgatg cagttttacc caataaggtg 30900
agtggatggt acatggagaa ggaggaggga ggtgaaacct tagcaaaaat gcctcctcac 30960
cacttcccag gagaattttt ataaaaagca taactactga ttctttcact gactctatgt 31020
aggaaggctc tgaaaagaaa aagaaagaaa catagcaaat gggtgctact ggcagaagcg 31080

pto_PB0262.txt

```

taagatcttt gtaaaacgtg ctggctctgg ttcactctgct ttctattact acaataatgc 31140
taagtaaaaa acctccaaaa acctcagtgg catctaacaa taagcatttg ttgctcacac 31200
tcatttcaat tggtttttgg tgtgaattac atgtttgcag caggcaccat agtggtgtgt 31260
gatgtcccct tagctgtatc cacatatgga cacaggaatt ggctcttttt atctcttttt 31320
attttcttgg ttacagacat gtga'cttttt tttttgaaag gtaacaatca ctttctcata 31380
tgttatttga tgctagtggc catagcctat agtcacattt gtttcaatga gaaagaaaaa 31440
ccagtacacg gttatgctaa ggatttcagt ccctgggggtg agagccgtct cgaatgtctc 31500
cccacttcat aactcctcca cacatcatag ttggatagtg agctctgctg atattggcag 31560
gacttgctct ggtctggctg tagtctgacg gagcctggcc ctgggtgtgc tgtgcaggct 31620
gactcagctc tccccacacc tatctcatgt tccagtcagg cagtaactgg tgaagaagcc 31680
aagctaggaa ccaggatatc tggctcctga gctaaagtct taaaacacta tcatattgcc 31740
ttccaaatat aacaccaa'at actaggtgca tatcaccctc actgttttca gacctctgcc 31800
aaaattggga ttctttgtgg tatgaagaga cacggctttg gggctggccc ggctgtgaca 31860
gtgaggtgaa cacaaaggga tgttcttcag agattacagt ccagccctga agcaacaact 31920
aggagactga ttgagcaagt gaggacaggg ctgtgtgggg ttctatcctc ttataaactt 31980
ccactagcac tgaaatcgtg ttctctgggt acatccaacc agagccttct ttgtcatttt 32040
tgggatagaa agggactagt ttatcctcaa attatttatg gagattttat ataatatagt 32100
gtttctctcc acattttctg tatataacaa aagtcctcct tttagtgtgt gtatacacat 32160
atatatacac atatatatgt gtgtgtgtat gtgtgtgtgt atatatatat acacatatat 32220
acacggttat gctaaggatt tcagtccttg gggtgagagc cttcccgaat gcttcccacc 32280
ttcataactc ctccacacat ctcagtgggc cactgagcac agcaatgggc atgacagtta 32340
ttaa'aaact ttataaatgc ttgatcctt taccagtatg agttagtctc tggagctcct 32400
aatacttcat tagtactgca tggactgagt taaaagttaa ttcaaaatct caatttatcc 32460
aaatctgttt cgttctttcc aggcaccacc cacctatgat actgtgctac agatggagta 32520
tcttgacatg gtggtgaatg aaacgctcag attattccca attgctatga gacttgagag 32580
ggctctgcaa aaagatgttg agatcaatgg gatgttcatt cccaaagggg tggtggtgat 32640
gattccaagc tatgctcttc accgtgacct aaagtactgg acagagcctg agaagttcct 32700
ccctgaaagg tacaaggccc ctgggaaggg agccctccct gaaccagcct ggttcaagca 32760
tattctgcct ctcttaatct acaggacagt catgtgggtg tataattatt tgcttgtatt 32820
tttatattta gagatttttt taatcatcaa attgattatt gtcacacttt acaaaccata 32880
gactagaaaa aagaaaacta cagtcatcca caattccaac aacttacgat gaaggtcatc 32940
agttatgtcc ttatgggtca tcagtgtcca aaatgtaagg actcttttaa aaacacatga 33000

```

pto_PB0262.txt

tcacaatgct attattatgt cccccaaatg aatatttttt tcataaatat aatcaaatat 33060
ttaggaataa cattttaata aaaaacatgc atctaattctt caaagaattt tatagcttac 33120
tggaacagat agacaaagaa agcagggatg atactgcatt acatcggtac agtagcatca 33180
tatgcctgtg taaattatct gacttcaact attctatgga ggtgtggggg agaaagaggg 33240
agagatggag agaagaagaa ggaggagaag gagggagaag acaaggtaag gaggagaagg 33300
aggagaatta gaaaaacaag agaggagatg agaaggaaag tgcaaaataa caattttgaa 33360
atagtacaag acaattttccc cttctccttc ctcatgacca atgtaagtgt gacttgaggc 33420
aggaacctac ttttccatca gtcagtccca tcaattatgt gccttttata gtgtggacac 33480
atcaccaccc tgaatataat ttcagtgttt agaaataagt attctttgca acactattta 33540
tctcatctca acaagactga aagctcctat agtgtcagga gagtagaaag gatctgtagc 33600
ttacaattct catagcaaaa taagcatagc aggatttcaa tgaccagccc acaaaagtat 33660
cctgtgtact actagttgag ggggtggccc taagtaagaa accctaacat gtaactctta 33720
ggggtattat gtcattaact ttttaaaaat ctaccaacgt ggaaccagat tcagcaagaa 33780
gaacaaggac aacatagatc cttacatata cacacccttt ggaagtggac ccagaaactg 33840
cattggcatg aggtttgctc tcatgaacat gaaacttgct ctaatcagag tccttcagaa 33900
cttctccttc aaaccttgta aagaaacaca ggtagtcaa ttttctataa aaataatgtt 33960
gtattaataa ttcttttaac tgagtggctc gtatttttta aaaagaatat gcttggttaa 34020
tcttttacta atttgttctc tgggccaaag aatcaattag gccatctgt gatctttaag 34080
ggtgcttcag ttctggagtt caaaagctgt agcatcaaaa acatcatgta aagcccatgt 34140
agattagcat ggcataatta tctgcagtct ccttgaactt gagcaaagt acattcattt 34200
caagtcgatt ggaagatgg ggaagtattt ttgcacagtc atgaagtgt atgattacct 34260
tgttggtgact tttgaatgct gctcttccca accagaactt ggagaagctt tctcatgaga 34320
gtggctccca accactagct gtacattgga atcaccaggg agctttaaaa attcatgatg 34380
tctgggatat cacagaaatt ctaaactaat ttgccagag tgtggcttta aaagcttccc 34440
cattgcttct catgtgaagc caaggttgag aatgactaat ttaaggcatt tctggtggat 34500
ataaaggact accacagtcc aaggccatcc tgactgacct caccttcag gtgactagct 34560
ccatccagct gggctccttt tcaacccaat tataactcta ttaatgttgt tcccagccag 34620
gcatggtggc tcatgcctgt aatcccagca ctttggggagg ccgaagcagg cggatcatga 34680
ggtcaggaga tcgagaccat cctggctaac acggtgaaac cccgtctcta ctaaaaatac 34740
aaaaaattac cctggagagg tggcaggcac ctgtagtccc agctactctg gaggctgagg 34800
caggagaatg gcatgaacct caggagcgg agcctgcagt gagccgagat tgggccactg 34860
cactccagcc tgggtgacag cgagactctg tctcaaaaaa aaaaaaatgt tgttcccttt 34920

pto_PB0262.txt

ctcctcattt tgttcttatac tttcaagtcc tagttcaatc cccaagcccc tccaaagtgt 34980
cttctcctcc tagtccaggg ccattttact tctctgctct gttattggat actggaggct 35040
attatcataa atttgacaat ttgccattaa atcattgagt tttattctct atattttctt 35100
tgtatctaaa atgtcttccc cctccatta acaatatcct ctcattttat tccttttttaa 35160
aatatcccag tgggtgccttg caagggaactg tatctaagtc aagcatttg taaatgttta 35220
aggagtgatg tgcagttgat ggcttgcata catatattaa gctatttaat gtgaaccttt 35280
aaacaaatgc cattcgtgca tatgcatgtg tgtgtgtgtg tgtgcacatg tgggcatgca 35340
tgtctgtctg cagtgaaaat atattcaggg tttttgaaaa tttttaaata ataaggatt 35400
atatttatag aaagatttga aatattttct ctgaagaagt taaagaacag acgtcattga 35460
ttcatattaa acaataccct ataaatctta tttctaggct tcatgtattt attattcaat 35520
tccacccctt aagtgggctt tctatatagg agaggaagaa gacagaaata gtttccatat 35580
tatttccata ttccatatta tttgtggctt taggccagca gtgtagctgt attatatgtg 35640
cccagacagg ggactcagcc ctgaataaaa gtggctcctc ggacacactg ggatggggaa 35700
ggtaactcct ggtaagctcc caacctggca cttcttgatc tccctggcaa ttttcttgcc 35760
cattactcca tggagatcag aatatcactc tgttgtgtcc cctcaacacg gaaggagtgt 35820
ctcaataaga atggggctaa aagttgagtc caaacactgt aggaattgag aggttcccca 35880
ccttgcaacta cccttggaag ccaagagaag atgttaaaaa taaaatggta atgcttcctg 35940
aagggtgtctt cccatcttta cactggatgg gttcaattgg gaggaattac tggactctgg 36000
aagttgaaga ctgtccatat aattaaaatg tacaataact acccaggttt accttgcaag 36060
tttcaacata cacaaaatta actttatatg actcttcaaa aacagtttgc catcatacct 36120
aataatctgg tttaaatttt aaaaactcat ccattttact taaaatttaa atcaaaaaag 36180
aacacagggt tccatgaatt tgtctcaggc ctggcacaga atagtactcc ataaatattt 36240
tgtttaaata tagatgatga atgctctcac tgtccaatct tcacacatct tatagactaa 36300
gtataaagaa tccaagattt atagtgtga aagtagtttt tatatgttta caaagcatta 36360
ttgtcattac tgcatttttt ttgccatta ctccatagag atcagaatat cactctgttg 36420
tgtccctca aactgaagg agtgtctcac tcactttgat gctatacttt ctacttttgt 36480
ttatttaatg cttctcaata tgcttgttta actgttgag atccccctga aattaagctt 36540
aggaggactt cttcaaccag aaaaaccgt tgttctaaag gttgagtc aaaggatggc 36600
cgtaagtga gcctgaattt tcctaaggac ttctgctttg ctcttcaaga aatctgtgcc 36660
tgagaacacc agagacctca aattactttg tgaatagaac tctgaaatga agatgggctt 36720
catccaatgg actgcataaa taaccgggga ttctgtacat gcattgagct ctctcattgt 36780
ctgtgtagag tgttatactt gggaatataa aggaggtgac caaatcagtg tgaggaggta 36840

pto_PB0262.txt

gatttggtc ctttgcttct cacgggacta tttccaccac cccagtttag caccattaac 36900
tcctcctgag ctctgataag agaatcaaca tttctcaata atttctcca caaattatta 36960
atgaaaataa gaattatatt gatggctcta acaatgacat ttatatcaca tgttttctct 37020
ggagtattct ataagtttta tgttaaatca ataaagacca ctttacaaaa gtattatcag 37080
atgcttttct gcacattaag gagaaatcta tagaactgaa tgagaacca caagtaaata 37140
tttttggtca ttgtaatcac tgttggcgtg gggcctttgt cagaactaga atttgattat 37200
taacatagggt gaaagttaat ccaactgtgac tttgcccatt gtttagaaag aatattcata 37260
gtttaattat gccttttttg atcaggcaca gtggctcacg cctgtaatcc tagcagtttg 37320
ggaggctgag cgangtggat cgcctgaggt caggagttca agacaagcct ggcctacatg 37380
gttgataccc atctctacta aaatacacaa ttagctaggc atgggtggact cgcctgtaat 37440
ctcactacac aggaggctga ggcaggagaa tcacttgaac ctgggagcgg gatgttgaag 37500
tgagctgaga ttgcaccact gcactccagt ctgggtgaga gtgagactca gtcttaaaaa 37560
aatatgcctt tttgaagcac gtacattttg taacaaagaa ctgaagctct tattatatta 37620
ttagttttga tttaatgttt tcagcccatc tcctttcata tttctgggag acagaaaaca 37680
tgtttcccta cacctcttgc attccatcct caacacccaa ctgtctcgat gcaatgaaca 37740
cttaataaaa aacagtcgat tggcaattg attgagcaat aagcctaaaa gcactcattc 37800
cttttctttt ccaaattctt cctttatatt cccttctga ataatttagt cctaaagcca 37860
ttaggtgggt ggcagccaga tgggtggccac acattaaggt agagaagaga gagtcatggt 37920
ggctccaagt cagagaccaa ggaggttcat gtggagagac atcctggcct ggggtgtggga 37980
gtccaagcaa gcagagaagg ggtcgacgca gaggggtggc ttgcaagagc agccagagcc 38040
taaatagggt atggagaacc cacatgaggc gaggagggca tccatgagtg ggaggggttg 38100
ggtgaggttt ggctacataa aggggattga tcaaataagt aaatgtatta aggatgatag 38160
aagccaggct tctcacctt gcagaaggga gtcatggatt cagaaaggga gaaaactagc 38220
atgaatccta tgaaattaga ttggaatgga tgtaaccgtg tatattcata cccttgtaga 38280
tagatagatg gtagataga tgatagatag gtaacagata gatgacagat aatgagatag 38340
atagatgtaa atgtatgtct gtatttgtgt gtgtgtacaa aaaacatata ttccctactt 38400
ctctccactg atagggctag gtaacaatga catttcaata gcaatgaaca cacttagtgc 38460
cccgatcttg gcttatgaat accattttcc actgaaggga accagagctc tttagagaaa 38520
tggtgatgc cagggaaga attaagaatg ttcaagataa gtttaggaca cattttgtgc 38580
caggaagcaa gaaaattttc aaataatttc caagtaatct ttggaaatga tacttgaaaa 38640
tgacttccaa atgacatttc caaatgactt gcaaacgatt tccaaatgat atttgaaaa 38700
acctaaagac tccatcaaag aactattgga actgataaac acattcagta aagttgcagg 38760

pto_PB0262.txt

atacaaaatc agcatacaaa aatcagtagc atttctatat gccaatagtg aacaatctgg 38820
 caaaaataaa aaagtaatcc catttacaat agccacaaat aaaactaaat acctagaaat 38880
 taacttaatc aaagaagaga aaggtctcta caatgaatac tgtaaaacat tgatgaaagg 38940
 aattgaagac acaaaaaagg atatttcatg tttatatatt gtgagaatca acattgttaa 39000
 aaatgtccac actactcaa gcaatgtaca gattcaatgc aatccctcaa aataccaatg 39060
 acattcttca a 39071

<210> 40

<211> 26865

<212> DNA

<213> Homo sapiens

<300>

<308> <http://www.genome.utah.edu/genesnps/>

<309> 2002-06-05

<400> 40

ggctgcaaat ggccttaaaa atctgaacaa catttgaaaa ttctgagtaa tgggcaacca 60
 ggcaagtctgg cttatgaggc ctggccagct cttcttcatac atgaggcccc ctacctgctg 120
 ccttcctgcc taattccagc agccttcact ccctccttac taaacttgca gacagaccac 180
 tcccagagag tgggacagat gccatcagat gccatctccc acctctgtga gcctcaacta 240
 acaactcctg tttggcccat ctcttctata atgattgaca ccaagaatgt ctgctacctt 300
 ggggctgtga tttcatctgg taatataaaa aaaatttttt ttttgagagt ctactctgt 360
 catccaggct ggagtgcagt ggcatgatct cagctcactg caacctgtac ctccggggtt 420
 caagcgattc tctgcctca gcctcccaag tagctgggat tgcagatgca cgccaccatg 480
 accagctaat ttgtgtatct ttagtagaga tggggttttg gcgtgtcagt caggctggtc 540
 ttgaactcct ggctcatgt gatccacctg cattggcctc ccaaagtgtt gggattatag 600
 gcgtgggcca ctgcgccag cccgagaggt aaattttttg aaataagctt tagtggaaca 660
 atcctgaaga ataacacaag aggaataaca ggttaccagt aagggtgcag ccaatttggt 720
 ccagtcactt ttgaatccat gtctataat ctaaaattta gttctctttc cctaagctga 780
 gagctttcta tcatgtcagt atgtatgtta tgaagaaaag gagacttagg tgagatgttt 840
 gtatttatca caactgctgc atcaattgcc taggacttca acagcttcat ggaagtctgg 900
 gaaatgttca ggcataaggt tattgcctta gctgactgaa aattgcccca tacagtggta 960
 catatcaacc cttagtgagg ccttttaaaa aacaaacagg ttgaaaaata gattaaagta 1020
 ggcaaataca gcatctgtct ttagagctat caactcagga attctctcaa tttttttttt 1080
 tttttttttt tttttgagat ggagtcttgc tctgtcacc caggctggagt gcagtgggtc 1140
 aatctcggct cactacaagc tctgcctccc aggttcacac cattctcctg cctcagtctc 1200

pto_PB0262.txt

cggagtagct gggactacag gtgcccgcga ccacgcccgg ctaatttttt gtacttttag	1260
tagagacgga gtttcaccgt gttagccagg atgggtctga tctcctgacc ttgtgatctg	1320
ctggcgctcag cctcccaaag tgctgggatt acaggcgtga gccaccatgc ccggccagga	1380
attctctcaa ttatgaaatc ttgcagagaa gttatttttc tttctcaaaa tccagatgat	1440
gacaatatct cttactccag atctggcatt ttttcatcat cactgtcttg tgaatgatca	1500
tctgctccat ctgctaaatc tacatcctct tcaccacca tgtggttcat catctcagag	1560
aaataatcaa aatcagacat ggcttcatct gaaccatctt ccagtcctt ccaatgattg	1620
gagtccacac taagccagtt aagctttgcc ctttgtttg ttaaccttg ccatgactgg	1680
ccccattttc ctttttgtaa acaaacaaaa ccgatctgtc cattctctta tgcttgaaat	1740
catttggtac aatacagtga aaaagattga tgccatataa atgcttaaaa tgatcacttc	1800
caggaagtgg cagtacaagg gcttctgcac ggatagcaga gcagtgggcc cgaccacagt	1860
gcctgccctg agctctccgc ctcccctgcc tgtctgcgag gtggcagcag tgccacaagc	1920
agcccacggc aggggtggaac acccacatcg acaacctcgt ggtggaaggg acctgtagga	1980
tgagccatc gtgggctaca aggacttgcc ttccatccag gccaccatcc ctgggaaaac	2040
cttcatcaac gtcaagccag ctgaggttga tgcctgggtt ggcaaagact ggtcaagttt	2100
ttttgtgaat gaggtgacac ttgggggcca gaaatgttct gtgatctggg acctactgct	2160
gcaggatggg gaactgacct atctttatac caagagcacc gatggagccc ccaccttcaa	2220
tgctactgtc accatgactg ctaggatgct agtgtttag gaagtcaggg acccaaatgg	2280
agggatgggc tggaggcatg gcagaggaac agaaattgtg aagatttcat tttaatatgg	2340
acatttatca gttcccaa atactttta taattttctta tgccctgtct taatctctta	2400
atcctgttat cttcataagc tgagggtgta tgtcacctca ggaccactgt gataattgtg	2460
ttaactgtac aaattgattg taaaacatgt gtgtttgaac aatatgaaat cagtgcacct	2520
tgaaaaagaa cagaataata gcgattttta gggaacaagg gaagacaacc ataaggtctg	2580
actgctgtg gggctgggca aaaagagcca tattttcttt cttgcagaga ggatataaat	2640
ggacgtgcaa gtaggaaaga tattgctaaa ttcttttctt agcaaggaat attaataatta	2700
atacctgtg aaaggaatgc attcctccgg ggaggtctat aaacggccac tctgggaatg	2760
tctgtcttgt acagttgaga taaggactga gatatgcctt ggtctcctgc agtacctca	2820
ggcttactag ggtggggaaa aactctgccc tggtaaattt gtggtcagac tggttctctg	2880
ctctcgaacc ctgttttctg ttgtttaaga tgtttctcaa gacaatatgt gcaccgtga	2940
acatagaccc tcatctgtag ttctgctttt gccctttgcc ttgtgatctt tgttggaacc	3000
ttatcagtggt ttctgctttt gccctttgtc ctgttccttg agaagcatgt gatctttggt	3060
agaccatat tagtagttct gctttttgcc ctttgaagca tgtgatcttt gtacctactc	3120

pto_PB0262.txt

cctgttctta	cacccccctcc	ccttttttgaa	acccttaata	aaaacttgct	ggtttgaggc	3180
tcaggcgggc	atcacagtcc	tactgatatg	tgatgccacc	cccgttggcc	tagctgtaaa	3240
attcctctct	ttataactgtc	tctctttatt	tctcagccag	ccgacactta	tggaaaatag	3300
aaagaaccta	tggtgaaata	ttgggggctg	gttcccccaa	tatctggcac	accaatgtgg	3360
ttttctttct	cctaattgca	tgtgggaacc	tgattccctt	tggtaggtgc	ggagaaacgt	3420
tcatttgtct	gtccacaga	aatgcttggt	cagctctctg	atgattggta	agttgtctgt	3480
gtattgtcca	ggctaaacttt	gggtcactca	gagtctaaac	attatgctta	tctctgccat	3540
attaaactcc	tgtaaaaca	ggggggagtt	tgggtacca	tggaaaatat	ggtcacccta	3600
ttcagggcag	tggaagaaca	ttgtcctttg	tttcctgaaa	agggaacatt	agacgtggaa	3660
ctatgggatc	gtgttggtgc	aaaattccgg	gaactgggtcc	caacaggaaa	ttatgttccc	3720
gtcactgttt	gggtgactg	ggccttggtg	tgtgccgtcc	taatgacata	ccaatcccat	3780
cacccccctgc	agttaccaca	gtttttctgaa	tctggaaacc	ctccacctct	tcctcaacct	3840
tcctctcccg	cacggccttc	gttacctgat	cagcctctcc	cttcgcctac	tccttcccca	3900
cctgaggata	ttgaagattc	aatatctaac	tccagtgact	ttggcttaac	gtcaccacct	3960
gatgatctta	tttcttttca	cgaacagcca	gtactttag	ctccacggc	ccgacttgg	4020
acagcccagg	actgtatcta	tgctaactct	tccctcttca	aacctttgca	gcctttgcct	4080
ccggagccat	ctaattggctc	cggaaactaaa	ctacaattta	cctgtaattc	tgcaggccct	4140
cccccatcca	ccacagcccc	tcacctcct	gtcatttcgg	ttcctcaaact	ggtcactttg	4200
ccatccaactc	aacctgtctc	tctgtaccct	tcttcacatg	tggacacccc	tgccactctg	4260
gttgcacagg	attgggcaat	aatcaccagt	atgcttctgc	ctcttctgct	cctctgggtgc	4320
ccctttctca	cgtctctata	ctgggtccaac	ctcctcagcc	tcagtttccc	ttatctacac	4380
ataattttcc	tgtcacttct	gtgccaaactc	tgtctcatgt	gcctgttggt	gaaatttcca	4440
tgcaatgctt	attacgccaa	aacaaacaag	tggattagag	gcgtgggctt	atccgttcat	4500
gctggaacct	tgcaatgctc	aaggggtaca	agtgcacga	taggcgctgc	tcaatcttac	4560
cttttttaaaa	gaattcaagg	atgcttgtac	tcagtatggt	cctacttctc	catatgttaa	4620
aatggtatta	cagactcttt	gtactgaggt	cattttgctt	cottttagact	gggacttttg	4680
gcaaaagctg	ttctaactcc	atctcaacat	ttacaattct	gtacctgggtg	gtcacgggag	4740
gcccatctgc	aggctcagct	aaatcgggct	gatggcattc	taattactca	ggctcagctc	4800
acaggtccca	ataattactc	tgacactact	gccaatttag	gctttgatgc	tctcacctg	4860
gaacaagtaa	caaagggtgtg	tatgagagct	tgggataaat	tacgcgcccc	aggccaagct	4920
cctgtttctt	ttactactgt	taaacagggt	cacaatgaat	tatatcctga	tttttagct	4980
aaattacaag	atgctgttga	aaaatctgtc	tctgatgagc	acgctcaagg	tattcttctt	5040

pto_PB0262.txt

cgaatgttag	cttttgagaa	tgCGaaccat	gagTgtaaaa	tgGCCatgca	ttccgtccaa	5100
caacaaaatt	tacctgatcg	tgaggtgttg	cctgagtata	ttaaataatga	aggcattgga	5160
tcagacacaa	agctattctg	tgcccacaaa	gctattctgt	gggcacgggc	catgaaggac	5220
ggcaatcaaa	ctggctcgac	tgattctttt	cttggagcct	gctataattg	tggtcaactt	5280
ggtcatactc	gaaaaaattg	cacagttaaa	aacttaaagg	cagccaagcc	ggctcaaaaa	5340
acacagccaa	atgctcctgc	tactgtttgc	ccttgttgtt	gtaaaggtaa	acattgggca	5400
agtacttgcc	actctaagtc	tgatatagat	ggaaatccct	tgccacagaa	ccagggaaat	5460
gggaaatggg	gccagtccta	ggccccaatt	tcaaatggga	cacctcagac	tcagacgaat	5520
gttgcccttc	tgcttcaatc	ggtcCCAacg	cagccccag	cacaaacaaa	tttacctaca	5580
gccaaaccag	atgtgtccca	gcctcttctt	ctgtctcagt	acaacgctta	tctatgctcc	5640
agagtaaggg	gaggggCGgt	caatctctgt	agtaccattc	ctctaaattt	actacctaat	5700
tctttgcctt	taattcccag	accaatacct	ggaaacctgg	aacgattata	acatggggaa	5760
gagggtatgc	ttgtgtttca	ccaggagatc	atcaatcccc	tgtctgggtg	cccactagaa	5820
gacttaaact	tcatgtgaat	actgacaata	aaaaccacag	ggaagagacg	tccacgtcag	5880
agaccaccct	catacctggg	gagatctgtg	ccaactcctc	agaaactggc	acgccaaatc	5940
aaaatgggtc	tggttcaatc	ctccctaatt	gcaacagaaa	cccctctaac	taatcccact	6000
tctcctaatt	ccctttcttt	ttctccttac	gaacctaaaa	atctcaccat	ttctattagc	6060
ctgaaaataa	catcccotta	ttcttctatt	cctccttcag	cactggatct	tgcttacaat	6120
aggttttatt	taataattct	cttccttata	ctttctgtct	caccagtttc	ccctcacatt	6180
gatttacctg	ctacacaaaa	ttattcttgc	tgggcttatg	tgccctttcc	tocacttatt	6240
caacctctca	cctggatgga	tgctcctgcg	gaaatctata	ctaatgatag	tgtgtggatg	6300
cctggagcta	cagatgaccg	ttgccccact	caaccaggaa	aagaaggcac	tgcatTTaat	6360
gttcctacgg	ttataaatac	cctcctctgt	gcctcggaca	tgcaccttgt	tgtatccatc	6420
tagaaactca	agtctgggct	gcgtaccttc	tgagagatc	agccacaggg	gaacggggac	6480
atttggctct	cagcctctcc	ctttctcctt	taagacaaat	gaaaggggga	gtaataggag	6540
atacccccta	ctttcaatat	aaacctgtag	gaaaaccatg	tcctaaaatt	tttgagggcc	6600
catctaaatc	tttaatttgg	gaagattgtg	ttaattcaca	tgcaagtacta	ttaaaaaatg	6660
actcatatgg	tttagtaaga	gactgggcac	caaagggcta	tttgaaaagc	agttgctctt	6720
ctgctggaag	ggaatgcctg	gaggctactt	gttttatTtc	ttattgggag	gacgaggatc	6780
atcatcctac	tttgcatagg	aggttcagct	cattctgtcc	cttaaaatgg	gaagataaga	6840
gcattacccc	ctgccaccgg	aggcctctta	tgatatcccc	cattctgagc	ccagaacacc	6900
cagaactttg	gaaattggct	attgccatgt	ccagactgcg	agtatgggaa	ggggaaactt	6960

pto_PB0262.txt

ttctttctgt	tgtcccccact	accaccccctc	acaaccgtga	ttctgaaacc	catgataaat	7020
cccctttgga	ccattttcct	ctttttgatg	ccagtcctcc	tttatgggac	tctgattggc	7080
attatgataa	ttctttctgga	cccaggtatg	tccccctacc	tcttcagaat	ccccgggcac	7140
ctcggattgc	ttcttttacgg	catcaaacat	tgggcgttgc	caccgccact	cctccccctc	7200
ggtatcaacg	tagattcaaa	cattctgctt	tgtttacctc	cagcctgact	attatacaga	7260
gttggttaa	gcctccttac	atgctgttag	tgggaaatat	caaaatttgg	atgaacaatc	7320
aaaccgtcca	atgcattaat	tgtcatttat	ccacttgtgt	taactcccg	tttgactcag	7380
gaaaagtgt	atgttggttc	gagcttgaga	aggaatctgg	ataccagtaa	ctttaccag	7440
aacttgggaa	tcttccccct	cagtacattt	aattaatgaa	gtgttacaac	gaattctcaa	7500
aagatcaaga	gatttgtttt	cactttaatc	actgtgatca	tgggccta	tacagtcact	7560
gcactggcca	ccactgccgg	agtggcatta	caccaatcta	ttcaaattgg	taattttgtt	7620
aatgattggt	aaggcaattc	cacccaaatg	tggaaatcctc	aacaaggcat	tgatcaaaaa	7680
ttagctaata	atttaagaca	gtctgttatt	tggcttgggg	accagcta	gagtctcgaa	7740
catcacatgc	aatgcagtt	cgattgcaac	acttctgatt	tctatagcac	accatattcc	7800
tacaacgaga	ctgatcatgg	gaaatggtca	aaggacacct	tctgggtagg	gaagataatt	7860
tatccttgg	cataactaaa	ttaaagaaac	aaatttttga	agcctctcaa	gctcatttat	7920
ccattgtgcc	tggagctgag	gcgttagatc	agggtggcaga	aagtctttct	ggactaaact	7980
ccacaacttg	gattaagtct	actgggggct	ccactgtagg	aaattttgg	atcatgtttc	8040
tctgtttaat	cggcttgttt	ttagtgtgcc	agaccagtca	aagaatcctg	catcaaaacc	8100
gagagaacga	gcaagccttc	atcgccacgg	cacatttata	taaaaagaaa	gggagagatg	8160
ttgcgggaag	tcagggaccc	tgaatggagg	gactggctgg	agccatggca	gaggaacata	8220
aattgtgaag	atttcatttt	aatatggaca	tttatcagtt	cccaaataat	acttttataa	8280
tttcttatgc	ctgtctttac	tttaatctct	taatcctggt	atctttgtaa	gctgaggatg	8340
tttgtcactt	caggaccact	gtgataattg	tgttaactgt	acaaattgat	tgtaagacat	8400
gtgtttgaac	aatatgaaat	tagtgcacct	tgaaaaagaa	cagaataaga	gcaattttta	8460
gggaacaagg	gaaaacaacc	ataaggctctg	actgcctgca	gggtcgggca	gaaagagcca	8520
tattttcctt	cttgagagag	gctataaatg	gacatgcaag	tagggaagat	atcactaaat	8580
tcttttccta	gcaaggagta	ttattattaa	taccctggga	aaggaaatgca	ttcctggggg	8640
gaggtctata	aacagccgct	ctgggaatgt	ctatcttgtg	cagttgagat	aaggactgag	8700
atacgccctg	gtctcctgca	gtaccctcag	gcttactagg	gtggggaaaa	actccgccct	8760
ggtaaatttg	tggtcagacc	ggttctctgc	tgctgaaccc	tgtttgctgt	tgtttaaggt	8820
gtttatcaag	acagtatgtg	cacogctgaa	catagaccct	catctgtagt	tctgcttttg	8880

pto_PB0262.txt

ccctttgcct	tgtgatcttt	gttggaccct	tatcagtggg	tctgcttttg	ccctttgcct	8940
tgtgatcttt	gttggaccct	tatcggtagt	tctgcttttg	ccctttgtcc	tttccctcag	9000
aagcatgtga	tctttgttag	acacttatta	gtagttctgc	ttttcgccct	ttgaagcatg	9060
tgatctttgt	acctactccc	tgttcttaca	ccccctcccc	tttttgaaac	ccttaataaa	9120
aacttgctgg	tttgaggctc	aggtgggtat	cacagtccta	ccgatatgtg	atgccacccc	9180
cggcggccca	gctgtaaaat	tcctctcttt	atactgtctc	tctttatttc	tcagccggct	9240
gacacttata	gaaagaacct	acgttgaaat	attgggggtg	ggttccccca	gtacgctagt	9300
cctgctgatg	agcaaagaag	gtgttgatgg	cattttgatc	aacaagaaat	gttatgaaac	9360
ggcctcccac	ctctggcatt	cctagtactg	acctatctct	cccttccctt	ccacogctcc	9420
ccacagctta	gcaccccttt	cgttcccata	cacatgtaca	tttttatttt	ggggaccatt	9480
aacccacagc	ccttatcgct	gccaaaacca	catgggctgg	agggccaggg	ctgcatggac	9540
agtcacacca	ctgcacacca	gcctgggtgat	ggagcaagac	tctgaaaaaa	aaaaaaagaa	9600
gcataaaaga	cctttaacag	tcctgtctac	ttgtgaccct	cctgaatctg	tcactctgtcc	9660
agtgatcttg	attttgcaac	atggaaagtt	ccaagccttg	actcctgagc	ccagatacca	9720
ttcgactctt	ggagtcattc	aagcatgggg	agctcctcag	aggggtgatca	actgacctcc	9780
cttacctagc	tcctcctccg	gaggtttgcc	ctggagttga	gccagccctt	gaggaggcct	9840
tcactccac	cgctctctc	ccttctggat	atgagctcag	gcctggctgg	gctccaggag	9900
aatctttcca	caaggcaaga	gataacacaa	agtcaagggtg	aagatcaggg	tagcccttta	9960
aaaggcctcc	ttgtgcccta	gagttgccac	agctcttcta	ctccactgct	gtctatcttg	10020
cctgccggca	cccagccacc	atgtgggagc	tcgtggctct	cttgctgctt	accctagctt	10080
atttgctttg	gccaagaga	aggtgccctg	gtgccaaagta	ccccaagagc	ctcctgtccc	10140
tgccccctgg	gggcagcctg	ccattcctcc	ccagacacgg	ccatatgcat	aacaacttct	10200
tcaagctgca	gaaaaaatat	ggccccatct	attcggttcg	tatgggcacc	aagactacag	10260
tgattgtcgg	ccaccaccag	ctggccaagg	aggtgcttat	taagaagggc	aaggacttct	10320
ctgggcggcc	tcaaatggta	agtgggtgcc	atctcctccc	tgcccccttc	accacccctt	10380
gggattgttc	aggtcttcag	accatgccta	gaatggggct	tccagctcca	acaacctgta	10440
attcttccca	aagtagacta	gtgggatgat	gtgaaggagg	tgaaccttca	gacccccacc	10500
cagcctctaa	attaggcagg	aagaattaaa	ggaatgtctc	ctctaccagg	ctgcccagga	10560
ggtgggatgg	gaggaccaca	gtgggtctgag	gggtcaagga	atcctcactc	cactcctctc	10620
tctgagccta	gacttctcta	atggactgag	aaggtgcatg	tacagcactt	agcctagcac	10680
ccagcacagt	aagtgccctt	tatacagcca	ggattcatgt	tacttttcat	ggaaaatggg	10740
ggcagtgact	actgtcctcc	atgaaagctg	ctggggagaa	ttagcctagc	tattgcaggc	10800

pto_PB0262.txt

```

tgggattgct gctttcctgg tgctatttcc agctactcag gctcacaggg gcagttttct 10860
acaatgacat ttcaggggtg ctgatgagcc tcccactcag cagggccccc agcctctcag 10920
catttttttt tttttttttt ttttttgaga cagagtctct ctctgtcgcc cagcctggag 10980
tgcagtggcc aatctcagct cactgcaacc tctgcctccc gggttcaagt gattctcctg 11040
cctcagcctc ctgagtacct gggactacag gagcatgcca ccatgcccgc taattttttg 11100
tatttttagt agagatggtg tttcaccatg ttagccagga tggctctgat ctectgacct 11160
cgtgatcctc ccaccttagc ctcccaaagt gctaggatta taggcgtaag ccaactgtgcc 11220
ctgccagcct ctgagctttg atcaagcaa gggttggttt attttttctt ggaccaatca 11280
gccaggctctg ctgaccaact acctagctcc cacctctgct ggcttccctc cgggggcaga 11340
gaagatggag aaggctagtc atgtggatct tcagggtcag gaaatggaaa agggaggctt 11400
tggacccttt tgctttgggg ggcacctcta ggaggaggcg gctcggccca agtccagact 11460
gggtagacaa aacatctgca ctctccaaat gtgggcttgt ggctgggtat gcaggcttgc 11520
aatggaaggg taaacctgag tgaggtgagc tgtgccttta gctcagctaa gggctcaggg 11580
aaaagcagag atctgtgcag tcctcagcct ctacaagctc acctgctccc taccctctgg 11640
acaggcatag ttagagagt ttatcccatc cagagttgcc ttctgtggt cagaaactga 11700
tgagcaaaaa gaagcccaga gggcaccctg tcagcgaaaa gaacccaat gctgctgcat 11760
tctaattaag ggttctttct ttctccttga tctactgtat ttctgaagga attgggagta 11820
ggaggcctta gggctgtgcc taccaagtc ttgcagtcac ggtggagtgc agtggggctg 11880
tgcccacatg ggagtcagca tgccaggtag ctgccttctc ctccaggaag gaaagcaggg 11940
accagaggtg taagggaag agtgggggtg atggtgtgag attcctacag ccttgccctgc 12000
tctctaaagg caactctaga catcgctcc aacaaccgta agggtatcgc ctctgctgac 12060
tctggcgcac actggcagct gcatcgaagg ctggcgatgg ccacotttgc cctgttcaag 12120
gatggcgatc agaagctgga gaagatcagt gagtgccagg ctggcccctg gggctggggc 12180
tggatcccac aggagctgct ggaggagag gaggggtggg caggggtaag ggtaggact 12240
agagcgcaat gcagcctttt cttggctact gctgccatct agtggccatc tgctatctgt 12300
ccccgctcc tgttaagagg caactggtac agagaggggg taagggtgct gattcatctc 12360
ccacctcat gccccctctc ctttcagttt gtcaggaaat cagtacattg tgtgatatgc 12420
tggccacca caacggacag tccatagaca tctcctttcc tgtcttcgtg gcggtaacca 12480
atgtcatctc cttgatctgc ttcaatacct cctacaagaa tggggaccct gagttgaatg 12540
tcatacagaa ttacaatgaa ggcacatag acaacctgag caaagacagc ctggtggacc 12600
tagtcccctg gttgaagggt agatgctgcc agccctgcct tcaggttcta gtagaccctg 12660
acattgtccc caatcttctc tcctttttac ttccctgctc cagccgcaat gacctatctt 12720

```


pto_PB0262.txt

tttcttgatt	acctccgcca	cctctacctc	ctctgccact	taaaaccttt	gccattttctc	12780
tgcagagata	gatttagcct	tttaattatg	caccttagta	ctccagataa	tgaccttcat	12840
ttcttttcca	attaccatgt	gccagtacta	agcattctat	acgcattcat	cgctgaattc	12900
cccttggaa	taggttttat	tatccccatt	gtgcaggtga	gaagcaggct	tagcgggggt	12960
aaggagcttg	tctgagcctt	caggctcatg	tctctctcac	tcctaagggc	tggacacata	13020
gcagagtcag	cgcttgatgt	ttgattgaat	ggggaaggag	aggtggagac	cacgccctcc	13080
tcccttgttt	agaattgtct	tcgtcgtcat	gataaaccgc	ttctgtgtcc	ccatcttgcc	13140
ttccattctg	gctgaagggt	aggggtggag	taggaacttc	cagagacaga	aagctaagat	13200
ccgcctccag	gagagactct	ggcagctgga	gaagcaaaat	ggaagaagg	tggatttaac	13260
atttcttttt	atttcccaga	ttttcccca	caaaaccctg	gaaaaattaa	agagccatgt	13320
taaaatacga	aatgatctgc	tgaataaaat	acttgaaaat	tacaaggtag	gtgatagagc	13380
agaagagaat	atgagttagg	ctaaaagtaa	tcacaagagc	aggggtggag	ccattctaca	13440
cactgtagaa	gcttcaaac	caagcagaga	acctggcaca	tagtaggtgt	acaataaaaa	13500
ctgacttaag	ggctgggcgc	ggtggctcac	gcctgtaatc	ccaacacttt	gggaggccga	13560
ggtgggcaga	tcaattgagg	tcaggagttc	gagatgagcc	tggccaatat	ggtgaaaccc	13620
cgtctgtact	aaaaatacaa	aaactaggcc	aggcaagatg	gctcacacct	gtaatcccaa	13680
cattttggga	ggccaagggt	ggcagatcac	ctgaggttgg	gagttcgaga	ccagcctgac	13740
caacatggag	aaactctgtc	tctactaaaa	atacaaaatt	agccgggcac	ggtggcgcac	13800
gcctataatc	ccagctattt	gggaggctga	ggcaggagac	tcacttgaac	ccgagaagca	13860
gaggttgtag	tgagctgaga	tcattgccatt	gcactccagc	ctgggcattg	caccaagatt	13920
ctgtctcaaa	aaaaaaaaaa	aaactgactc	aaggagttgg	gatcgaaaag	tgaggaactg	13980
aagaggatcc	tagaagagac	ctaactctc	caccaaattt	aaagagggcc	cggggctgcc	14040
tcctacctcc	acaagttcgt	aggtcctgcc	cagacttgct	ctacttccaa	gtggaaggag	14100
ccttgttatc	tctagtcagg	gacagaagta	tggcaggagt	gtcacagatg	gggctccttc	14160
cttattaatg	tctcccaacc	tcacccaacc	caggagaaat	tccggagtga	ctctatcacc	14220
aacatgctgg	acacactgat	gcaagccaag	atgaactcag	ataatggcaa	tgctggccca	14280
gatcaagact	cagagctgct	ttcagataac	cacattctca	ccaccatagg	ggacatcttt	14340
ggggctggcg	tggagaccac	cacctctgtg	gttaaattgga	ccctggcctt	cctgctgcac	14400
aatcctcagg	tgtgcttccc	cctcattgat	cctagacccc	agccagccca	atctctgggc	14460
tccagagaaa	gggagagcca	attctctcag	gctttctgtg	caggaagact	aggcctgccc	14520
tgctccttac	ccaagcagta	gttggttttg	accccagagt	agagctgccc	catcttctgg	14580
aagccggggc	tgggccccag	agccactact	gggaagggac	tggacaggct	cttctcgatg	14640

pto_PB0262.txt

tcacagttgg attttttctt aagcccttgc ttctcctggg cttacacaca ctagtcacct	14700
ccaacctact ctggtcttca ggtgaagaag aagctctacg aggagattga ccagaatgtg	14760
ggtttcagcc gcacaccaac tatcagtacg cgtaaccgtc tcctcctgct ggaggccacc	14820
atccgagagg tgcttgcctt caggcccggtg gccctatgc tcatcccca caaggccaac	14880
gttgactcca ggtgtgcctg ccctcccagt gacatctagc cccatgatgc attcaacact	14940
gcttgccagc ccacctggct cccctaccc cgggccctg ctggccaacc taaagtcagt	15000
caaccatcaa ctactaaaaa tcctcctgcc ggccgggcac ggtgggtcac acctgtcatc	15060
ccaacacttt gggaggctga ggcgggtgga tcatgaggtc aggggttcaa gaccagcctg	15120
accaatatgg tgaaaccccg tctctactaa aaatacaaaa attagccatg catcgtggcg	15180
cgtgcctgta gtcccagcta ctcaggaggtc tgaggcagga gaatcacttg aaccaaggcg	15240
gcggaggttg cagtgaacca agattgcacc actgcactcc agcctgggtg acagagcggg	15300
actctgtctc aaaataaata attaatat taaatataaa aatcatcctg cccccagccc	15360
cgtggctcca tgtctctacc acctacagac acgcattgac tcatccacag atctgcctga	15420
cttcccagag gagcttcctg ctgccctcag agacatgtgg tctgggatga aaggctggga	15480
gtcccatgtt ccaaccagct gcagcacgca cataacatgc gctgcagctc caaacgcaca	15540
cccacataca ctgccagaca ccaaagtcca cagacacagg tgttcagaca gaagcgctg	15600
ttaggagggg agggatggag aagggtgga tttagggttg atctggcaga agctgaggaa	15660
aacatgagtg agtgggaatg agggagtaaa gggcattttc ctcacggcgg aagaatgagg	15720
gggcatgagg ctgagcaagg aaggagtagc gaagtcccag acccactttt cctcttccac	15780
tctggagcag catcggtagg tttgctgtgg acaagggcac agaagttatc atcaatctgt	15840
gggcgctgca tcacaatgag aaggagtggc accagccgga tcagtccatg cctggtgagt	15900
ctgtcctgtc ctgcgccctg ggccacacag cgagcctgga ctctgctcca ccaccccagt	15960
acccttcac ctctgccaag cttgctgcta gaaaactctt ggctccaact atacggacct	16020
gttgacaccc tcctcctgcc atagacttac ccaaactctt cacagctggg tttccacgc	16080
tcttcttcca accaactgca aattcacctt ccaagaagcc ctctacgcct ctgtctgcca	16140
ttaagtctgt ccttctccc ctcggatggt gctattttca taggttaatt ccatctcttt	16200
tccatccttc ctgaatattt catttctctt gtgtcggtta gggctacctg aaagcagggc	16260
tgtatctctc ccaggcggg ggttcccca taataaggct acatcctcag atcagggttc	16320
cctgggcagg gccatgtctc cccctcaacc agggcagaaac catgcctctc ctccctcctg	16380
ccctaacccc tggctgatgc cactccttgc ctgcagagcg tttcttgaat ccagcgggga	16440
cccagctcat ctcaccgtca gtaagctatt tgcccttcgg agcaggacct cgctcctgta	16500
taggtgagat cctggcccg caggagctct tcctcatcat ggctggctg ctgcagaggt	16560

pto_PB0262.txt

tcgacctgga	ggtgccagat	gatgggcagc	tgccctccct	ggaaggcatc	cccaaggtgg	16620
tctttctgat	cgactctttc	aaagtgaaga	tcaaggtgcg	ccaggcctgg	aggggaagccc	16680
aggctgaggg	tagcacctaa	aggctgtaac	tcacagcccc	tgtccaccct	atgtggcccc	16740
acaacacaga	tttagagata	caacccccca	cccttctccg	ccattcttcc	ctactcccaa	16800
cccactctgc	cttctttttc	agcttggtgc	aatgccagtg	atgtgcataa	acagtttttt	16860
tttttccata	aggccctga	gtagttcatt	tatgtattca	tttgctcact	cattctttca	16920
acaccgattt	tattgagcac	ctactatgtg	ccattcactt	tctcaggaca	ctcgagctcc	16980
gtggtctctg	aagcttacat	tctagtgagg	gctaacaagt	gaataagttc	agagactcgt	17040
aagtgccttg	aagtcaatca	caatttggtg	gatgtgatga	gaaaatggca	gaggcagtgg	17100
gtggtgctt	tgaacaaggg	gtcaggaaaa	gtgttgcatg	ctgagaagca	ggtaaaaagg	17160
cctccaggtg	ggagaggtca	gcatggccag	tgaaggggag	agtgggccct	gatgaggtca	17220
gagtggacat	agtgtccgt	tcccactgta	gctgggatta	caggaggcca	ggagggaggt	17280
tgggttttat	tctaattatg	acaggaagtc	actggaggat	tttaagtatg	taagtggaac	17340
aatctgtttt	tttgtttttg	tttttgtttg	agaaggagtt	tcgctcttgt	tgccctggct	17400
ggagtgcaat	ggcatgatct	tggtcactg	caaccctgc	ctcctgagtt	caagtgattc	17460
tcctgcctca	gcctccaaaa	tagctgggat	tgcaggcgtg	tgccaccatg	cccagctaat	17520
tttgtatttt	tagtagagat	gagggttttg	catgttggtc	aggctggctc	cgaactcctg	17580
acctcaggtg	atccacccat	ctcggcctcc	caaagtgctg	ggattataga	catgagccac	17640
agcgcttagc	ctgttttttg	ttttgttttg	tttgggtttt	tttgttggtg	ttttttgttc	17700
tgttttttga	gtgacatggt	ctcactctgt	tgccaggctg	attgcagtgg	cacaatcatg	17760
gctcactgca	gcctcaacct	cccaggctca	agtgatcctc	ccacctcagc	atcccaagta	17820
actaggacta	caggcacaca	tcaccaggcc	tgactaatgt	tttacttttt	gtagagatgg	17880
ggttttgctg	tgtttttctag	gctgggtctca	aactcctaag	ctcaagcgct	tctccacct	17940
cagcctccca	aagtgttttg	attataggca	tgagccgctg	tgcccagctg	gtttgtattt	18000
ctgaaagatc	gccgtagttg	ctgtgtggag	aatgttctgc	taagggatgg	gagtgggagc	18060
aggagaacag	ttaggaagga	ggctgttggtg	ctgggtccagg	aaagccagat	gttgatgagt	18120
taaaccacgg	ccacagcagt	ggaaacagtg	agaagtggta	ggattgagtt	tatcttttgt	18180
tttctgtttg	tttgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	18240
tgttttgaga	cagactcttg	ctctttcaca	caggctggac	tgcaatggca	caatctcagc	18300
tcactacaac	ctccacctcc	cttgagcgat	tctgtgcct	cagtctccca	agtagctgga	18360
attacaggcg	cctggataat	ttttttattt	ttaccagaga	tggggtttcg	ccatgttggc	18420
caggctggtc	tcgaactcct	gacctcaagt	gatccacct	cagcctccca	aagtgccagg	18480

pto_PB0262.txt

actacaggtg	tgagccaccg	agcctggcct	gagtttata	tttgaaagta	gggcaggccg	18540			
ggcgtggtgg	ctcgtgcctg	taattccagc	actttgggag	tccgagatgg	gtggatcgcc	18600			
tgagggtg	agttctagac	tagcctgccc	aacatggcaa	aaccccgctc	ctactaaaaa	18660			
tacaaaaaat	tacccggg	cg	tggtggcagg	cacctgtagt	cccagctact	cg	gggaggctg	18720	
agacaggaga	atggcgtgaa	ccccggaggc	ggagcttgca	gtgagcggag	atcgcgccac	18780			
tgactccag	cctgggcaac	agttcaagac	tctgtctcaa	aaaaaagaaa	aaaggaaaag	18840			
aaaaaagaa	g	tagggcaaaa	gtgttggtt	ttttgatcca	aataggcttc	actgcatg	tt	18900	
acctcacagg	ttcgaccttg	ggggagtgta	tgtgaccac	agactggacc	tgccgttgcc	18960			
atccctctgt	cttgggtctgc	aaagaccaag	actgggtgtgt	ccccctttcc	tcacccttcc	19020			
ctggggtaaa	cactgccagg	taagggttc	tacagctgtc	ttctgcagca	gtgcctgggt	19080			
tccacctcct	tctccccact	caaaaacccc	aggaagtctg	taaaagcttc	ctcactagg	19140			
ctgggtgcag	tggtcacgc	ctgtaatccc	agcactttgg	gaggccgagg	cgggcagatc	19200			
acgaggtcag	gagatcgaga	ctgtcctggc	taacacgatg	aaaccccgtc	tctactaaaa	19260			
atacaaaaaa	ttagccgggc	atgggtggcg	gcacctatag	tcctagctac	tcgggaggct	19320			
gaggcaggag	aatggcatga	acccgggagg	gggagcttgc	agtgagctga	gatcgcgcca	19380			
ctgcactcca	gcctgggcaa	cagtgcgaga	ctccgtctca	aaaaaaaaaa	aaaaaaaaaca	19440			
aagcttcctc	actagaaaa	at	gaagccctga	ctcctttata	tctggaaact	ggtatat	tttta	19500	
aacottggtc	attggccagt	ctgcaaatga	atgtcctgag	acatcccgga	agaaactgac	19560			
ccttttagcc	tagagagagg	ccccatcccc	agctccctgg	tgccagccag	accagggtca	19620			
ggatcatcaac	aacccagtc	ttcccctctg	actagacaga	aggacgtcag	cagagcatgg	19680			
ctgataccct	gcctagctaa	gtcttagaga	gaagacgtcc	ctataggagg	caagacaagg	19740			
ttttcagtta	cgacactacc	ttcttcttta	taaagagctt	tgtaaatcag	gtggcagtg	19800			
accgttcct	actattccct	aactcgggtc	tggccttc	at	cgccattta	cctgggact	19860		
ttgctaaaga	gcctgcagga	ggccaagtgt	ggtggcttat	gcctggaatt	ccagcacttt	19920			
ggggggccta	ggcaggagga	tcccttgagc	ccaggagttc	gagagcagcc	tg	gggcaacag	19980		
agtgaggccc	tg	tttctaca	acacttaaaa	aaaaattggc	cg	ggcgcggt	ggctcatg	ccc	20040
tgtaatctca	gcactttggg	aggccgaggc	aggcagatca	caagatcagg	agatcgagac	20100			
catcctggct	aacacgatga	aaccctgtct	ctactaatga	tacaaaaaat	tagccggg	cg	20160		
tgctggcagg	cgctgtagt	cccagcta	at	cg	gggaggctg	aggcaggaga	atggcgtgaa	20220	
cctgggaggc	ggagcttgca	gtgagcagag	atcgcgccac	tgtactccag	cg	tg	ggg	cgac	20280
agagcaagac	tctgtctcaa	aaaaaaaaaa	aaaaattacc	caggcatggt	ggcatacctg	20340			
tagtctcagc	tactcaggag	gctgaggtg	gaggattgct	ggacccagg	aggccgaggc	20400			

pto_PB0262.txt

tgcagtgatc	tgagatcgtg	ccactgcact	gcatectaga	gcaagaccca	atctctaaag	20460
aaaaagaaag	aaagaagaag	aaggattagt	atttcacttt	cctgccattc	aatgttcttg	20520
ttcaatagtt	ggagaatgaa	agagtgcata	tgtgtgttgg	ggggcagagt	gagagagaga	20580
aagagatgaa	gatatatggg	aacctataga	cagacaaaca	gatatagata	gatgtaatat	20640
gcaccaggtc	agtatctgtc	aaagtgtggc	tcacagaccc	cttgagccag	actcatctga	20700
gaaacttact	taagaacaca	gactctggtc	cctatctttc	atgcattgag	tacactctgg	20760
gagcagggcc	tggaaatctg	cattttacag	gctatccagg	tgaatcttgt	acacactgct	20820
gcgcaccccc	cccagtcct	caagtgacat	tgtgtgagat	tcttgcaaac	ttgcgatgtt	20880
ttccatccca	gttaaaccce	cccaccactt	ccacagagga	cacagatctt	ctgctaattg	20940
cttatctctt	catcactagt	ctacaaaatg	cctttcaggc	caagcacagt	ggctcacacc	21000
tgtaatccca	acactatggg	aggccaaggt	gggcacaacg	cttgagctca	ggaatctgag	21060
accagcctgg	ccaacatggg	gaaacctcgt	ctctagctgg	gcatgttggc	gcacacctct	21120
agttccagct	actcaggagg	ctgaggtggg	agaatcgctt	gaaccaggga	ggtggaagtt	21180
gcagtgagcc	aagattgtgc	cactgcactc	caactgggtg	acagagtgag	tgagagagac	21240
gccgtctcaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaagcc	tttcaaattc	tgagcaaata	21300
tgaataactt	aactttcctc	cagccaatct	tattcccctc	tgctttgagc	tgaggatagc	21360
ttgactcgat	ccagcaccca	gctgatgggg	gcagaggaac	cgggagaggg	aagggaacaa	21420
ctccagtata	gcctttccct	tgggctcact	gtggtgtcag	catctctccc	aggctgcttg	21480
tgatgggggg	tggggtcagc	tgcccacaag	ctctcctacg	gacttcattt	tttttttgag	21540
acagggtctc	actctgtcac	ccaggctgga	gtgcagtggg	gcaatcatgg	ctcaccgcag	21600
tctggaacac	ctgggctcaa	gagagcttcc	tgccctagct	tcctgggtag	ctgggactac	21660
aggtgtgtgc	caccactctg	gctaattttt	aagttttttg	aagagatggg	gatcttatta	21720
tgttgcccag	gctgggtctc	aactcatggc	ccctagtgat	ccttctgcct	tggcctccca	21780
aaattctagg	attacagatg	tgagccactg	tgtcctgtct	aaaccttcat	tttgaaggaa	21840
actgagggcc	attgtgtggg	ctgggtatag	ggtatgactt	gccccagatc	acacagctac	21900
gtagcagcag	ggctggggacc	agaactcaag	atttcaatgg	tgcatgggtg	ggagccagcc	21960
atgctttccc	acctgtcccc	tgtgggtcatg	cagaagggtc	cttgggatat	ttggccggga	22020
gagtaccttt	caggcaagcg	gagtgcactt	ttagaaaatg	actttatgaa	ctttgactcc	22080
tgcccaaact	gtgctctccc	gtctggaagg	ccttttcacc	actgatctaa	accacactgc	22140
cttgaggctc	agacacattt	tttatgactc	ctgagtccac	catgaccatc	cctcttcagc	22200
actcagcttc	tgttccttgg	tactgaacct	aaactgaacc	ttggcatctg	agcatctgcc	22260
tggacttgaa	atgggtgggg	ccccccacag	acactgtcca	cctcctgtac	ctctggagtt	22320

pto_PB0262.txt

caagactgag ccttctcatg ttcttttatcc	tgcatatcag cacctgacaa atagaagggg	22380
agacaaacaa gagtgatgca ggacaggcaa gccctaaaat	tggggcttag cccaggaggg	22440
ttcatggctt caccagaaa gaattccagc aagcagcagt	ggtggtagcc agcaagccgc	22500
agtgcacaga gcagcagagg tactgctcct tgtggagcag	ggctaccagc aggcagtgtg	22560
cccagaagag caacgcaggg gcagggctgc actcatatgg	acatctactt ttaattatat	22620
gcaaattaag ggggtgatta tgcagagatt tccaggatga	gggtagtaac ttccagggtca	22680
tcaggtcggt gccacgaaaa gggatggtaa ctcttaggtt	ttgccatggc aatggtaaac	22740
tgacatggca cactggcagg catgtcatgg aaagctgctt	ctgccccctt acctgtttta	22800
gctagtcctt aatttgggtt catgtccgag cccgcctcc	tacctcaaga ggactgaatc	22860
aaatgctcta aatcacttgg ttaattggcc caatgatagt	aaataaattc tatctcctta	22920
tgcagaagga agcccagatc ttgacaaaa ctggaaggtc	tttgccaaga cccacagtt	22980
aaccgtctga gcctcagact gtccttaacc agtgatgtga	tgataaataa atgtttaaca	23040
accaggctctg ggaggggagg ggggtgtcgg aatagccttg	atttghtaatg tttgctgatt	23100
actgtggtgt agatactccc aacgtgacca attttaaact	accaatgtga tgccagtaaa	23160
cagggttgga aagagacaca tagtagcatt atatgttctt	taccgttggt attattacat	23220
agtaaagtcc attatgtagt atttccacca tactgatagg	taaatgtaaa taacctcaag	23280
ggcacagata acagtaacat gtagtaaaat aactaggaaa	tgatcagttt tgagtatcta	23340
ttacctttgt ttttaataata actcaattgt aggtttaagt	tttttaaat ggctgtttca	23400
tataaacagc tcataaaatt cctgaaaatt taaaaatcag	ttctagttag ctattaagag	23460
ccaaccctcc caggagaaat gggccacgct tgtcttaaag	aaaagcagtt cctggctggg	23520
cgaagtggct catgcctgta atctcagcac tttgggaggc	cgaggcaggt ggatcacctg	23580
aggtcaggag tttgagacca gcctggccaa cttggtgaaa	ccccgtctct actaaaaata	23640
caaaaattag cgggggtgtg tggcgtgcac ctgtagtccc	agctactcgg gaggtgagg	23700
caggagaatc actagaacta ggtggagggt gcagttagcc	gagattgtgc cactgcactc	23760
cagcctgtga gacagaacaa gactccgtct caaacagac	aaacaaaaaa cgaaaaggag	23820
ttcctgggct ggggacagtg gctcaccaca ccagcacttt	gtaatccac cactttggga	23880
agtcaagggt ggtggatctc ttgagctctg gagttccaga	ccagctgggc aacatggtaa	23940
aaccccatca ctacaaaaaa atacaaaaaa ttagccaggt	gtagtggcac atacctgtgg	24000
tcccagctgg tcccagttac ttgggaggct gaagtgggag	gatcacattg aaccaggag	24060
gtcaaggctg gcagttagtg cgccactgcg ctccagcctg	ggtgacatag caagaacttg	24120
tctcaaaaaa aaaaaaaga aaaaagagaa agaaaagcag	ttcccctgag tctccttggt	24180
gacaggaggg aaatccttcc ctattgtggg agggtagag	tgagtgaatg ttctatcagc	24240

pto_PB0262.txt

ctctggtggc	cacaaaacct	gaggcaaatg	aggagccctc	tctgcagtca	cactcgtaga	24300
tgtagcgcc	cttctctgga	gggtggggat	ccagtcacag	aggccgtgca	gtggggtggg	24360
aagcgcaacg	gataaattgg	accagacca	ccccggtgct	ctgccccagc	tcccgtttcc	24420
tgaccctgga	tcttaggccc	atcactaact	tctgagcct	caatttcccc	atggataatg	24480
tgggggaacc	taacacctgc	gctgcccata	ttccgaggct	ctggtgagga	tgagaggcag	24540
aaaagagtgt	gtgggcagga	gagtcccaca	cagacgggaa	tgcaaatgac	tcgaagtcag	24600
gttgacagaga	caaactctcc	cagtgttgct	atttacagac	tgctggcca	tgacacctt	24660
aggtggcctt	aagccttggg	tttcccatct	gtaatatggc	gggggcgggt	ggtagggaac	24720
tgggatgttt	gtgtcatagc	gttactgtga	ggatgaaatg	tgaacctatg	aaatacatTT	24780
agtgccttga	taaatatTgg	gtttctcgct	gttgtctata	tccaaaccca	cgaaatgagt	24840
ccttctcagg	gtttatata	aacctcccca	aaagccacca	gtttggtcag	gagggggagc	24900
gggtgtgtgc	agatgagtcc	ctccgcagga	tggaaccctg	gggaaccac	cctccccgtt	24960
ccatccctgc	aggccccact	acagcccctg	gcctgccacc	tgccactcc	gtccccgcag	25020
agccagggt	gatggactgc	cgggcagcgg	gtggagaacc	caaagacaaa	ctcacggctc	25080
cagcacaggt	gttccgtcac	agtttctgtg	ggattgggtt	tcttgagcct	tcttggtgaa	25140
aaaacatgaa	atgaaggga	tctgaagcta	tggtgaggaa	caggcttata	acagagtaag	25200
gagaggccag	gtgtgggtggc	tcatgcccgt	aatctcagca	ctttgggagg	ccgaggcggg	25260
cggatcacct	gaggtcagga	gttcaagacc	agcctgccca	acgtggcgaa	acctcgctct	25320
tactaaaaat	acaaaaaatt	agccagggtg	gttgggtgggt	gcttgTTaat	cccagctact	25380
tgagaggctg	agacaggaga	atcacttgaa	cccgggaggc	ggagattgca	gtgagccaag	25440
attgcgctac	tgactccag	cctgggcgac	aagagcaaaa	ctccatctca	aaggaagaaa	25500
aaaaagccaa	aaacaaacaa	aacagagtga	ggagaaattt	caggtcaaac	aaaaatcctc	25560
ttctcccctc	acaaacacag	aaagctgtac	tttcatcacc	ttggaggaag	aacaaaaaca	25620
ctctttcaag	gaaaagagac	aaagaagatc	caaactgtaa	ctcctgagaa	ttttacagtg	25680
tttccaagg	gttacaccgt	ccctggaagt	tgacattggg	ccgaatactg	gtggcaagca	25740
gcatcacctg	tcccagggtg	gacgccatTT	tagcactgaa	ttgctcttgg	aggtgaagcc	25800
tggtctgggtg	tggggggggtc	tgccccctgg	agcaagagga	gatagggtag	ctcctgagga	25860
aatgggtgtct	gtttcatctt	tcaccatgtt	actcttagct	caatatattg	ttctctagtt	25920
ctccctcacc	tttgaaaaga	aattacaagg	ctcatgcctg	taatcccagc	actttgggag	25980
gccaaggcag	gtggatcgct	tgagcccagg	agttcaagag	cagcctaggc	aacatggcaa	26040
aatcctgtct	ctacaaaaaa	tacagaaatt	agctgggcat	gacggtgtgc	gcctgtagtc	26100
tcacctgctt	ggggaggatg	aagtgggaag	atcacttgag	cctgggaagt	tgaggctgca	26160

pto_PB0262.txt

```

gtgagctgag attgtgccac tgcactccag cctgggccaa aagagaagag aagagagaga 26220
ggaagaagtc acaagttctt cagggtggctt gtgagtacct acattacagc tcttcactgt 26280
cctgccttct gggtattaca ttggccttgg agccattaga cctggcttca aatcctagct 26340
ctgccactta ttagctatgt gatcttataa agttagttaa gtctcttga tgccacaatc 26400
ccattaataa agcaggaata attgcagcct atatacctca gagacctgtt ttgaggctac 26460
atTTTTTTat ttttttgaga tggagtttcg ctcttgttac ccaggctgga gtacaatggc 26520
gtgatctcgg ctcaactcaa cctgagcccc ccgggttcaa gcgattctcc tgcctcagcc 26580
tcctgagtag ctgggactac aggcattcac caccacacct ggctaatttc gtatttttag 26640
tagagacggg gtttctctgt gttggtcagg ctggtctcga actcccgacc tcaggatgatc 26700
cgccacctc ggcctcccaa agtgctagga ttacagggtg gagccaccgt gcccggcctg 26760
aggctaattt ttttttttaa atgtagctaa gatgctcaca caagactggc attgtggaaa 26820
ccgtcaacca acaaaacaat aaagacaaat taaattaaaa ttttt 26865

```

```

<210> 41
<211> 76341
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> http://www.genome.utah.edu/genesnps/
<309> 2002-06-05

```

```

<400> 41
ttgtataaag tgtaaggaag ggatccagtt tcagctttca acatatggct agccagtttt 60
cccagcacca gcaccattta ttaaataagg aatcctttcc ccatttcctg tttttgtcag 120
gtttgtcaaa gatcagatag ttatatatat gtggcattat ttctgatggc tctgttctgt 180
tccattggtc tataagtatg ttttgggtacc agtaccatgc tgttttgggt actgtagcct 240
tgtagtatag tttgaagtca ggtagcatga tgcctccagc tttgttcttt tggcttagga 300
ttgacttggc aatgagggct ctttttttgt tccatatgaa ctttaaagta gttttttcca 360
gttctgtgaa gaaagtcatt ggtagcttga tggggatggc attgaatcta taaattacct 420
tgggcagtat ggccattttc atgatactga ttcttctctac ccatcatgag tgaactccca 480
ttcacaatta cttcaaagag aataaaatac ctagggaatcc tacttacaag ggacgtgaag 540
gatctcttca aggagaactg caaaccactg ctcagtgaaa taaaagagga tacaacaaaa 600
tggaagaaca ttccatgctc atggaggata taatcttgcc ctgtgttggc caggattagt 660
actcgggttt ctcaaggatg gagcggggcc atagagctcc caagagttaa tgtcttttgt 720
tttcagctgc cagggtgggt agagaaaaac cattgagcgc aggggtgggtg ggggtggggc 780
gcaggattgg gcaggctctga tgctacttgg gcagggcttg ctgcagccac tgtggaggac 840
agagaggtgg ttcttaagcc aatggtgtta tgttcttagg gggattatgg gtgcctctac 900

```


pto_PB0262.txt

```

tgcattatac atgtcaccag ggaagcgggg gaaaacaggc agtgacgggc ctcaactcage 960
tctcatgcag ccagcaaggc cactcttact cccgccatgc ccctccaaca gcactgagtt 1020
tatatccagg cagcctttga gcagggctga gatctttccc caggctacaa tccttcccac 1080
tgagaaagca agcagggctc tcaggcctcc cttccctgcc tgcccttccc ttcagctgca 1140
gcttctgcaa ttgtatgtgc acttcccatt tgccccccac cccgtttctg cacaggaaaa 1200
ttcgtactca gccaaaatta taacaaagat cagctaggag cttccttcac cctgtggccc 1260
ctccccagtt ctactggctg ccctcccttc ctgaagaatc tctgtgagat gaggccagga 1320
atggtttccc tgggctcccc caggcctcgg cacaaggcct ccagccctcc ctagagaggc 1380
agatgagagt ctttcccaa tggagggtgt ctctcgctga gaccagggca ggtgccaaagg 1440
tgtctgtgga gttcctgggg gcatccgggc agaggggaga aggaggacct gggagagcac 1500
accttctgc cctcactaga gaggtattta ttaacttctg cgctcctggc cactgactga 1560
attcgtgtct acattatcag ctcatgtaa ttcattatcc caacagctgg gaatgagctc 1620
cactggatga ggtggtggat gagggcccgg gggctggcag ctatccatgc actgtacaag 1680
ctctcttgac atgggcagtt cagtgaagt gtctacaggg ctcttcccat tgcttcttct 1740
acttttatgt tttgcttggc atcctaaatc tgtttcagct ctgggtaagg ttaaactcctt 1800
ctcctgtgat ctggattttc aggttcccca gtggggatgt gtgttcagag gcaaactttt 1860
ccctgctcac actttgggaa ctcacagttt tttggctgtc tcatagagtt tgcaacagta 1920
aaactgcttc tttcaaaggg tctgtgaatt ctttcagttt tcctggtatg ttcccatggt 1980
agttcttgca gcaaaagctc acagtgtgag tctccacaca ctgttctgtc cattccaagc 2040
aggagctgca tgtagttct gtctgctatc caccattttc caattttgtg atatagttat 2100
gattttttat tggtttggtg ttttgtcttt ctatttagga caagaatagt gtacacactg 2160
cagttagtggt tataatatatt agtgtttttc tgtgtactta ctattaccag tttgttttgt 2220
atcttcatat tacttattat tacttaataa gtgattactt actgctcatt aatgtccttt 2280
tctttttgat tgaagtattc ccttttagcat ttctttagg acaggtctgg tgttgatgaa 2340
attcctcage ttttattttg gaaagtcttt atttctctct tccatgtttg cataatatatt 2400
tcactagata tattattcta aggtaaaaga ttttcccttc agcattttta atatatcaag 2460
ccattctctc cttgcctgta aggtaaagtt tctactgtga ggactgctgc ,cagatgtatt 2520
ggagcccat tgtacgttat ttgtttcttt tctcttgctt gttttaggat tctttcttta 2580
tccttgatct ttgggagttt aattatttaa atgccttgag gtagtctctt ttgggttgaa 2640
tctgcttaat gttctataac cttctgttac ttgaatattg atatgtttct ctaggtttga 2700
gaagttttct gttattagcc ctttgaataa actttccacc cctctctctt tctctatgtc 2760
ctctttagac caataactct tagatttgcc cttttgaagc tattttctag atcctgtagg 2820

```

pto_PB0262.txt

```

catgcttcat tctttttgat tcttttttct tttgtctcct ctgactgtat attttcaaat 2880
agcttgtctt caagctcaact aattcttctg cttgatcaat tctgctatga aaagattctg 2940
atgcattctt caatatgcc aattgcatttt tagctccaga atttctgttt gattcttttt 3000
aaaattttta aaaattctac ttttaagtctt gggatacatg tgcagaacat acagggtttgt 3060
tacataggta tacatgtgcc atggtagttt gctgcacctt caaccogtca tctagggttt 3120
aagccccaca tgcatttggg atttgtccta acgctctccc tccccttgac tccaaccct 3180
tgacagggtcc tgggtgtataa tgttcccctc cctgtatcca tgtgttctca ttgttcaact 3240
gccacttatg agtgagaaca tggggtgttt gattttctgt tctgtgttt gtttgctgag 3300
aatgatggct tacagcttca tccatgtccc tgcaaaggac atgaactcat tttttttatg 3360
gctgcatagt attccattgt gtatatgtgc cacattttcc ttatccagtc taccattgat 3420
gggcattcgg gttccatgac tttgctattg taaatagtgc tgccataaac atgtgtgcat 3480
gtgtctttat agtagaatga attatgatcc tttgggtaca taccagtaa tgggattgct 3540
gggtcaaata gtatttctgg ttctagatcc ttaaggaatc accacactgt cttccacaat 3600
ggttgaacta atttacactc ccaccaacaa tgtaaaagca ttctatttc tccacagctt 3660
tgccagcatc tgttgtttcc tgacttttta atgatcagca ttctaacggg gatgagatac 3720
caatgagatg gtatcttatt gtgggtttga tttgcgtttc tctaataatg agtgatgatg 3780
agcttttttt catatgtttg ttggccgcat aaatgtcttc ttttggggag tatcttttca 3840
tatcttcat ccactttttg atggagtttc tgtttgatto ttttaaagta ttttaatctc 3900
tttggtaaat ttatctgata gaattctgaa tttctcctat gtgttatctt taatttcttt 3960
gagatttctc aaagcagcta ttttgaattc tctgtctgaa tggtcctatg tcttgtttct 4020
ccaggattgg tccatgggtc cttacttagt tcaatttggg aagtcattgt ttcttgatt 4080
atcttgatac ttgtaaatgt tctttgggtg taggatttat tgtaggcttc actgtctgtg 4140
tttttttgtt cctgtcctcc ttgggatgga ttttcagata tttgaaaaga ccggagtatt 4200
ttgatctatg ctgtatctgc tttagagggt accacaatcc cagtaatgct atggttcttg 4260
cagtttctag atgtactgct ttgatgggtc tggacaagat ccaggataat tctctggatt 4320
accaggcaga tactcttatt ttctttcctt acttctccca aacagagtcc ctctgtcagt 4380
tctgagacac ctgaagctag gagtggagtg aaaccagcac ccctgaggac accaccacta 4440
tgactgtgct cagccagact tgaagccagc acaacactgg gtcttccctg ctgtaaccac 4500
tccctggcca ctgcctatgt ttgctcaagg ccttgggggt ctacaataaa cagggtgaaa 4560
agccatccag gtctgtgccc ttcccttcag ggtggcaagt tcccccaagc ccagggtggg 4620
tccagagatg ttgtctagga gtcagggact agagtaaaaa acctttgaag tctacctggc 4680
attctattgc attaaaattg agctgggggg actcggggga aagtgtgaga ggggagtagg 4740

```

pto_PB0262.txt

```

ggataaaaga ctacacattg ggtacggcgt acaccgcttg ggtgatgggc accaaaatct 4800
cagaaatcac cactaagaac ttatctgtgt aaccaaacac cacctgttcc ccaaaaacct 4860
attgaaataa taataataat aaataataat aaaatgaata aacaaaaaca ctgagctggc 4920
actcaaacca caaaacacag tctttcccac tctttcctcc cctgtccaaa ggcagaggag 4980
cctcactcca cagcccacaa gaagtactgc tggattatca caggtattca tttaaggcag 5040
aaaggctatt aagtcagctg gtggtgactg ctgcctggcc tgggactcac tctttggggc 5100
agtgggcttc cctgtggccc aggaaaggtc tagaaatgct gttgaagagt caactcttgg 5160
aatcaagggc ccccaagagc ttgcttggtg ctttacctcc ctgtggctga gccagtacct 5220
gaaaccagct agtctcagag gctcacccaa ggcccttgat gtagtatctg ggtatcactg 5280
ctggttattc agagccaaag ggcttttcag ctagcagggtg atgaacgctg ccatgactgg 5340
gtctttccct tcaaagcagt gggttccctt ctggcccagg gtgtttctag gaatgtcacc 5400
tggaagctag ggccctggaac agggacctca ttattctgac tgggtgccata tctgttgtgg 5460
ctgagctggt atccaagatg caaggcagag tcctcctcaa ctctttcctc tcctcttctc 5520
aagcagcagg aaggggtctc ttttagagtt gtgagttgtg cagcctggga ttggggaggg 5580
gtgatgccag cactcccttg gctgccccag ctggtgtctc agtatatttt gcacccctca 5640
gtccactgtc tctggcccta gttcagtact aggacttgtc taagaattgc agttcttttg 5700
gcctaaactg cctttcaggt ttagtcagag atccagagca cttcagccct cagtggtag 5760
gtttgtggga actgaaattc tgactgctgg aattagtgat tcccctttgg ctgggactgg 5820
tttgaatgct ccctttatgt gtgggcatca gctgaacttt gtctggcttt cctttttgct 5880
gtaacaggac aacactgagt ttaatgcctc accattgatg tgttctccct caccagtgct 5940
acgaaaatgc tctttgcacc acaccacagc tgccagggtg tgatggaggg gtggcttcag 6000
tgcttcaaga ctcttctgc aaccttttca gtgccttttt cagcaacaca aagttaaaag 6060
caggctactg aagtgtcac ttgagttttg gttcttgtga aggagctttg cttgcacaga 6120
tagttgttaa attggtgtcc ttgttgggga aacaatcagt ggagccttct attccacat 6180
cttgctccac ctcccatagt actatacatc tcttcttttg gctagttctg tttggatatt 6240
tttgctataa taaaactgta gttgtaagta tagtgctttc cagagttctt taattttttt 6300
tagtgaatta tcaagcttga agggtagtg gggattccta aatatggtag ccagctgttt 6360
agaagtatag gtagcttacg taaccttgaa cttgcagctg atgtctgaag taaggacagt 6420
gttatggagg accatgtcct taacttttga agtttggtc aactctagta gttgttgtca 6480
aaagttgatg taacatgcct agtaatttta ggaatgctgg atattgtaaa ggctatatct 6540
ttacttgtct ggatttaatt gacttccttt aaacagtgtt ggactgtgtt aggttacttg 6600
tgagtcatct tgatcctttg ggggattgat tttatgtttt gttaagaaga tagcttttat 6660

```

pto_PB0262.txt

tctacctaatt	tccaataactc	tgtagatcat	ttctactact	aaaccatggc	cttctgggat	6720
ctcccagcta	gctgtttcct	ggagattata	aatgactcta	acacatcttt	catatgcaaa	6780
ccaactaatt	cagggtcat	acgttcccca	accacttct	ttatcaggac	tctacaccct	6840
gggccactat	tctcctgccc	taatcagcca	ggtccaggta	acagaaaagt	aaagacagcc	6900
gctgtacccc	agagcctgct	aaaagtattc	aaacgagcta	atcctaagcc	tgattacctt	6960
gtcatgcccc	ctctttcctg	cagaaactac	agtaaaggct	cttgcccacc	ttgaccctc	7020
actccagctg	cctcctaaca	ctggtgcttc	tccatgtggt	cttggtggt	gtgctgtgtc	7080
ttctgtttgt	agggatctgt	cgatataaac	cttttcttc	acgatagtca	tttttgtgtc	7140
tgcatatgtt	accacattga	ttaaaaagag	taagttctgt	atgattccac	ttaccgaaa	7200
ttcaaaagca	gacaaaatta	acttatggtg	ttagaagtca	gggtagtggt	gttttttttt	7260
tttgcttttt	ttttggtttt	ttttttgctt	tttttttgtt	tttttttttt	ttcctggaag	7320
gaggatgtaa	ggaggcagga	gcacagatcc	tgatatgctg	ataatctgta	tcttgaccta	7380
ggtgcagctt	gcaagagggt	gttcagtttg	tgcaaataca	ccaagctgta	tatttataat	7440
tgggcacttt	cttcttgcat	gtaatacaga	ccagttgcat	tattggttcc	aattttctac	7500
ctcccactat	atccctgccc	tttaccatgt	aactttacaa	atagtctctc	actttggctc	7560
tagaatccac	catatgactt	gatttgcca	atacaataaa	taggaagtaa	gggtgtgctt	7620
gttcttgccc	tgagcctgaa	gaggccttgt	gtgtttcttc	tactctcgta	cttttgttat	7680
taacattata	tagacatggt	ggagctagct	cactcatccc	aggatgagag	cctcagctaa	7740
gtttctccat	ccaaacacag	cctggagctg	ggctctaact	tgttacacag	atgaatgagt	7800
gaatattgtt	aagataagtc	aagcccagcc	cagatttctg	accacagcc	aaccacaga	7860
tgcataagct	gaagatgact	ggttttatca	agctaattgt	tataatagtg	gagaaaagat	7920
catgaggaca	aaaagtgggc	agagtcggaa	gaaaagagag	gaagaaattg	agacagaaga	7980
catttcattt	aaaaaaatat	tccattgagc	tgggtttgaa	atagtgcact	gcctgttctc	8040
ctaagtctgt	atggtatcat	gaaatctatt	gtttactgag	tctatgagcc	agcttcctag	8100
ggaggctatg	gcaattgagg	acagggaaga	ggtaacactc	aggaacatag	aaggagaatt	8160
tgggtccaag	tgggtggagg	gaaaaataac	tgggtttagt	tttgggtagg	gctggttttg	8220
aggtctctga	aggacatgta	agtggagttt	tccagcaggg	agaaaacgca	gagctaaagc	8280
tcatatcttt	gctggcaatc	tagatttggg	catcttcaac	aagcaggttg	tagctgagga	8340
agctgggact	ggacttgtac	tctaaagcca	gtgcaaaaaa	agcttgaaac	ggctatgatg	8400
gctaagacct	ggcttttcca	tgaaaaatgc	ttcggtcagt	atgagtgatt	ccaaagtggg	8460
gatcaattaa	aaactgaagt	atgattagca	ttaattataa	cccaatggga	atatgataaa	8520
cgactcttgg	tcagcaagca	gagggtgccc	tgtagtgcta	aagcatcacc	atataccatg	8580

pto_PB0262.txt

tgtgccaaga atcaggagac accccaaacg ggagcagatg aggggttggtg tctgtcattg 8640
gaccagctgg cctgatccag cagaagtgga tggagataca ctgaatgggg ctctctgggag 8700
gcgtgagttg aaggggaagg aagagaagag acctccaaag taagggaaga gtgaaaaatg 8760
agaaggactg ggggtggagcc ccaagtaggg accagaggag aaaacaggga taaagtaatc 8820
aaggagatg ggacaggaag atgaaagaat gaggtaaaca gcaggtggga agaggaggtc 8880
aacctaaagg agaaagccgg gtcgaagaaa gaaggaagag aagaaaagaa gggttgggaa 8940
acagaggagg aggcagccaa gaaagcctgg aagctgaatc atagaacgga agaggtagaa 9000
gacggagggg ctggaggata acataaagggt gggaaacgga agagagaaaag aaccgcgtct 9060
gcgtgtatga cggctagaca ggagttcaga gaacagcggg gtcgccaggc caccacctga 9120
tgggccacgg ctcatgggt ctaggagctg ggaaagggca tcccaggaaa gaagccctag 9180
actttagcct gagtctgggc cactctaggg gaccgggagt ggggtggcgg gagaggacgc 9240
gcagaatctc gacttctggc cccaatctgt gcatgatcac ccgagctcag cggacgctcc 9300
tctctgacct aggcaggcgg ctcagggacg cgtgcgggga tgcagagaga aaccgctgag 9360
gaattagggc cgggagagac tgggtacctg cgggggctg tgggtgggca gagctggcac 9420
tgatgctgag agtggctaag gagcgcgcg cccagagca gaagggtg cagacgctca 9480
gagagccagg atggttcagg gtccaaggaa ggtcctatgt tgggtgggag ctgtgaggga 9540
gtgaaagtgc atgaggaacc ggaggagatg gaaagacctt ggcttgggtg ttcgaggggtg 9600
ggactgcgtg gtgaccgacg gcacagaggg tgtgtgttg ggcggaagaa ccaccccagc 9660
tgaatcgctc ccgtggggtt ttcttcccg gtcttagttc cagaagtatg cgcacagac 9720
gctaatagtt gaggaacaag tcatggaagg acagcctaag cgggaggtga atgtaaagcc 9780
gtggagaggg cgggcgaact aagaaggcct tcgttctcct ccggccaccg cggctgcatc 9840
cttgagaaag gggatttgct gcgaaccgcg ccagggtg acgcggcgag gtgggaggca 9900
ggatggaggg gcgggagcca aggccgaggg ggcggacacg ggtggcgtct ggcgctccat 9960
aaaggggttg cgggggcccgc gctctcttct gggagggcag cggccaccgg cgaggaacac 10020
ggcgcgatgc aggttcagtg ccagcagagc ccagtgtg caggcagcgc cactttggtc 10080
gcccttgggg cactggcctt gtacgtcgcg aagccttccg gctacgggaa gcacacggag 10140
agcctgaagc cggcggtac ccgcctgcca gcccgcgccg cctggttcct gcaggagctg 10200
ccttccttcg cggtgcccgc ggggatactc gcccggcage cctctccct cttcgggcca 10260
cctgggacgg tacttctggg cctcttctgc ctacattact tccacaggta gcgtttttcc 10320
cttgcgggcg ccagtgacg cgcaactgcc tgcctccggc gtccaggagc gcagcgtaga 10380
gcgcgaccg aggaacgcca aggaggcagc gtggggcgct gtgaggaacg cggaggccag 10440
cctgcctggc gcacctggcg ggggcccggg ccggggcttg gacgctagag agttgacaag 10500

pto_PB0262.txt

cggctgcggc acagacgccg ccttcaactcc cccaggacct catccgctct cagcagctcc 10560
 aaatcctctg gctgctcgag agaaagaggt cctgcgggcg ggaggcgacc tggaaagctc 10620
 aggttgggga gacctattgg acaggactgt tccttaactg cgcgcaggcg gcggttacct 10680
 gtggcatatc gcgccccgcc ccgcttccct ttcttccttc accttttctt tgcagggtgg 10740
 ggacagatta gttctgggat cttgggagag tcttacgcgt ttggcatctc ccgagggaaa 10800
 ctacagctcag aggttctcat tgatttagtc tttgcaggtc taaggaggaa ggtgggtaga 10860
 gccc aaatcc agacttcaca gatggggaag agaatatagt gagatccac tgactcaagc 10920
 gagggctccc gcttcttagg cccctcccaa aagggaccaa gcacaccacc aattcatcta 10980
 cctttccaat ttccctggga cttgaaatgt gagtgggtaa cttacagctc aaatgttctt 11040
 ctagatttaa aaaatccggg ttcaggagaa ctttgctttc tgctctggga aggaaagaca 11100
 ggaaagagac caagggatgt taggggttcag agaaagactg tccagcctca gtaaagtctc 11160
 acagggaag ggaagaacga acacattggt aaattgccta ccatgcccaa tcgttttagta 11220
 tctatggtct cacttaactc tggtgtaacc ttttgagaga tattttattat gtccacttta 11280
 caaagaaact gaggctgagt aagggttatgg gactgaaaga agacaatata gctggtgccc 11340
 gctaagatgc aaatctgagc ttgtgaatct ctgaggttta agacctttta gccgttttaa 11400
 gtaggcagat attctatgca agaagagaac agagcccata aacagagaaa agttatcaaa 11460
 cgaaatcaaa accttgaagg ttttgcccta ttttgagtag aagattccta ggggtcaaaag 11520
 atcaaggaag tttggattag aaattaggat aaagaatgcc tctggcataa tctgtctcgt 11580
 aaagagaaaag tgatgcctca tttcgagaga agaagggtgc agagacggat ttcaaactgt 11640
 ctttcttaat ttctcttat cctctgaatc ttctttattg gtcaagattt aatatttatg 11700
 caatcttaac tgaattctca ctctttttaa aaggcaaagtg ttgtcaagta ataagaacta 11760
 aactgtatcc tttcaacaaa tatttactaa aagcctgctg tgaacaagat tctttatttt 11820
 acacagattt tattttactc agatttagat ggtttaattt gcacagaaaag aaggatgttg 11880
 gatacaggag ataagagatt agttttttat ttcactgatt tttgaacaga catttgacag 11940
 aaatgtgatt tttgtcaaca attattttta tcttcaaatt aactactgta tgttggcaac 12000
 ataagcaata tttttatgag gtcatttcat cttaatgatt agtgttttgt gacaatcata 12060
 ttaatgtaat ctttaggctt gtttttgaat tcaaaaggca ctttgcacaa tacattatga 12120
 ccggtgcatt taaaaaaaaa cccaaaggag taattatgca taaaacaaat atctacatat 12180
 tgtccttctt cagaggaaat tttaaaatat tagtaaagga cttggagatt cattctgcct 12240
 gagggaaaat tgccactgg aagtacaact cttgagctac ttgttcctga ggcatcgga 12300
 tctgatgttt gtctttctc ttttttgaat tctttctttg aagccactgg agtgtgtgat 12360
 ctgttattat ttgagtgcct acagggtggt acactctgtg tgccaaacac tctgagttaa 12420

pto_PB0262.txt

taatttactc atcctcatac caacccattt aggtaggcac gccattttg caggtggaaa 12480
actggagcaa gaaaaggta aataacttcc ttgccaagg tcacacaata acgaggaatc 12540
agagttcaaa cccaggcagt agactccaga tctcaggctc ttcaggatatg ataataaact 12600
gttgtatact tgttggataa atgcgacctc attcttgctt tttaaaaact atattttattc 12660
ttaaaattat tatgtaaaaa ttttttaaat tataaaaaaca ttttttccta atgaaaaatg 12720
gaaaaatccc aaaagtagaa aatactcata attacatcta agtatattaa atattaatgt 12780
tttagagaat ttctatcaaa tctttttcct tagtagattt tcacacatgc ttgttatgtt 12840
gaatatatgg ttttttagtt ctgtttaatt acctaacatt ttatagtatt ttccaacatt 12900
atcacagatt tcttaatatc tgcttatttc atctactgta aaaataataa tttacctata 12960
tattcattta tagttggaca ttttaatttg cttgggggtga ggctagggtc attgaagctg 13020
tgatgtacat tttttgcac taaattcttt tcaaaggtta gatctatttt cttaggattt 13080
ccagaagtgg ttcaaagggt atgaacattc tttagggtct tgatataatc atacatatct 13140
gtttcgaggc ttaaggagtc atttggttg atactgaggg tgcattaagg aacaagcatc 13200
aggctgtctt ggctttatct cgtgctgtgt gttgctaaga cagagaataa gacggagaga 13260
cagggagaaa ggatggctca ggtttggtc agactctttt gcaaaatgtc cattggggac 13320
tgttcaaagc agcaatatgt cccatcaaat agaagttaaa actcattgta cttttctcaa 13380
tacaaggatg gcacacaaga atgtagattc cacagggtca aaggtttttg tctcactttt 13440
atggctgtat cccattgta tacaagagc tggtagatag ttggtactca ctagaatttg 13500
ttgaatgcat gaatgaactc tacttacaac aaccgtacag acagaattgt aggagagcta 13560
gcaattactt gggaatcata attgctgaga ttgcatagtt aggtcaattc agataacttt 13620
cctctcttca gaatctattg ttgtggctgt ttggattctt tagccacatg gaaatgactg 13680
ctgcctaagc acattgccta atccactgc caaaggcatt tgaagtcaag agttatctca 13740
cctctttttt tttttttttt ttttaattgt ttttttttta ttatactota agtttttaggg 13800
tacatgtgca cattgtgcag gttagttaca tatgtataca tgtgccatgc tgggtgcgtg 13860
caccactaa cgtgtcatct agcattaggt atatctccca atgctataag aaaaaccaac 13920
acagagacca ccacagttcc cagagtgtga tattcccctt cctgtgtcca tgtgatctca 13980
ttgttcaatt cccacctatg agtgagaata tgcggtgttt ggttttttgt tcttgcgata 14040
gtttactgag aatgatgggt tccaatttca tccatgtccc tacaaaggac atgaactcat 14100
cattttttat ggctgcatag tattccatgg tgtatatgtg ccacattttc ttaatccagt 14160
ctatcattgt tggacatttg gggtggttcc aagtctttgc tattgtgaat agtgccacaa 14220
taaacatatg tgtgcatgtg tctttatagc agcatgattt atagtccttt gggatatatac 14280
ccagtattgg gatggctggg tcaaaggta tttctagttc tagatccctg aggaatcgcc 14340

pto_PB0262.txt

acaactgactt ccacaatggt tgaactagtt tacagtccca ccaacagtgt aaaagtgttc 14400
 ctattttctcc acatcctctc cagcacctgt tatttcctga ctttttaatg attgccattc 14460
 taactgggtgt gagatgatat ctcatagtggt ttttgatttg catttctctg atggccagtgt 14520
 atgatgagca ttctctcatg tgttttttgg ctgcataaat gtcttctttt gagaagtgtc 14580
 tgttcatgtc ctctgcccac tttttgatgg ggttgtttgt ttttttcttg taaatttggt 14640
 tgagttcatt gtagattctg gatattagcc ctttgtcaga tgagtagggt gcgaaaattt 14700
 tctccattt tgtagggtgc ctgttctact tgatggtagt ttcttttgct gtgcagaagc 14760
 tcttttagttt aattagatcc catttgtcaa ttttggtttt tgttgccatt gcttttctgt 14820
 ttttgacat gaagtccttg cccacgccta tgtcctgaat ggtaatgcct aggttttctt 14880
 ctaggggttt tatgggttta ggtctaactt ttaaatcttt aatccatcca tctcacctct 14940
 tgttgactgt gattacagct gtggaatgac cccttgctta aactctctga ttgggtcttca 15000
 ctttcccaag aagtcttggt gttccataca gtggtcagtc acatcactta tgcattgtgt 15060
 ggctgatgtc tttttcaaga ctttgatggg acctgataa ctgaatgaac aagacaaaga 15120
 aacatttttt tttccagaga agaagtgact acattgtgaa aagggttttg gcaatgtaat 15180
 ttccatgata tacatctaga agcagagtat aatgcacaca ttagagtctg tttgaattcg 15240
 gagagatatt ccttgagggt tagatgctga aacatttttt tgattagcca aataaaatga 15300
 tggcttcaat aagggtgctt ttgctttatt agtcagttca ttcccagcg gaatttctcc 15360
 tcatccttca agattcaggt caggcatcct ttctccaag aagccttgct tgagtccttt 15420
 cttttctcta aatccagttg tgatgctgtt ctttggtctt tcataatagg cagtgtggct 15480
 ttgatgagg catttcacac actggatcat aattatctgt tctaaggaaa cgtagttctc 15540
 atctgcccag cctcttcatt ttacagaagc aaagcacaaa aggttggtgc agttaggggg 15600
 aaatcaaaga gttggaactt gagtcttctc atgagcccct gccaatgctt ctcttatttc 15660
 acgagaggtg cagatgtctc aactattcag aagtaatcag accttgctaa ggaaactact 15720
 catctgctga gaatcagaat gagaattaat ggctactttg gaaacaatag acaaattctc 15780
 cctcttagag attaagaaaa aaaaagccca agcaagaaaa gcaacattcc tgtgatcact 15840
 taatcatgtg ttaaggatgt tcctgaatca taatttaaataa aaattaagat taattgaagg 15900
 atttttttag aatgagagtc agcaaacttt ttctgtaaaa agccaggtca tgatctctat 15960
 tgcagcaact caccctact gttatagcgg gaaagcagct acagacatta tgtaaacaga 16020
 tgaatgtggt tgtattccaa taaagcttta ttacaaaaa caagcagtggt gccatatttg 16080
 gcctatgggc catagtttac caatcccttc taaagaaaac tatgaatggc gtggctttac 16140
 attcagtgcc ctggtaattc tataataaaa tttggttaaa ttctatagca aagcagcggg 16200
 catatcttag aaaatttctg ctacatgtaa gtggggactt ggcagtaaat attgttttct 16260

pto_PB0262.txt

gagaattctt gggttctaag tttttatttg aacttttatg ggaaaatagt aggagtcttg 16320
 gagttttcat tctaaatgga atgacatcat aagcacatct gaaaaatata tagctatggt 16380
 tgccaaaaat ataaaccagc tttggagatc gtgaccactt cacttttacc acactgaaga 16440
 aaggaccaac tttttgtcca tttaaaatct aatttaatgt cacttaaaaa gaacaaacaa 16500
 aataaagaat tacgatggga attcaaggat tcgactggc aaagtgacat gtaccaagtt 16560
 acatggcaag aaagggcaga gtggagcttg aagcctggc tcctgatctt tatcagagtt 16620
 ctataggctc agaactatgc taggtctcat gggagtcata ggagtacaat acctagtgtc 16680
 tgccctctag gaagaaggca ggaaagaacc ttcatttgtt gcttctcact ctttctggtg 16740
 tgaaacttgg gtggcagcaa cgtcagtctg acaatatcag gcaggtggga aaatgtaaac 16800
 tgagggggaa agaagcctgg ttagcacggg cccccgccag gccactgaac attcatctga 16860
 gagggcccta gtgcctgtct atgtttgatt gtgcatggga cagggggcag atagataggt 16920
 ggatagggtg tgagggggcc tcaaaatggc acccttcttc tccattcaag ttcagaacta 16980
 actgagagat ccaggaatta ggtaactaga gacatattac caccttttat tactggtaaa 17040
 gctggtttgg gggaatgtgg cttagatttt tggattatat gggccttata acacagtacc 17100
 tcagaaataa ttagctatga tcatggctgg gcaaccacag gcctctcaca gtggtacctg 17160
 ttctgaaaag acagcagaag ggctgagctg tacgcacctt ttggcaggtc ctgctcccag 17220
 attgacccat caggtaatc acatttcctt gcctgaggag gaatgggtga gggacagtgg 17280
 aagggcttgc agtgatgctc taatgaaggg cctcagcca gctgtagggg gagcataaat 17340
 attttttgtt actagatgga atacaaacgt tgtctactta ttgaattttg ccacagcctg 17400
 gcaacttggt tctgcaactt ggggtacttc ccgttctgct gttgactccc tgccatgtat 17460
 ggcaatgggg acatcaaagt ctggactcaa gttgttttaa aagtttctgt gctcaaccca 17520
 ggagccttta acgagactca gctcaacata ggagctctaa attttaaaaa cccctgaact 17580
 agggccaaca gtgcaatttg tcttccattt ggttatagaa gggagagaag ggaaaccaat 17640
 atttattgct ctctgggtgt tccaggcatt atattatggt ctttgcatg gctatctcat 17700
 tttgtccttg aggcaatccc tgttattagt gctattttac aagtgattgc agtgcagagc 17760
 attgatggag tgagtgggag tgaagatggg agacttgacc tggtccttga agaatggcct 17820
 gttccagat ttctgggtgg ggacatgatg tctgttggga aaaggggcc atttggtgat 17880
 ctgtgactta aatttgctt atactttgta tactcagtct tggagtatct ctctactttt 17940
 agattccaaa catcttctgt aactatgcc tattatccag tcctactacc caagtcttaa 18000
 attaggctct gggcctcttt caatttcttt tttttaatat ttgctccata ttgttaaggc 18060
 tgatcctaga agttactgtg aagaaaacag ggtaatttgg ttttgatatt ttttctttct 18120
 aaccacgaaa catcccaaga tcttttttca tgtatagact ctggttctct cttgcctctc 18180

pto_PB0262.txt

tgccctgccct cttgtatcag cagtacatga tcttacttct atctttttaa acttaactct 18240
 gtgtctcatg ctgtcagtc atgcccttta cttgccaaaa gttactcatg tgataaacia 18300
 atctaagttc tagtgtattg gggtgtttgt tttcttatta ttgagtttta aaagttgttt 18360
 atgtattctg gatagaagta ttttgccagg tataaaactta gcaaataatt tctctcagtt 18420
 tgtgacttgt ctcttttatt ctcttaactg tcttttggtt taaaaaatt attttaggt 18480
 tcaagttaac atatgcagtt ctgttataca ggtaaactac atgtctcagg gggttggtgt 18540
 acagattatt tcatcaccoc agtaataagc atactaccoc ataggtattt tttcaatcat 18600
 caccctcctt ccctcctcca cctcaagta gacccagtg ctgttggtct cttagtatcc 18660
 atatgtactt ggtgttttag tccattttat aagtgaggat atgcagttgg ttttcagttt 18720
 ctatgttagt tagctgagga taatggcctg caaaggacat gatctcatta tttttcatgg 18780
 ctgcataata ttccatgggt tatatatgcc acattttctt tatccagtcc accattgatg 18840
 gatatttagg ttgagttcat gtcttgactg ttgtgaatac gtgctgcaat gagcatgcac 18900
 atgcatgtgt ctttatggta gaacaatata tattcctttg gggatatacc caataatggg 18960
 attgctgagt tcaatgggtga ttctgtttta aattatttga gaaattcctc ctagcagtg 19020
 ataggcgttc ccttttctcc ataaccttgc cagcatttat ttttttgac tttttaatag 19080
 tagctattct gattgatgtg agatgatatt ttatgggtgt tttgatttgc atttctctaa 19140
 tgattagtga tgccgagcat tttttcatat ccttggttgg cacatatatc ttgttttgaa 19200
 aagtatctgt tgatgtcctt tgccacttt taattgaatt gtttggtttt tgcttgtaaa 19260
 ttagttttaa ttccttatag atgctggata ttagacctt gtcagatgca cagtttgag 19320
 atatttttcc ccattctgta agttgcatgt ttactctctt gatagttttt tttcctgtgc 19380
 agaagctctt tagtttaatt aggtcctatt tgtcaatttt tggttacgtt gcaattgctt 19440
 ttgggtgtct tgtcatgagg tctttgccag atcctatgtc cagaatggca ttttctaggt 19500
 tttcttctag ggtgtttatg gttttaggtt ttgcatttaa gtctttaatt catcttgagt 19560
 tgatttttgt atgtggtgta aggtagtgtt ccagttccaa ttttctgcat atggctagtc 19620
 agttatccca gctccatttt gaatagggag tcttttccct gttacttgct tttgtcaact 19680
 gtattaaata tcagatggtt gtaggtatgc agcattgttt ctgggcactc tatcctgttc 19740
 cattgggtcta tatgtctgtt tttgtaccag tgccacgctg ttttggttac tgtagccttg 19800
 tagtgtagtt tgaagtcagg taatgtggtt cctccagctt tgttcttttt tcttaggatt 19860
 gcctgggttat ccagctctt ttttgattcc atatgaattt taaaatagtt tttttctaat 19920
 tctgtgaaga atgtcatcag tagtttgata ggaatagcat ttaatctgta aatcgcttg 19980
 gcagtatggc cattttaaca atattgatc tttctatcca tgagcatgga atgttttct 20040
 gtttgtgtca tctctgattt ctttcagcag tgtttgtca ttctcattgt agagatcttt 20100

pto_PB0262.txt

tacctctctg gttagttgta ttcctaggtta ttttattctc tttgctgcaa tcatgaatgg 20160
gattgcattc ttgatttggc tgtcagtttg gatgttggtg gtgtatagga atgctagtaa 20220
tttttgtaca ttgattttgt atcctgaaac tttactgaag ttgtttatca gaccaagaag 20280
cttttgggaa gagactatgg ggtgttccag gtatagaatc acatcatctg caaacaggaa 20340
tagtttaacc tcttctcttc ctatttgtat gccttttatt tcttctctt acctgattgc 20400
tctggccagg atttccagta ctatgttgaa aaggagtggg gagagagggg atccttatct 20460
tggtctagtt ttcaagggga atgcttccag cttttgccta ttcagtatga tgtagctgt 20520
gggtttgtca ttgatggctc ttgtattttt gaattatggt tctttaatgc ctcatgtgt 20580
gagggttttt aacatgatga ggtgtttagt tgtattgaaa gccttttctg aatctattaa 20640
gataatcatg tagtttttgt ttttagttct gcttatgtaa atcacattta ctgatttgca 20700
tatgttgact caaccttgta tcccagggat aaagcctgct tgatcctggg ggattagctt 20760
tttgatgtcc taccagatta agtttgccag tgttttgta gggatttttg cctgatgtt 20820
catcagggat attggcctga agtttctttt ttctgtgtg tctctgtgag gttttggtat 20880
gaggatgatt ctggcctcat agaattgagt ggggaggagt ccctcttcct caattttttg 20940
gagtagttta agtaggagt gtaccagctc ttctttacac atctgggtga atttgtctta 21000
actgtctttt gaaaaacaga aatgtttaat tttgatgaag tctaattttt ccatttttct 21060
ttggcttttg atgtgatatc taaaaaattt ttgcctaate taaggtcaca gtgattttct 21120
cttatatttc cttctacaag atttgtagtt ttaggtttta atttcaggct tatgacacat 21180
tttgaattaa tttttaagt aggtttccaa gtttgaatca aagttttttt gttgtgtttt 21240
tttttttttg tttttgttt tttgcatgtg gacagtcaat tgtttttagta ccatttggtg 21300
aaaatactac tttttgtcca atgaactgcc tttgcacctt aactttaaaa ataggagaat 21360
tatatgaaca gatactttgc caaagaaaac gtatgattgg caaacaagaa catgaaagga 21420
tgctcattat tagtgattag ggaaatgcaa attaaaccac aatggggtat cactatgtgt 21480
ctgatagaat ggctcaaata aaaaatactg accatacaca gtgtttgtga ggatgtggaa 21540
gagctggaac tctcacacct ttgatgggaa tttaaagtac aaccactttg gaaaatgggt 21600
tgatagtttc ttaaaaagt aaacatatac ctatcatata atgtagccat tgcatttctg 21660
gttatttttc taagaaaaat aaaagcatgt gttcatacaa atggtggtag cagcagcctg 21720
actggagtgg ctgcagtgtt agaggcatgg ctggggctgc gcactccaca gagctggcac 21780
ggccaggaac aggcattgag cccatccctt accaagttgg tggggcagaa ggccagtgt 21840
ccttggcgca gctgcagcca cccagccatg gctctggacc cgggcttccc tgtgctctca 21900
ggggcctggg aagcgccctt gcccctgaag gcttgggaagt acctgctccc gctccttggc 21960
ctcttccac tctaggcacc tgctctggg tggaacaaag ttgtggctga gccaaaggtgc 22020

pto_PB0262.txt

tgttgctcgg cctggcatgt gcaagctcag ggcggcattg acacaccagc cccctgccgc 22080
cttggccccc tccagacttt ggggtgctgat gagcatggga ggaggggcaa gtgggggctg 22140
aggggtggctt agtgcaggct tgcaagcacc ccttggcact aacagcctgg gcaccatgga 22200
tggcatgtgg atgggtggcag gaggcagaca ggctcctggg tggaaagggg cagggtctcgg 22260
gtgaaacccc accttcaagc cagggatggc ctgaagcctg ggtgctgggc tgtcaattct 22320
ggatggagtc agtggcccag agtgacaatt tatgggtgctt tttctgaacc tgctcatggt 22380
ggcccatgga ccaatcagca cgcccttctt tctgaggcta taaaaactct ggactcatcc 22440
agacttgggc agacatcagg actaccagct gtgggaagga actgccact ttgggtctcc 22500
cgagagcctc tctgtcactc actgaagctc ctctctgcct tgctcatcct ccagttgttt 22560
gcgtacctca ttgttcccgg acacgggaca agaatcagg acctgctgaa tgcggggact 22620
gaaagagctg taacacaaaac aggtctgaaa catgcccccc tgcttgtcac attgcaggca 22680
acaagaagga gagaagagct gggacccttc ggggagccca gaactagggg agccctgagc 22740
cagggctatg acaccctctt tggggctttg tggttcctgg catctccaag cttccaggca 22800
ccaccatgtt cccttcatcc agatgtgggt gccacagtg gaagccactt ggggtacatc 22860
tggccaacc atagcctcac atggagccgg cacttatgct gtcactctgga gctgcttgcc 22920
ttgccagca accagtgtgc ctggctgtgc acagtggctg gaccctgcgc tcactcacac 22980
acacaccctt catcattctg tgccctggctc acccttggca ggtgtgggat ccaggcctgt 23040
agcatgagcc aagtgcagcc tgccaggctg agtggacaga ttgagctcag tgggcatgag 23100
caatactcag gcagaaggca ctactggcca cagaggtttc cagctggtga agtgacaccc 23160
caaggatctc gtgacacaaa gacttgtata caaatgtttg tagtagcttt atttgtacaa 23220
gccaaaaact aggagtacat gctttatgat tatgtttata taaaattcta tgaaatttaa 23280
actaatctat ggtgacacaa agtacatcag tggtttcctg aggacacaag agggacaaga 23340
aggtagaact acaaagggta tgaagaacct tttgttgtga tggatgtgtt cattatTTTT 23400
atgtcacatg gcttcatgtg acatgaaata tatctaccaa actgcaactg tagatatata 23460
tatatatata cacacacaca cacacacaca caccaaattg caccctttaa ataggttcag 23520
ttgactgaat agtaatttac ttcaataaaa ataagaaaac taggtaggcc tgtgaaaaaa 23580
ttatatgtat atgtggccct gtgtcactga gaattgttca aagtttctgt gaagttcatc 23640
tggaaatgtt caacaagtgc tgataagctg tttcactttt ttgaggtgtg agtagaggag 23700
ggccaggaat tctactcaag ggaaataatc caaaaggaag aaatcagtct acacaaagtt 23760
atagtgttac tattcacaaac tgtgaaacac tggaagttac ctaaatgctc tacaattggg 23820
gattgattgt aatcaatatg attaaattac catatatatt tcaaaaatat tagttgcatg 23880
gactatatct gtgtatggaa ataaatatat ggagccattt agttaaaaag tagcacataa 23940

pto_PB0262.txt

agagtacact ctgattttaat ccatgttgac atgtacaaat gaaaattgac catgattgga 24000
atataaagtg atgtaaatag ctgataatTT aggtttgtat tttttccttt tagtattatt 24060
aaagtatttta attattttaac tcctattata ccttatagaa gaaataatac tgtattacaa 24120
aattttaaga tgtatttttac aaactgacca tgcaattaaa tctcagcaga gatatgacac 24180
cccataagta gttactgttc tgagggatTT taaaagtcac acttcgtgtg tgagatctcc 24240
cccactgagc tgctatgaca caaccactt atgaaattgt catctttcta tttctccttt 24300
gtatcaagat gttgatgac ccttaacatg caatcatgtt acctggcaaa gtagcacttg 24360
gcaaagtcca aactattatc cttttaatat tttgaatctg agaggatctc atctctttca 24420
tccttaatca tggtaatttta tttttccac ttttttcca gatctttttg actagagctt 24480
tagaaattgt attgatcatc tcagaactag atttttattt cattgagttt cactattgat 24540
tttgttttac atttaattgt tttctgtttt gatctttatt atgttttttc ttatgcttac 24600
tttgaatttt atttgctctc ctttttctat ttttattaag gtggaagcca aggttataaa 24660
tgagacttt ctctttcttc taatatgagc atttattgct ttgaatttca tcctacatat 24720
tgttttgtgg cacctcaca attccgacat gttgttacca ttttaatttta tttcatgtat 24780
tttaatttct cctttgattt attctcatat ctatgggtta tttagaaggg tgttatttag 24840
tttccaaatg tttaggaatt ttccagacat gttctgtatt catttctaatt ttaattccac 24900
tgtggataga gagcatactt tgtatgacat acatcctttt aaacttactg aattttaaac 24960
ttgttttatg gccagaatt gggctctatca atcgtaataa ttgttctgtg taaacatgaa 25020
aagaatgtgt atactgccaa gaagaggagt gttctaaaat tgtccatagg ttattttgat 25080
tgttagtgtg cttcaaattt ctatatcctg atgattttct ctctacctat tctaccagtt 25140
attgagagaa gagtattgag atatctgac aaaattgtag acttgctttt ttttcttaca 25200
gctctatcag tttttgcttc atgtattttg aaggctctatt attacatgca tagagacaga 25260
actggtatgt cctcttgatg aattgatgct tttatcgtga tgaaacaatc ttctttatc 25320
ttggtaatat cttgctttga aatctacttt tgtcttatat taacttagcc actacagatt 25380
tctttttact agggttaaca tggatatgt atctaccatg tttattccaa cattttactt 25440
ttaatctgtt tctgtcttta gatttaattg gtgtgtctca aagggtggcat actgttcaat 25500
ttttctttcc cctgcccct gccattctga caatctctga tttttaactg ggatattaga 25560
atgtttatat ttaatgagat tatttataca gtttgaatta tgtctatcat cttgctattt 25620
gtttccattt gtgtctctgt tatttgttcc tatttctat ttatattcca tcttttggat 25680
ttagtattat tttatttcaa tttatattgt cagtttatc attataactc ttttgtaa 25740
ttgcttaaag gtttattgca tgtatcttaa atttatcagt cttccttaag gtgatattat 25800
accacttcaa gtatgggtata aaaatctgaa ataatgtact tccatttctt ctctcttgcc 25860

pto_PB0262.txt

cttatgttat tgttgttgtt ttacttacat atgtgctata aaagcctcaa cttattacta 25920
ttatTTTTgt ttaaatcgto aattatcttt taaacagttt taaataagat aataaaaaag 25980
ttatataattt gcttatgttg ttgccatatt tgatgctttt ctttttgag gggtgattta 26040
tatttctatg tggatcatt ttttctttt acctgaaatc agaatttata tttctgaaag 26100
tgTTTTtatt tcttgttttc gaagatagaa aattctagga tatagcaatc cagattgaca 26160
gctgctttct ttcattactt taaagatgtt tcaactgtcgt cttgtttgca ttatttccaa 26220
caagaaatct gttcttgccc ttatccttgt cctctgtact taacgtatct tcttatcttt 26280
gcctactttt aatattttca tgttatcact ggatttgaga tgttgggtta ctatattcct 26340
tggtgtattt atatttctta ttctgggctt ccttaaactt gaatocatga gcttgagtct 26400
ttcatcaaaa ttggacgatt ttcatacact attcttcatt ccctccctac ttctcctttc 26460
ttttgctgag gaaaatatct atgagaccta catgtatatt aaactgtcct acaactcact 26520
gatgctcttt tcatTTTTgt ggattctttt tttttctgt gtgcttcttt tgggtaattt 26580
ctattgctat tcttcaagtt cataatcttt tcttctacaa tgtcttatct gttgctaatc 26640
ccatctctgg tatttttctc tcagggttg tagtttccat ctctagaatt ttggatttcg 26700
gtctTTTTtt ctctcttcca tgtccctact taattttgtg aacacatgga atgcagttat 26760
aacagctgtt ttaatatcat tgctaacct aatctgtgtt ctttctgggtg tcagttttga 26820
ctgattaatt atttttctta taataagcag tgttttctc ctttttgca tgcctggtaa 26880
tcttgattg gagggtcaga aaattgtacc tcattgggtg ttggatattt ttgtgtttct 26940
ataaatattc ttgagctttg ttctgggatg aagttaagtt acttggaac aatttgatca 27000
tttcaggctt tgatctgatt tgttcagtgg ttccagaaga gtgttaatgc tagggctaatt 27060
taataatttc ctctgaggta aagccttttt gagtattcta cccaatgtct tatatgagct 27120
tttctatctg gcttatgggt acaggctcta tttgtggcca tgtgtgatca ctggatactg 27180
ttccctttta ttcttttggg tgattctttc ctacacacaa tgcattgaatt aacactctgc 27240
taatacttga ggaaaattct ctgcaggctt ccgtgtgtct ctgtcctttt cagcactctg 27300
tcttgaaaat tctagatgtc ttgatttctt gaaatctcaa ttttgttttc tcaactcagg 27360
aagtctttta gcttctccct gggatccctt tcctgtacc tcagcctgga agttttctca 27420
aaccaggaag ctgggtcagt tatgagggtg tgtgagtcatt tttttcttg ccactcactg 27480
tttttcatg cctaataatcc agtgttttgt aaataattat ttcatataac ttaccttttt 27540
tttttctagc ctggaggata aatccaattc ctgttattcc tccttgactg gaagcagaag 27600
tgtctccaat gggttttagt atttatcttt gctaattgga taatctgcaa tactgggtga 27660
tttgttggtt ttagtgacct ctactgtac tcaatgtcat gtttttttcc ccaaactttc 27720
catcttcagg cttgacgtgt aatgcttttg gacgtatttt acttagaaga ctaagtggga 27780

pto_PB0262.txt

tagcagaatg atgacttcct ttacatgagt cctgtggctc catgtagctg cagctgggaa 27840
ggtggctgta ggactataga gtaggagata aagagtggga gataccaaca gatggttatg 27900
aatgattggt ttgaaacttt cacatggaaa attatgttgc agaaacctca gattgtgctt 27960
ttgttctttt tttgtttggt ccaaataaac aatggaatgg aggtagatgt aggagggaga 28020
tatgctgagg tagatcaatc tttgaatggt gcctttgatc agggctactg aatccctgga 28080
catttattta tttgttttaa aaatttaatt cagggggtac atgtgcaggt ttgttacatg 28140
ggtatattgt gtgatgctga ggtttgagct tctaataatc ccatcacgca agtgggtgaac 28200
atagtaccca ataggtagtt tttcaaccct tgcccctctc cctccttttc ccttttggaa 28260
tccctggtgt gtattgttcc catctttgta tcaggacaat atttaaagt aggtggaaac 28320
tttttaaaag ttctcaaat tatggcaata tctaggcctc attgctgcaa aactgtacag 28380
agctgtttgc ttccaaataa catcagaaga cttgggattg ttaatgggta cattaatatg 28440
attagattga atgaataagt tctagtattt gatacagact gactacagtc aataataatt 28500
tattactcat ttaaagataa ctaaaatagt ataattggat tgtttgtaac agtaaggatc 28560
aatatttgag gtgggtggata cccattttta ccctaattgt attattacac attgcatcct 28620
tgtatcaaaa tatctcatgt accacataaa catatacact atatacccac aaatattaaa 28680
cataaaaatt ttttaaaaag gaaaaaaaag acctgtaaac ctgggctgca ctaagaagct 28740
aaacaactga acttagaaaa ccacaatttt ctttttgcaa acattgagaa ataaaggaga 28800
caaaattata gctcagagaa atggcatgta tttatccaac agtgaaagt cctgttatgt 28860
ccttagctgc tcttcatagg cttgctgagc tttttacttc aagctgaaaa ccatcccatg 28920
tcaatatttg tattttcttg attttgtaat aatcagttag catgagtggc tgagcaactg 28980
ttgtttcatg atgcaaaaat ccacctcaag ttgatcaatt tatagaaaac ggtaaactag 29040
ttattcaaat aagttgattt agttactcag gccatgaagt tgatctgatt ctctttgatt 29100
ttgatcttct ggggtattaa aaattttttt aaaatggagc cagtggtcag tagcatgcct 29160
atgggaggtt tcaactcaat gatcattatt ctttctatca ttctggggaa tcctcaaagt 29220
tttttaaaac cttggttaatt cattagatgt ttggattgaa catctatttt aatgtagagg 29280
caggaagaaa gatactgagt ggacagttcc aaggtctccc agtattacca ggacatgcca 29340
taaatactta aaaacataag cagggaaactt aaaggttttc tgctgtattt tagatattca 29400
caagctaate atctcaaaga ttttgcataa tttaaatgga tctgccagat taggaccatt 29460
agatagttaa aaccagataa catttgcatg gggttgacaa tgggatgtgg ctgccctgtc 29520
ttccagcatg gcagagtaag atgggaagaa gtcttgagtc attgctcttt ggggaaaata 29580
tcattatatg tctaggaggc cttaatattt gtcttactag agaaagtaat taggttaata 29640
ttgctgtgct aatagagtct tggagcctga aaactgggct aatccacact gtaaatactg 29700

pto_PB0262.txt

gaggccgtgt gtttccccag ttagggcaca cttggagagg agtcagggtgt gctcttttac 29760
aaatctcatt gcattattat tgagctcttg gaaagggtgct gagtcttcat tttagaaaaa 29820
gggattagat gtggagggaa tcactttgct ttccccaggg aggcatcttct ctattgcttt 29880
tctaggggtg ggataggtat atagaagggtt tgattctaga atttataaaa tgatattctg 29940
ggaactttga gcaatatattt agggagggca cccatccaaa aaactagatg agttgctgcc 30000
tttctctgca acagccctta ggagactagc ttctgatctt cttoctaaac ttggtatcca 30060
gtttatatttg cttgtcttcc tgcaggccat tcttgtggag acaccgagta acaaagtctt 30120
gaagtaatgt gtgacaagct ctgtagggtc ataggattat agagcagcta ctcagagggc 30180
aagggtatga agaaaaagag cagggtgcata aaaggaacag ggaaagggga gtaaaaggaa 30240
atggggaaag aggtttaaag gagatacaac agtaaaaaga agaaaagctg ggaaaggaga 30300
aaggaagcgc agcaaaaaag gtggaaaaag aagagagagt gctgatgcag gtttttcagg 30360
ggcctatatt gggcaaagca ttgaacaagt tacacccaaa ggccaggagc ctgaaatcag 30420
gtgccggttc tcaaataaca agggcttatt aagaatcagt gctattgcct aggatagtta 30480
aacagaaata caaaaagtgc tggagaagtt cagggaaactg tgagatatag agggaaaatc 30540
aggggaagat ggacaggaga tgggagctct agacaccctt agacatcttg gtttcagggtt 30600
cattggtcag aactctctcc ccatcccccac agtctatcta gatgcttaca tcaaaggcaa 30660
tgcttgcttg acagatttct aaatagcagt agcaacaaga tggaaagaag aatggaatgt 30720
cccattagag gatatagggc caggacttca gaaagagttc atatatatta atcacatgtc 30780
ttagaatatc ctggagcacc tgtcctctca cctacctaaa atacttgatt cccaatggtc 30840
aatgactttt taaaaaaagg gggggggggg gattgggtatg tacatagata ttgtgggaac 30900
gtacaatttt taaaaaagtg atgataaagt tctataggtc ccttcacaaa cactctgtt 30960
ctacttaaat cttaacagtt cctggaggaa actttgagat tactcttcag agcttacttt 31020
ggtggttggg gtgtgttgta tggctttgtg tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg 31080
tgtgtgtgtg ggtttgttta cttttactta tgggcactga tgtattgggt actagaaagt 31140
tcatagataa atttttgtcc tattcagtag acaaacatac ctgacttggt gacatagagt 31200
ctaggtgcta acttcattag tcaattcacc ttactttcat atctttatct tcatctgcct 31260
cctttttctt taaatttttag gccatcttac agcactttat acatctatgt ttatggcctt 31320
aaatcttttc tttttctttt tttaagagca atttggaag aactaaaata aaattgaaat 31380
acaaatcaac attttttggt ttatgcaaag gtatgttaaa atattcaaag aataaaggag 31440
ttttttaaag aatagtaggt tctagcacgg ctcagttaaa atatgggtatc acttagtaag 31500
aaacactttc taaaaaaciaa tttatattag ccataattaa gaaaaaagg gatattgaat 31560
aagtcaaaga gtggtttcca gggaagtctt tctttgtctg gaaagatacc ataggatttt 31620

pto_PB0262.txt

ctgcagacag cttactcatt tttttcttga ttgaaatctg gaaaggaaaa cttgcaagaa 31680
 aacattccat tctggactcg gcagcaggtc aagccaaagt ggcaacattt gcagcctgga 31740
 gatcacacag tctgggagct caaacattta ggcaataaaa gctgatggaa gccaaaaagc 31800
 cagccactg gcactctggtg tcagggtagc tgctggggga gatctggcca tgggtggtggg 31860
 gccagccat ataaacaagt tcagaggtag aactggagct gtgtactggg ttgaagcatg 31920
 tctctcctaa attcatgttt tctctagaac cttagactat gaccttattt ggaaataggg 31980
 tctttgcgat gtcattgcatt gcttaacatt gtggttacat tctgagtaat gtgttggttag 32040
 gtgatttcat cattgtccaa acatcataga gtgtactcac acaaacctag acggtacagt 32100
 ctctacaca cctagaccat atactatata ctattgttcc taggctgcaa acctctacag 32160
 cctgttactg tactgactac tgtaggcaat tggggtacaa taatctaata agactataat 32220
 catatattta gtgtgccatt gaccgaaatg tcattatgat gcatgactgt agttaagatg 32280
 aggtcatact ggattaggta ggttctaaat ccaatgtgac tagtgtctctc ataagaggag 32340
 agaaacagac acaaacacag ggaaacaccg ggacgatggc catctgaaga cagaggcaaa 32400
 cattggagtg atgcaatgac aagccaagga atgccaagga ctgcaaacca ttgccagaag 32460
 ctaggaacac tcaagtaagg actcctccct agagccttta gaggaagcat ggctctgcca 32520
 accccttgat ctcatacttc cagccttcag aactgtgaga caatacattt ctattgtttt 32580
 aagctatcca gtctgcggca atttgttatg gcagcctagg aaattaacac caggcatact 32640
 tcagagcagg acagggtcaag ggataaccaa ataggtctcc tggtactaga attatttaca 32700
 atgtcagagt agttcttgat gtttacttgg cctctcttg gcaaaggctc tttgtatttt 32760
 cctacactaa aggtctggcc aagtaggggt tcagattctc ttcaagtata gaaactcccc 32820
 ccgattttta tgtttgctgg ccttccaagt aagatttcca ttgaagaaaa tgctccatgg 32880
 ctaaaaagct ttaaaatcca ttggtattat cggcagattt ggactctata gagcctagtt 32940
 tctaaagtgc ttcatagtgc cgatctgaaa gtgagatagc actagtccta tcagaggatt 33000
 gttcaacctg agactctgca tcagaaggtc aggcagcact gacctgtgtc aggcttgag 33060
 caggctctag gaggtgctt tcgtgatgag ttcctttttg ttcaggagaa tataaggaag 33120
 ctggtcctat tttagaagca ataacagcct ttgagtttgc tctagggcaa ttgcaaaatc 33180
 aagagcccc agggtgctgt actccagatt tctaggtcac agatatccag accagagttg 33240
 accagaaatt ggccagaatg ggttctgggg atgtggatga atttccattt ctcatccatt 33300
 cctactccat ctccatttta tcattctcca ttctactcc ctcaatacca aaattaaaac 33360
 aaattgttga ttactaggta gccttcacat tgagtttttc ctatggtata acccttgaaa 33420
 aaaattgatc aaccagacca ttacaagaaa aaaaattatg gttttactga gttaagcctt 33480
 ttactagggt ttgcgggtcca atttctctgt gtagacatag acttggaata gccaaaacat 33540

pto_PB0262.txt

ctaagcaatg caaatttaaa caaattagtt aaatctgcc a ctgggagtca ttatgtcatt 33600
 ggcttttaac ctggctgcac attaaaaatca tctgggggaa cccttaaaat gacttctgct 33660
 caaagtcattg tgcccaaggt tgtgattaat ttgtcttcag ggtgattcct cccctttaat 33720
 atttctaaag ccactcaggt gacttgcttg tgcaaccagg ggtgtaatcc tctgatgtgg 33780
 acatgtgact gcaatagagg aaaatgctag agagcagata ctctggaatc agtgccacct 33840
 ggacttgaat cccaactctg atatctcata attatgtgac cttgggctaa cttagtctca 33900
 ttgtgcctca gtttccttct ctgtagaatg ggaataataa tacctatctc ctagggttgt 33960
 tataaagatt aaatgagtta atatgggcaa agtacttaga acattgcctg gaacatagta 34020
 cgcaatatat aaatattagt tgtctgtogt cctttgctga catttccctt actggatgtc 34080
 tgaactgaaa ttgatctcaa tagtgtaata ttactccaac aagttatatt aacttctgt 34140
 gactgctgta ataaattacc acaagtggtg ttaaaacaaa ataaatctta ctcttactat 34200
 tctgaaggcc agaagtctga aatcaagggtg tcagcagggtg cacacttctt ctggaagctc 34260
 tgaaggaaaa cctgctcctt tctcttttca gcttctggtg gctattggca ttcttggct 34320
 tgcggtcaca tctctctttg ctctatcttc atattacttc ctccctgtg tgtctttctt 34380
 ctctgggtat ttcttgtata agaatccatg tgtttgcac tagggccac gtggattata 34440
 caggatgagc tgcttttcta aggattctta atgtagtcac atcttttgcc atagaagata 34500
 atattcactt ttttttgcta tcataaggta ctattcataa gttcctggaa ttaggacata 34560
 gagatatctt tttgggtct accattcaac ccactataca agatggcata ataaaaagta 34620
 agcttggatg ggaggcatca ctgactcatt ctgtgtttag tggacttcac atttggcctg 34680
 cacatcccat tctctaatat gtctaaaacc attattttaca caacagggtac catccaaata 34740
 tacaacaag tgactattta ttgtcaatgt ttgtagtac ttctcggaag ggaccacag 34800
 aagtggagca agtgctcaga ggactggttg gcccaatggc ctttggcata tagagagctc 34860
 caacaaggaa aggcttctg gtggttttgc tccaaagaga acaatttttt gagaaactct 34920
 attttgtgct aaaatgtgta cccaaaatct caccaatgat ggctgttttt tattttgttt 34980
 tcattttaga gatatgatct cactatattg ccaggtgg ccttgaactc ctgggtcaa 35040
 gagatcttcc tactttacc tcccgagtag ctaggactac aggtgcatg actacgctg 35100
 gctaattttg ggtttacatt tggaaaagtc tgatgcttat tttaaaagag aacagggtga 35160
 tgctacatta tcaggacatg ttttctgtcc caagtgatag aaaaatcaat ctgaataggc 35220
 ttaagtgaag ccctaattta ttaactctca taactggaaa attccagctt caggtccaga 35280
 tcaatgcagt ggttccaaag atactatcag gacctggttt ctttctccag ctcttggtc 35340
 tacttttgct ggctgtagt tcagaaaggc cgtcttagg tactggcaag acaactgtac 35400
 taagacctac attctctcag gttcaaggca catgaaaata aacagtccta gaaaaaatg 35460

pto_PB0262.txt

taagcaaaac cttaccgaga tttgttgggt tgaatactca tgcctgagac aaccaatgtg 35520
atagcacccc ttcctgttct gtttggccga ggaccttga aaggatgacc cctcttaata 35580
catgggctaa gactgtggaa agaggtaggt ctgttctgaa gaaccagtgt aggtaccatc 35640
agaagggaga atgaatattg ggtggcaaat acaacagatg accactgtag atgcaattag 35700
gtccttgga ctaaatgtct gaaatccaaa cctgggtttt cttgagcgac atgtgggatt 35760
ttttttttt tctagtgtg tgtgttggc acaatttccc tttccacttg gaaataagt 35820
agttattttg aagcagaaga cccacattta aattccatct ctgctgcctc tttgtagctg 35880
tgtggccttg ggcacattac cttatgtctg taagctttaa attcttcaact ggccctggcgg 35940
taacacacac acacacatac acacacacac acacacacac acacacacac acacacacac 36000
acgatcagga tagaggccat cttaccagga ctattcatca ccagggcaca taaacagaat 36060
aagcctacat gaacacagtc tgattgatac cgaagaacca tctgtcccta catatttttc 36120
atggctctga aacatgttgg aaatttctac catttgagta atggaaggaa tgtttaaagc 36180
aacatgttcc cagagagcca ggtgaaaaat gcaaattgat gccagggaaa agcaaaatga 36240
aatcctgcat cactgactac tccttatccg ccaccttaga agggatgagc caaagtcacc 36300
ttgtgtgatc attctcaaca tgcaaggcaa ccatcaagag acttcaggca aaatgatctt 36360
tctgtttttc cacatttgtt ttaggattct tctctaactg cttctcctga ggcagtgttc 36420
cctggggata tccaatacca cagggaatgt ccatattgaa aaactatacc tagagctctt 36480
ctttctccaa gttgtctcca gttgcaaaaa tgacctcttc atctccgtaa tcacagtgtc 36540
cattttcaca gtggagtgc tattaggtag ggcaagtacc atctgattat gaattgatta 36600
aagcattcat attaaagcatg tgtgagtgc aggtcaact tttttttcag ggagttagtg 36660
tttatcttca atcttctaga ttgaggtaag acattttttg agaaagatac ccgggtcttt 36720
ttccctttct cctagatcgg ttgcaagtgt actcacaaca gatgttatgt ggtattctac 36780
ttctaaaaga ctgttggccg taggttttag ctatcacttg gaagataaca agtagtagaa 36840
ttatccttcc tgttatgggt aggaaggaaat tcctacggat aggaattatc tcaagatccc 36900
tcacagatgt gcactatcat gctccaaaag gtttattttt cctagaaatt gactagcctt 36960
caagtctttt cagttctctt atcaaaactt actactcctt tgtccaaacc ctttactatt 37020
cctttgtcca aacctccgta acccctgtta cagcagccac agggagctaa tacccttgt 37080
tgaggttata ttagaccatt gaaatcaatt ttagttcaga catccagtaa gggaaatctc 37140
agcaaaggac cacagacagc taatatttat atattgctta ctatgcttac tattcctttg 37200
tccaaactcc tcaaatatcc ttcctttaga ttgcagagta gtattctgtg gtgtggacct 37260
acctcagttg aattggcagt tttatttttc ttcagctgtt tgaatgtgtc attccactgt 37320
cttctgggtg gtaaggcttc ttatgagaaa tctgatggtt ttattgatgt gtccttgat 37380

pto_PB0262.txt

gtgacgtgtc acatttctct tgetgccttc gacaatttct ttgtctctgt attttggcaa 37440
tttgattgta atgtgtcttg gtctagattt ctttatattc atcctatttg tgggtgcttcc 37500
agcttcatga atctgagtgt tcatttccct tctggaattt gagaaatttt cagtgtattgt 37560
ttcttttaa atagctttttt tcctattgtc tctctgcttt ccttctagaa tcaccataat 37620
gtatatattt gttgtcttga tgatgtctca tatgtccctt aggccttctt aactctttca 37680
ttcttttttc ttttgcactt ataactggat aatttcaa atactgtctt tgagttcact 37740
gattccttct taggtttgat caattctgtg tttgaagctt tctattgatt gtttttcttt 37800
cagcaattag attcctcaga tgcagaattt gtctgggtct ttgtatagtt cctatctttt 37860
tactgagaat ctcatTTTTt aggtattact ttctgattt cctttgggtg ttcatatgtt 37920
tcctctcgta actcattaaa ctcttttatg ataagtattt tgaattcttt gtcaggcatc 37980
taaaagatct ccacttctgt agggttgggt gctggagatt tgttttttcc tttgattgtg 38040
tcatgtttcc cagatttttt atgtttcttg tagctttgcc ttgggtgtctg cacatttgaa 38100
aaaacagcca tctctcccag tttttatgga gtgggtgtga cagttaaaga ccttcatcaa 38160
ttagcccagc tagagatttg gagagcctct cacatagcaa gctgactgcc tcttttccct 38220
tgttcttagc tgcccccatc aaactatact cattctgtca gtcctttggg ttgagtggaa 38280
cagggactgg cattcttctg gcaatgtagt gaaagaccaa gaggttggag gtatacacca 38340
ctcttctctc ttcttgggtga gatgcctagg ttctgcaatt tctcccaatc tcacagagct 38400
ctgtatctct gtaacaatct gtttacgcc tttccattgt tgagttgacc gaggggtcca 38460
aactatggca gtactgtcaa tgttccatgt ggggcaagat agaaactgtc cccttggaca 38520
attcactgaa agactgggat gccggatggt cattccactt ctcttcccct cctaagaga 38580
gaagtgtggg ttgaggcaat atcccttggc attgatctgt gctggctttg gggagaggct 38640
gacataggta aagtgtaat gctcttctta tttgttttaa tgtggctgtt cttcattttg 38700
tgctcatcta ggatgcttgc aacttctcat aaaagtagtc tcacaaaggt attttgggtg 38760
gtatattatt gttagcttga tgtttctgtg gaataatgag gtgagggacc atttattcta 38820
ccatcttgct gatatcactc ccctgaagtg caaaagtttt aaattttgat gaagtccaat 38880
ttatgagttt tccttttatg gatgggtgctt ttgggtgtcaa gtctgagacc tctttgctta 38940
gtcctagatc ctgaggattg tctcctgact gaaaggctaa ttttccctca ttgatttgct 39000
tctccacctt tataaaaaat catttgagcc tttttttatg gctctatttc tgggtcctat 39060
attctgtttt gtcaatctat gtgtctatcc caccaccaac agcacatagt cttgatcact 39120
ataactattt aataagtctt aaatctgata ggaactctga cttttttttt ccaattattt 39180
tagttatcca agttcctttg actttctgta tacagatggc ccctgaaatt caacagttct 39240
acttaaaact ttttgactat atgaaggat gaaagcaaaa tgcattcagt agaaaccata 39300

pto_PB0262.txt

cgcagtgccc acacactgtt ctgtttttca ctttttagcac agtactatta aataaattgc 39360
atgacatatt caacacttta ttataaaata ggctttgtgc tagattatit tgctgaactg 39420
taggttaatg taagtgttct gagtaagttt aaggtaaagc aagctaagct gttatatittg 39480
gtgggttagt tgtattaaat gtattttcaa cttctgatat attgaaaaca atggttttat 39540
caggaagtaa tctcattgta agttgaggag catgtgtaca ttttagaatt atcttgtcta 39600
tattttttta aaatttctgg gatgtaataa aaattgcatt gtcatttttg gggagaatta 39660
atatccttgc tatattgagt cttttaatcc atgaacatga tatgtcacca tttaaaaaag 39720
atctttaatt tattttatta attctttgga gttttcacta tagaaccctt gtacatgttt 39780
ggttagattt acaacaaaat atggtagttt tggggtcac gtaaatttg tgatattttt 39840
aaatttcagt gtcaacatat tcatttagtag caaatagaaa ttttaattgtg tattttgtat 39900
cctgcaaatt cactgaaata atctattaga agtgaggggt ttttttctgt atatttttg 39960
ggatttccca catagataat catgtgattt gcaaatgact tttatttctc cttttctaatt 40020
ctataaattt ttttcttacc ttattacact gactagaatt tctagcatgt tgttgaataa 40080
aagtagtaag aatgcacatc tttgtcttgt tcacgatctt aaggaaaaaa cattcagtta 40140
ctgactgttc gatataatgt tagctgtaga tgttccttat caagttcagg aagttttcct 40200
ctactcttat tttctatttc ttataatttt atcattaata gaaattgaat tttataaaat 40260
ttttaaatga ttgatataat caggttattt ctcttttttt attctgttaa taagggtgggt 40320
tacatcaatt gatttttaag tataccagcc ttgcatctct gaactataatc tccagttgggt 40380
catgctatat aattcttcat atagaattac tgaattctgt ttgttaaattg tttttgcac 40440
aatttttatg gggactagta gcctgtaatt ttttcttgt tcttctttgc actgtcttta 40500
tctggtttat ctttaccttt tttttttttg gattagggtta atacaagctt tataaaatga 40560
attgagaagc tcttctattt tttggaagaa atcacataga attggtatta attacttaaa 40620
tgtttggtag aattctgcag taaagccatc tggacaagga tatctctatt ttggggatat 40680
tgaaaattaa gaaataaatt acctagttaa ttttttaaag tggttacaaa aaacaaagat 40740
gaatgtagtt ttttaattac cttgagactt ggtctttgat ccatgaatta tttaaaagta 40800
tgctgtttag tttctaagtt ttggagaatt tcttgttatt attatgtctg atctctgttt 40860
tgtttctatt atggccaggt gacatattct gtataatttt actttttaaa aatttgtcta 40920
ggattgcctt atgatataag atgtggtcta ctgtggtata tatcccatgg ccacttgaaa 40980
agaatgtgca ttctgctgtt gtttgatgct gtgtaataga aatggtgatt atatcttggt 41040
ggttgatagt gttgttgagt tcttttatat ctttctgat tttctagttt tcttagtttt 41100
ctggttttcc tatctatggt ttagaaatgg gtgttgaagc cttcagcttt aatagtagat 41160
ctatttatit ttccttctgg ttttgcttca tataatttgc cagtttggtt cttgatgcac 41220

pto_PB0262.txt

acacatttaa gacttctata tcttcatggt taacttacca ttttatcatt atataatgtc 41280
 cctctccta tctggtaatt ttgtttgctc agagtctact ttatctgaaa ttagtatagt 41340
 aactctactt cttttttact ttttaacattt attatttttt attgtggcaa aatacacata 41400
 atagaactta acatttgaac ctttttgagt gacattaaat acattcttaa tgttgtgcaa 41460
 ccatcacttc tatttagctc atgactcttt atcttataaa actgaaactc tgtacctagt 41520
 aagaaaataa ttcacgcctg taatcccagc actttggaag gccgaggcgg gtggaccatg 41580
 aggtcaggag attgagacca acctggctaa tatggtgaaa cccctctct actaaaaata 41640
 caaaaaatta gactggtgtg gtggtgggca cctatagtcc cagctacttg ggaggctgag 41700
 gcagcagaat cgcttgacc tgggaggcgg cggttgcagt gagccgagat tgtgccactg 41760
 caccagacc tgggtgacag agtgagactc catcttaaat aataataata ataataataa 41820
 taataataat aataataata ataattccct ctacttcag cccctggaag ccaccattct 41880
 actttctgtt tctatgcttt tgactacttt taactacctc atataagtga atcatatgga 41940
 atttgtcttc tctgactgg cttatttcac ttagcacatt gctctcaggg ttcattccatg 42000
 ttatagtacg tgttagaatt ttcttccttt ataaagccat tgtaagtata taccacattt 42060
 tgcttatcca ttattcatc tgtcaataga cacttgattg cttccacatt ttagctattg 42120
 tgaataatgc ttctatcaat gtgtgcacaa atattgcttc aagaccctgt tttcagttct 42180
 ttttagatgca tattcagaag tggatttgct atgtcatgta gtaattctat ttttaatttt 42240
 tgagtaacca ccatattgtt ttctcagtg gctgcacat tttacatttc tactatcagg 42300
 gcacaagtgt tccagtttct ccacatcttt gccaaagactt gttatttttt gttttcttaa 42360
 tagtagccat cttaattggg ttggttgagg atggtatctc attgtagttt tgattttaat 42420
 ttccctaaag attagtgatg ttgagcatct ttccaggctc ttatgggcca ttgcatagc 42480
 ttctttggag agacatttat tctagatccat tgcccaattt tttgttgttg ttgttgagtt 42540
 ttaggagtg tttatatatt ctggatgtca atctcttgct agatatatgc ttgcaaata 42600
 ctttctccca ttctgtggg tgcccttttc ctctattaat agtgtcttg atgtacaatt 42660
 ttaaagattc tccatgaagt tcagtttttc tgtttttct tttgttggt gcaccttg 42720
 tagcatatcc aagaaatcac tgccagatc agtatcatga tgcttttgct ctacgttttc 42780
 ttttaagaat tttatagttt tttcttata tttaggctct tgatcaattt tgagttaatt 42840
 tttctatata gtattaggta agggctctaat ttatttattt tgcatatgga tatccagttt 42900
 tccagcatg atttgctgaa aagactgttc ttctccact gaatggtctt gacatctgtt 42960
 ttaatcaggg ttcttcagag agacagaatt aataggagat atatatctat atctatatct 43020
 gtatctatct aactatatct atatctatct atctatctat ctatgtagag agaggcggg 43080
 gagatataag aaaggattta ttaggggaat tgactcactt gattatgtag gctgagaagt 43140

pto_PB0262.txt

ttcataacag atcatctgta agctggagtg ccaggaagc tggtagcatg gctcattcca 43200
agtctgatgg ccttagaacc atggaagcca atgttgcaat tctcagcca ggactgaaag 43260
cccagagagcc tggagaattg ctgggtgcaag tcctaaagtc caaagaccag agaatctgaa 43320
cttgtctcat gatacaaata taatctacca tggatatatag cccatgtaca cttgaaaagg 43380
gtagaagaaa tgaattctgg ctccagaaga cagatcaaga atttgtcctt cctttacatt 43440
tttattccat caccacatt gagggcagat cttctccacc cagtccacca actcaaagtc 43500
caatctcttc cagaaacacc ctacagatg cacctggggg agcccaatca ttagaatcaa 43560
atgctaaatc acttggggtt cccttttaca gaaggagac atgatcagtt tctactgaag 43620
cattgagaat aatttgtact ttatcagctg ctgggtatcc cttaatccag tcaaggtcac 43680
atccaaaatc aaccatcata gcacccttgt caaaaatcat ttaaccatat atattagggt 43740
ttatttctgg actctgtatt gtatttcaca ggtctatgtg ccttttagac ttttattttt 43800
atttttattt tattttattt tattttttga gatggagttt cactcttgtt gccaggctg 43860
gagtgaatg ggcocatctc ggctcaccac aacctctgcc tcccaggttc aagtgattct 43920
cctgcttcac cctgcctagt aactgggatt acaggcatgt gccaccaagc ctggctactt 43980
ttttgtattt ttagtagaga cagggtttct ccatgttggt caggctggtc ttgaactcct 44040
gacctcaggt gatccgccct ccttggcctc ccaaagtgtc gggattacag gtgtgagcca 44100
ctgtgcccag cctattttta ttttttttaa ctttaaaata aagttgaggg ggcacatgta 44160
caggtttatt acatgggtaa gttgcacgtt gctgaggtgt ggtgtacaaa cgatcccatc 44220
accagtttag tgagcattgt agccaactgg tagtttttca gcccttagcc cctctcacc 44280
cttcccaatt tattagtccc cagtgtctgt tctttttgtc tttatgttca agtgtactca 44340
acgttttagct cctacttata agtgagaatg tgcagtattt gttttctgtt cctgtattaa 44400
tttggtttg aataaaggcc tctagctgca tccatgttgc tgcaaaggac ataatttaat 44460
tttttatggc tgcatagtat tccaagatgt atatgtaaca tattttcttt atccagtcct 44520
tcattaatgg gcatctaggt agattgcatg tctttgtctt tataggcttt tattgtctat 44580
atgccagtac tatattgctt tgattactat agtttttagt aagatttgaa atcaggaaat 44640
gagagtctc aatatttttt ctcctttttc aaaattgttt tggctttttg atgtctcttg 44700
agattccatt tgaattttat agtggactgt tttatttctg aaaaaaaaaa gtcattggaa 44760
ttttgatagg gattgtattg agtcaataga ttgtgttggt agtatggaca tttgaaaaat 44820
attgtcttcc agtccatgaa catggaatgt tttccatttt tatattcttc ttttaacttct 44880
ttcagcaata ttttataatt ttttactgta caagcttttc acgtcttttag ttaattccta 44940
agtattttat ttgttttgat gctatcgtaa atgagacttt cttaatatcc ttttcatatt 45000
gtttattgta agtgtataga aatgcaactg atttttgtgt gtcaactctc tatcctgcta 45060

pto_PB0262.txt

ctttgcttaa ttcgtctatt aacagttttt taaaaatgta tgtggaatcg ttagagtgtt 45120
ctagacacat gatcatatca totgtaagca gagataattt tagttccttc tttctgattt 45180
gtatctcttt gatttctttt ccttgtctaa ttgctctggc taaaacttct agcactatgt 45240
tgaatagaaa tggcaaaagc agcacccttg ccttgttctt gatttttaaaa gaagagcttt 45300
catctttgag tacgtttgct ttgggttttt aatatacaga ttttattatg ttgaggaagt 45360
tgccttccat tctcagtttg gttggtgctt ttatcatgaa agagtgaatt tttcaaatgc 45420
tttttctgca tcaattaatt gaccacgtgt tttaccctct gtaagcctga caacgctatg 45480
gattacactg attgattttt gtattttgag ttatccttgc attctagaat taagtcttac 45540
ttgatcatgg tctataattc tgtttatatg ctgctcaatt tggtttgcta gtattttgtt 45600
taaaaaattg ctttgatgtt cataaaaaat actgctctat aattttcttt tctgatagt 45660
tctgtgtcta aatttggtgt cagaataatg ctgacctcat agaataagtc aggaagtgtt 45720
ctctctcttc ttcatttttt ttttgaaaa gtttgagaac aattgggggt agttctttaa 45780
atggtagaag tatttctact attggtagaa ttcaccagtg aaactgttag atcaagggt 45840
ttttttttca ttatgagatt ttgatttttg attacttatg taatctcctt actagttata 45900
agtcttttca aattttctat ttctttatga tttagtcttg gtaggttttag tatttctagg 45960
aatctgaact ttttcatgta ggttatccaa ttttgggggg tacaattgtt catagtgtct 46020
tcttagaatt ctttttattc ccatagaata agtagtaatg tccactttt atttatgatt 46080
ttagtaatat gagtcttgtc tctatttttc ttagtcaatc taagtgtaga attgtcattt 46140
ttaaaaaaaaa tttttaaga aggagcattt ggttttattg gttttaccct tgtttttcta 46200
ttcttgattt ctttgatctt tgttctaata ttaattattc cttctttctg gtagctttgg 46260
gttttagctta ttcttttcta gctccttaag ttgtaaagtt agttggctga tataggatct 46320
tccttgtttt taatataatc attttagatt tcaaatttca tgcttaacac tacttttgc 46380
gcacccata agtttttagta tgttatgttg tcattttcat tcatatctaa gtattttcta 46440
atttcccttt gctttctctt ttgatccatt aattttttta aagaatgtgt tttaaaattt 46500
tcacatatatt atagattttt cagttttact tttgttattg atttotaact ttatcctgtt 46560
gtggtcagag ttgttttgta tatttctgtt agatctagtt ggtttattgt gtttaagttct 46620
ctatgtcatt acttatattc tgtctagtta ttctattcat ttttgacagt gtggtattga 46680
attctttaac tattattgca gaaatgtctc ttttacttcc aattctgaag ttttactgt 46740
ctttattttg atggtctgtc attaggtgca taaatgctca taagtcttct atcttcttgc 46800
tatactgaac cttttaagat taagtacttt ttttgtttct tgtaaccatt tttaaaaaaa 46860
tttaaagtcc attttgctg ttagtacagc cacatctgct cttttttcat ttccatttgc 46920
atgaaatgtc atcttccatt tttccacttt caatttattt gtgtctttgg agctaaagt 46980

pto_PB0262.txt

agtcctctgt aaacagcata tatttggatc atttaaaaaa tccattctgc tcatctatat 47040
tggttgaaga gtttaataca ttttcatgta tgctattact gaaaaggagg aacttacttc 47100
tataatTTTT atatttgttt tctctacacc gtataactcc ccatcccttg ttcccttttg 47160
tatataattct atagctatTT tctttgcagt taccattgga attacattta acatccctaaa 47220
tttataacat tctaacttat aaaccagctt aatttcaata acataaaaact ctgctacttt 47280
aacagctcct tcccatctct ctttgattgt taatgtcaca aaattgcaac tttatatatc 47340
atgtgtcaca aaacataaat aattccttga aatgcattaa actcttctat ggaaaaaata 47400
atgagttaga aaccatagtt tcagtgatat taacttttag actaataatt gtttttttaa 47460
aaagtattag tttcttaaAT catgtacaga acacaaagtc aagaaacatt gttataataa 47520
taccaccttt tacaatgtcc ctatgtttac cttcattgat atttttattt ctttatatag 47580
attctagtta ctgtatagta tgctttcatt ttaacctgca ggactccctt taacagtttt 47640
ggcatggcag atgtagggca gcaagctatc tcagcttttg tttagctggg aatgtcttaa 47700
gtttctctc actttcaagt ttgcccagat atggtgttct tgcttgacag tttctttttt 47760
atattagcac ttgaaaaata tcagcccact gccttcttat ctctaaaatt tctgatgaga 47820
aatttgtaga taatcttatt gcagatgctt ggtatgtgac aagtcatttc tatctcttgc 47880
tgctttcaag attttctctt tgcctttgta tttggaaagt ttgattataa tgtatatcca 47940
tgtgggtatc tatgaattca tcttacttgg agttaattga gcttcttga ggtttatggt 48000
catgtctttt ttcaaattcg aagaattttt caccattatt tcttcctata ttctctctac 48060
tcctttcttt ctctctgcgt tgtctgggac tctcatggtg tgtatgttga gcccttgat 48120
gatgtctcac aggtctcttg ggctctgctc acttttcttc aattttggtt tctttttggt 48180
cctcagactt gatgatttcc attgccttat ctttgagttc tctgattctt tcttttgctt 48240
actcatatct tccctcaaag ccctctagta aatttttcat ttctgttatt ttaattttta 48300
gtccagatg ttcttttttag gttttcaaaa tctttatttg tattgtcatt ttgttttata 48360
cattgttttc ttgacttcat ccacatgtac ttttagttta tttatttatt tattttattga 48420
gacaggttct tgctctgtca tccaggctgt agtacatggt tcagttagct cactgcagcc 48480
tcaacctcct tggctcaggt gatccttctg ccttagcctc ttgagtagct aggactacag 48540
gtgtgtgcca tccatgcctg gataaataaa taaataaatt taatagagat gaggtctcac 48600
tatgttgctt aggtttttta attttatttt ttgggtatgt agtaggtgta tatattcatg 48660
aggtacatga agtatTTTga tacaggcatg cagtgcataa taatcacttc taagatacaa 48720
aataaagccc tctttactct ttgctttcct ttcccttaagc agatgggtggg agtaaatttt 48780
gttgtgagtt gtgttgctg gtgttgccag aggaatggca caagcacttc cttagccacc 48840
ctggctggtg tccaatgttc actgattcta agcccagcac agcactagga cttgccagg 48900

pto_PB0262.txt

aattgcagtc cttgtggcct agactgcctc tcaagtttgt ttaggatccc agagcactta 48960
agcccatggg ggtaagtctt gtgaaaattc aagttccagc tgctgggatg ggtgattccc 49020
ctctggctag ggctgatcta tatgctccct gtgtgtgttg gcattggctg agtttagccc 49080
agctttactt tccattgtga cagggcagca ttgagttcaa tgcagagccc cacaatcact 49140
gtactgtcca tttcccaggt ttacagattg tctctctgtg ctatgtggct gctgccagag 49200
ggatagggga ggggcatcat tggcaattca agactatgtt tcttaccttc ttcagtgcct 49260
ctttcagcaa tatgaagtta aaccaagtac tgtgattgct tatctgattt cctgttttta 49320
cgaagggtgct ttttgtgtgt gtagatagtt tgtaaataag gtcttctgca gtggggatca 49380
ttgttgcaag gttcagtttg gccatcttgc tccacctcc ctcttttcca gttcttaaag 49440
tatcttcaag acagttattt taaagtctt tttgagtaga tctgctgtta ggtctttttc 49500
aggggcagtt tctgttgact attttttctt ttgaatgggc tataattttcc tctttttttt 49560
ttgaatgcct tgtgtttttt tttgttgaaa gttgggtatt tcaatttaat gatgtggtaa 49620
ctctgggatg cagactcttc tttttcctca aggttgtttg ctttttggtta ttgttttgtt 49680
tgtttataaa aattgcttta gtctgtctct gtgccaaagg tcagcctgag gtgtaaacad 49740
aaggtcttta ctggtattct ctgagcttgc atctttctgt ggtcatgtgt gttaactttc 49800
taattttccc catatattca gttgttttg aatgtcctta tctttaatat ctggctccca 49860
aaaggagaaa aagagaaaaa tgaaaaagg agtggaataa gggtgccagc cctttaaatc 49920
tctggaagtc atttcagctg gatggggagg ggtttgcaac aatggaataa ggtgtaacag 49980
caaagacca ccacctctt gtctgtacct ctctgatcag aagcagcaat catcaatcta 50040
agcacatatg cctgatactt agaggacagg gtccattttg cttatcctgg ctccttcaag 50100
ctgtgtgcaa caagctgctg caggaatata tgcacagctg cctgccacag ggggtgggat 50160
aggaaatggg tagctgttac tgtgctaaga gctaaaattg actgagctga aatcaaagtt 50220
aactgcaatg taccatccaa atgtttccct gaaagttgca agccttcaat agactccaga 50280
tttccaaaac agttatatca gacatactct gtcagtgcaa ttattgccta agcagggaga 50340
cagattcctc gtgtttctta ctcttgagcgt tccccaggat gctctcccta ccttcttcta 50400
tttaatgttt ttatgataca ttttttcccc tttttattac gtttaccctg actatattgt 50460
tatatttgag tgagtttctt gtcacaaacc tattgttttg ttatgtttta gtcaactctt 50520
gtcttttaat tgtcttttag caactcttgt ctttacaatg atttgaatta tttacattta 50580
ttggatttat taatgtatta atgcttaagt ctgaaatttt attttttgtt ttatatttgt 50640
tctctctgtt tttctatgtg ttttcttttt ttatgcttcc tggtgattat atgaatattt 50700
tttagaattt cattttgatt tctccttaga tttgatacaa gagaatctct ttcatatagt 50760
tttttagtga ttgctcttgg tgttaaatta tatatgcaca atttttcata gtttaaaagt 50820

pto_PB0262.txt

gttgatcattt taccagtttg agtgtagaaa acatacttcc cgtaatgccca cttttttctt 50880
cctcatttat aatataattg tcttaaatat tcccccttcg tacatttaga attacataat 50940
acagtgtatt ggcattctatt gattttttaa aattcagttt gagaccttct tggttcttgg 51000
tatgttaaagt tattttccat tgaaacctgg acattttgaa acctgaacgt ggaggctcct 51060
tgttactttt gtgtggcggt ggggtttttg gctccctgtt agtcctccac tgatatctgt 51120
ttggctgaga gagttgggaa tgtttccttt cacctcccaa ctggtttcca ctgacaccat 51180
ggaatgcagt ggaggaggga aggtggcctt gttgtcactg ggaaacgggtg aatattccaa 51240
ctctccacta gggcttctct gatactacct aggcagcag gaggatgtgg agttaagaaa 51300
tcctggctcc ccatgttgct tctactaaca ctgtggagaa gtgggatgag cttgttactt 51360
cccagtagga attcctgact cctacctcag ctttttctga cacagcctgg caaggggtta 51420
gagtgcctat aacagcttgg taagggggaa gcacaggctt ctgcacttcc atcagacttt 51480
gctagtgggg tgagagtgg ccagtttttc tgtggtgttt gttataacaa agcaactata 51540
ttctaaaagt ttttgtcttt ctggtttttc ctttttctc attccttggc tagagaaagt 51600
aagattttgt ttggcctttt tgatctgtga tggttccatt ttatggttgc caacttcaat 51660
ggctctaaat ctggaatata tgaggcaaaa tgaaaatcca ggaacacact gctttgtttt 51720
tcttcaaata ctaaggtttc tagcccatat gccttgttct ctccaacttt tagaatcttc 51780
tcatgtttgc tttttaaata acgtccagag actcaattat atgtagcagg aggaatgtgg 51840
aaaagcatct ccaattcaca cccccctgga agtaaaagtt atgatgcata tacagtgaga 51900
taaaatttga agctctgcat gcgatgatg tgtgccactt atagcacatg atagactctc 51960
tttcattcaa aattcattcc aggcctgctg tgtcccaggc actgttcaag gcattgcaga 52020
tatagtgatg aacaaaatag ataacatttc tctctttatg gtgcatacat tcttgtggga 52080
agaggtggac aataaacaca gaaagtagaa tatgttagta aaaaatgcta ctggaaaaag 52140
taaagtagat ttatgaggct agtgagtgtt ggaggcattg gaggttattt attttacata 52200
aggtggtcag ggaagctaac atttgagoag agtggctgca gtgagatgga caaagacaaa 52260
agtggtagaa gagagcagag atgtagtgtg ggaatcagat tgtctagggt cttgaaggca 52320
gtcaagaatt tgggctttca tttagtcatg aaggagggtt tcagagagaa gtaatatgat 52380
ccagtttaca gctttattgg tctgctatat ggagaataga ttgcggtgga gtaaatgtgg 52440
tggtcaaagt agggaggttt tacaaaatac cgggagaggt ttaatgagag attaaactca 52500
gatggaataa tggagttagt gagatgtggc cagattctga aaacattttg cagataaaga 52560
tgacagaaat tgctaacaga ttttatgtgg ggtgtgagag aatgagagag agagagagat 52620
caaagatggt ctaagatctt tggcttaagc aattggaaga ataaacttgg catttactga 52680
gatggggaag accgagggaa gtgcaagtct ggggaagaat ggggagtcag aggtttgggt 52740

pto_PB0262.txt

ttgactgtgt taaaattgaa atatccatta aactaggggc atagtaggag gttgccaca 52800
ggagtctgag tttaaggact gcagatatcc tgtctggaga tatcaatttg ggacttgctg 52860
tctatagat aattgctttt gtctgttttg cgctgctata actgaatacc tgagactggg 52920
taatttaca agagcagaaa tctatttcac acggttctag aggctgggat gtacaaggcc 52980
aagggtgccag catctgatgg actccttctt ggtgtattct cacgtggagg aaggcagaag 53040
gtgaaagggc aagaatgaac aaatccactc cctcaagtcc tatttatagc agcattaatc 53100
cattcatgtt ggcagagccc tcatgaccta aacacctcct aaaaggcccc acctttcagc 53160
accgttgcat tggggattaa atttcagca cacaattttt ggggaacaca ttcagattat 53220
atgaatgata tttaatgata tgtctagatg tgatcacata gacagagact gtaaataaag 53280
aagaaaaaga gtcctgagtt ctggggggcac tctcatattt agaggtcagg aggatgagga 53340
gaaaccagca aaggaaaatg agaacagatc agtgaagcag aagaaccaag agagtgtggt 53400
gtgctggaag ttgagtaaag aaagtgtttc cagaaagagg gagtgattaa tttgtcaaat 53460
aagaagagag ttgtaaattg attcttgggt ttgggaatgt gatggtctct ggtggcccca 53520
ccaagatttg tttccatggg aggaggggga aggaggaaaag aagtggagga gaagacagag 53580
atggtgagca taagcaactc tctggagttg ctataaagga aagcaggaaa atggagtagt 53640
agatgaacaa gggttacagg tcaagaaagg tgtaattact atacagaaca gttaaataa 53700
tacatggaaa ctttgtattt atctatagag tttgaattta ttttgattga caatgagtct 53760
aaaatttcat atagtgaaaa gtcttcaatt ggcttgataa tcttagcaat agcatttata 53820
tttgaagaag acttagttaa atatgagttg gtctatgcaa gatgtgtaat tttaaagctt 53880
cttttctttg gtttaatttg gatttgcaat ttcagttaac cttttccaat gaatcccccc 53940
aatgaatat ttacttagca atgataaaaa aactttatat ttacagagta cttatcagtc 54000
tctctataag aacaaacata aaagaatgaa aatttacatt agagggtgtag gaggtaatta 54060
aagtgatgtg gtcccaaacc agggaaactg agtctcagac catagggtgga gcatgggatc 54120
tgaaggggaa actcacctac aactctacag caccaattgc cagcctcttg ggctaataka 54180
ctctctcccg cttctgtcat tgtctttgtc tttttctaca gtgaaacaag ctttgaacta 54240
tttcagctt tccaatagca aagttattca gattagatga actttatttg ttctccggga 54300
catctagttc tccaaagtct tctgtctgta ccatgtgttc accaaacctc cttctttttc 54360
ctgctgggaa acccaatcag ctgcatttcc cagcctccct tgcagttggg tggggccaaa 54420
agaatgaggg tggaatttat gccacttcca gcctgaagca tggtcattaa gaaaatcttc 54480
tacacaatcc tcttgtcct ctctcttctt ttgcctgctg gatagatgca gaagattcct 54540
tggaagggcc tgggtcctga atggctgtgg agcagaagct tgaatagcat cttactgtgg 54600
catgagcaag aaatgagctt ttattatgtt gatcttttga tactttgtag ttgtttgtta 54660

pto_PB0262.txt

cagtagtgag cctgccctga ttaatacata cttctactgc aagtattaca aaaatacaac 54720
tttttaaaaa atacctttct gtagcctttc aggatccttt ccttctaaga agtcaccttc 54780
aggctcccaa agctttcctg gagtgtgaat gcaaggagaa acaaatagca acaatcctgt 54840
atcagttact ttttcctgca tcatcttatt taatttctgt aggaatccaa tgattctcat 54900
aaaacagtag tccaatgagt ccagcctcat aatccaataa ggtaataat taacctcagt 54960
ttacagatga aggagtttgt ccaagatcac agagttaga aatagtgaat tccttcgagc 55020
ctgacctttt taaccacgga gcccttgctc tcccactaca tcttcaactc gttctttttc 55080
cctctgggga aggaagtaaa actcatgaat ctaattcact tatgcacact ctgggtattag 55140
agactcaatt tcctttctct tgttgtgtgt atttgtgttt tgaaggaggt gagaaacaga 55200
gaaggtaatt atttactgac atgaattgta ggcactgttg tgattgggtg ggggtgggagg 55260
cattctgcag acgacatagt agacctgagt ccagggtgtga aggggagagg gagacagcag 55320
acagcattta gtttctaggg agacagcaca ggaaactaac ctttctttcc ccttcagctt 55380
tttaatacaa ataattaaag atcctcatag tccattaact ggccaggaga gcagatggta 55440
gaggtgagaa gtttcagcat cctgagaaca cttgagcagc ctccctgttc caacagaatt 55500
gtccatattc aagccaagag aggaaagatg tggaaactgct gttgccagg gggaaagtgc 55560
aggctttcaa taccaccttg atgttttatg tttataaaat ttggctcagc tgggcgcggt 55620
ggctcatgcc tgtaatccca gcactttggg aggctgaagc aggtggatca cgaggatcaag 55680
agttccagac cagcctggcc aatatggtga aactctgtct ctactaaaaa taaaaaatt 55740
agctgggcat ggtggcagggt gcctgtagtc ccagctgctt gggaggctga ggcaggagaa 55800
ttgcttgaac cctggagggtg gaggttgcat tgagccgaga tcgtgccact gcactccagc 55860
ctgggcaaca gaatgagact ctatctcaaa aaaaaaaaaa aaattgactc acacataatg 55920
caacacctgt ctgcatactt ttgccagtca ctccataatt taaaatgtgc ttcttcatag 55980
gaagcatcaa attagataat ttcacctca cagcaatttt agggaggcaac actcacatat 56040
gatccaggta aaaaaaatgg tgactcacat ccctgacatg aagcccaggg catttcttag 56100
acttctgtt tttgagaagg aaatctaaga caaacctccc agactttgaa ggatgggtgt 56160
tcctatccaa aatgcaactg tgattatctg tgaaatctgc agatcttctc tgctctttct 56220
tgtctgcaaa agatcagatg aatgctctgg agatgtgtgt ggttgtctag catgagcatg 56280
tgctgtgca tttgtacatg tgtgtgtgca tgcatatgtg tgtgtgtttt tgtgtaagag 56340
acaaagaaag aaaaatgaat ataaaattta cagaatcaaa tatcagtttt caaagcttca 56400
agatccaatt gtgtgtatag gattatctgc cctgttttagg aaagtgtttt ctggagtggg 56460
gctccaagtc tgtgatgaat gtgccaact aggggttcct tctcgagag tcatcatatc 56520
cttagtatgc catggcttga agaaacccca caatgagtaa atattaggtc ttgtctgatg 56580

pto_PB0262.txt

ttatagatcc caagcttact taactatgga ttctcttttt tgagtctatc actcattcac 56640
atacagtgc agtacatctt ttgaaaatg ccaattcaag agtaattaga aagggttaat 56700
gtagaaaact aggattatca gaagacctag attttgctct tactctatca ctaataggct 56760
ttataatfff tgataaatta tttttatfca gttctttttc aagtatfff ttctgccttg 56820
aaggaaacat ttctttaagg atattttattg tactttatfca aaattgttgt tctgtcatga 56880
taattccact ttgcatggta catgttatfca attattttatt acataaatta tttatatatt 56940
acatgttgtt gattatfctt tagtggttgt acttttcagg tatgtaatta ttttggcctg 57000
tgatatacat cctcctggag aagataatfct gtattgggtt aaggcgaaat ggcagagcct 57060
ggtttttgta ccttctgggtg tgagcttaag aaagaggtgg ggatgagacc atgttctfctt 57120
ttaacagtga atcctaacct ttctcctctg tgtgtccag gacatttgtg tactcactgc 57180
tcaatcgagg gaggccttat ccagctatac tcattctcag aggcactgcc ttctgcactg 57240
gaaatggagt ccttcaaggc tactatctga tttactgtgc tgaataacct gatgggttgt 57300
acacagacat acggttttagc ttgggtaagt gaatctgcc acttctcacc tacttcccag 57360
ctaacaaccc ttcccacaat ctacatcgcc atggcctctc cctactgcaa tgacctcgta 57420
atgatcccat cttccctctc ctcacctcta ccctgatctt ttctctatat ggtagccaga 57480
gagattgttt aaacacatat catgccatfct cccatcgcaa aactctccag tagattfctt 57540
ttactctcaa aataaaatac aaattccttc ccaactgcctt taaatcctaa atattcttggt 57600
tcttttcaat ttcccaacct cttttcctgg ctccctgcac ctctttfctt gtgctccagt 57660
gccagtggcc ttctgtctgt gccacaagct gtcaagcttg tccagcccca gtgtttttgt 57720
ataggactgt tccctctgcc tagtacaggg gtgtccagtc ttttggcttc cctggaccac 57780
attggaaaaa gaagaattgc cttgggctac acatataatt cactaacacc aatgatagct 57840
gataagctga aagaaacatt gtttcttaaa acaatgtfctt aagaaagtgt acgaatttgt 57900
gtcaggccac atccaaaact gtcctgggct gcatgtggcc cacaggctgt gggttgga 57960
agcctggcct agaaggctfct gcccctatgt attcatgggg gttgggtfctt cactttatfct 58020
agttccctac caatttgcac ctctcaaag ggactfctcc tgaccacct atctaaaatg 58080
gttgaagaca ctgctgtgtg tgctgtcccc ctccctccc cgctccctta ccatccctg 58140
cccagatac ctttctctcc aggtaatga tcttttgact aggaaggtg gaaaatcctt 58200
gttttatatc aaatcaaata aggtgagaat agacttgatt gtttcaacta aactgtfctt 58260
gctttttgcc tattttgaaa agcaccaaag tgctttgctg acaggttggg ttgggcctct 58320
ttgtgggacg gtgagtgttt ctgggctgta ataatgcctt ttgggatgca ggatctagca 58380
tccctgatcc tggtgtctct cacctcagaa cagggccctt tctgtaccag tggatagtgc 58440
atgtggagac acctccagga tatgtggcta agtaagataa ataaaaatgt gaacagtgtg 58500

pto_PB0262.txt

tgtagtatgc tactttttaat gtcagaatgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt 58560
gtgtgaactg gcagtgatgg aagtcagttt gttagtggcc acgcctccaa actagctcac 58620
gttatttcat gagagtgggt gtttcagtca ggaatgcgtt cagaaaacca tataatagtg 58680
acgggaataa ttcagaattc atagttctta cataacaagt gtcgaagtag gtggcttctg 58740
cattcctgtg gttgcttact gacaccatta ataactcagg cacttttgtgt ctccccctatt 58800
cttagcatgt ttacctgtgg tcttcttatt catcacttca tggttgcaag atgttgactg 58860
tagctcaagg cattacatct ggcaatcaag acaggaagaa agacgaagta ggggcaccgg 58920
tcttgccctg accttttatc agaaaagcaa acgatttcca aggaagtccc ccaaccaaga 58980
cttcacttta catcttattg gtggaactag ctcatgtgac cccctttctc agtgcaacct 59040
ctgtagtggg ggatggcaaa agaaaagggg ctggaatcag ctggtgagat atgaaacctc 59100
gatttgactg tttgtgaatg agctaaaggc ttactattat gatccatgca tttgtttgtt 59160
tatctattta aatactggac aatgggtgcta cctcctgctc tctctctttt tctaattctgt 59220
ctccatcagt ggtgccactg tgtactttca gcccaagtct aggaacacagc acaccagtg 59280
ctccccattc aggaccagga ctcatgccc tccccacttt ctgccacgtc ttaggacat 59340
tcttagattht agaaattaaa tgcccctcct ttcatthtag cttagthtgt gaaaaagca 59400
ccacaatctg gacacattta aaaaaattt ctctttctc tcttctttgt caaggtgtct 59460
tcttatttat tttgggaatg ggaataaaca ttcatagtga ctatatattg cgccagctca 59520
ggaagcctgg agaatcagc tacaggattc cacaaggtaa tgtctcccct gccccagac 59580
tctcactctt ccctggagcc tgtcccaggg atgatgctat ggtagcagat ggagagggga 59640
cagtgagggc acgaatgata caatacctct cagcttgctc ttgacttccc ctgcaaacc 59700
agtcccatca cagtacctct gcattttctaa tctgaaccca gaagctccag agagctacca 59760
gagccctcag gaagggtgca gaccgcaata cccggaagggt gggagagagt gggagatttg 59820
agtaggggtg gaatcggcta cctacaccct cattgcagta ggtaagggtg tcatgtacag 59880
agggctgac ctttctaggt tgcaaatgat gctgaatgct tggccaataa atgtgtcccc 59940
tccaattgat ctagacttat cttgtgagca gttaaggcta gaacttgctt atttcctgcc 60000
attcatatat acttttaaag gtgtagagaa ctatatthac ttaatcaaaa cttaggatgg 60060
gaggccttac aagcacaagt gcatttttg agataaagggt gagcatgttt gtaatcctaa 60120
ctgctccaaa gaaaccaggg tatgagattg acaaatatac gcagatggga gcaaatcagt 60180
ccaagtcac cttcagtagg tttagatggg tatttggtga ggtccttggc ttccaccgtt 60240
tttgatgtaa atacaacct ttattttacat caaaaaattt cctcaattat gacatgatgt 60300
tagtgcacat taatagtcac tgattaagaa attaatgaca aagttactat gaattcagta 60360
acagattcaa atgaatttga atgttgthaa tatcctaaca gtatctacat caaacaacaaa 60420

pto_PB0262.txt

taatttagga ggtaagatg tgccgtttac tgtcttcata gaaaatttat aggccctttg 60480
ctttagatcc gtggttcctc ccagggcgta gggaatcaca gggtgggaac cactgacgca 60540
gtctcatctt caagaaagat tcaactctaa ggggctttga ttttaaaaac attcactcca 60600
taactagata aataaagaag agcagagaaa gcacttgaaa accagttgcc aagattagtt 60660
tccaactttt gaattataat agagaatgat ttaaaacaaa gtatttttat gtaactgtag 60720
aaagaacaaa attgtttcgg ttgaaacatc cccagtttaa tgtgggtaat aaaatttagt 60780
gtggatata ttaatatcat tagaaatatg ctgatttcta gatacagtcc tgagagaaga 60840
aatacctggt tggatagaaa atgaaacatt taaaatctag aagccgactt caccagccta 60900
cagcaggaca aatacctgca gctcctactc tctgctttaa acatgaacag aggagagtgc 60960
tttgcagaag ggtggggagg ggcaaattccc ataagagaat ctaaattcct tctcccgtga 61020
gttcagattt ttattatttt aatgtagtgt gcagtttcac attttgggac tgtgaatgtg 61080
aacgtgtgtg tgtccaggaa aggagcgggg aggtaagagg tggcccaaaa accttcctta 61140
acagaacaaa acaaaaacca gacctctac acctctccct tatcctaccc aaagctagtg 61200
gtccagcagt tgttagagat ttggatagag cccgttaagc agttgaggcc actcttcgca 61260
actccagaat gttctccagg caacaggctg ttgttgcttt gtttcccctt ctcccaga 61320
ggattccacc aaactcctat gactatggag ggagcctcca gccccacatt tgttcttgct 61380
gcctttgtgt attttggaa aacacagatg ggtttaatgt caaaatgatt cagttgcaat 61440
gattgacctt ccgattcttc tgcacgcagg tggcttgttt acgtatgttt ctggagccaa 61500
tttctcgggt gagatcattg aatggatcgg ctatgccttg gccacttggt ccctcccagc 61560
acttgcatth gcatttttct cactttgttt ccttgggctg cgagcttttc accaccatag 61620
gtaaattttt caataaaagc ggcagcattc acgtagcttt ctctctctcc aaacaggctt 61680
ttaaccgcga gaggaagatt gagaaaccga agatatttaa ttttttaagg gaaggttgat 61740
actataatct gggtagcat attctgactt gctgggcttg tattgaagtt ggaagttagc 61800
tggtgagag tagcagtaat aaaatttttt ctaagaacaa acataagtcc atgtaaacag 61860
aggcaactga ggtgacggcc gggaaggctc tgtgcctgtc ttgttgaaga aggctgtcca 61920
gcgagaagtg ccttgacact tcttgggtta gctgaccag gctctgtgcc caccaggcag 61980
gcttacctgg agatgcttag ataaagcctc aagaagcgga agaagccgct tccatttcca 62040
ccttcagttt catcccctcc caccacattt ctggaagtgt gctccagagg tgggaccatg 62100
gccagcactt tccaaagctc cacagatatt tattttattt tttatttatt tattttattt 62160
tgagttggag tctactctg atgccaggc tgaagtgcaa tggggcgatc ttgcctcact 62220
gcagccttca cctcccagg tcaagtgatt ctccacctc agccttccaa atggctgaga 62280
ctacaggccc accaccatgc ccagctaact ttttgcatth ttagtagaga caagtttcac 62340

pto_PB0262.txt

catgttggcc aggctgtcct tgaactcctg acctcaagt atctgcctgc ctgggcctcc 62400
caaagggctg ggattacagg caaagccatc acgcctggcc tccacagatg ttctgaggca 62460
cagcaggcta gagaaccact gggaaaaagt actatcttgg tgactatgtg gctgctattt 62520
ttggcaacaa gatttgggtg taacagttca ggtaatcaca gagccctgga actccagaag 62580
gattatttcc cctggaatct ctgcaatgcc agggttttatt ttggtactgc cttccttccc 62640
tgacaccac cctctataaa tcataaccaa ggccaaccct ggattctggg gaaggtagga 62700
caagaaatcc catgtatggg gcaatcttag gactgcctta tctgctggga aatgccaggg 62760
attgcagggt tttcagaacc ctccctctga aggtctggcc taaagcttca ctaatccact 62820
aacctggggt ggagtgggga caaaagaatt aactaaaagt attgctggaa gtgaaaggta 62880
atatattagg ttgttatcag gctttaactt gccaaagtga aatgtcagat cttttcccta 62940
aaatggcttt tgtggaaaga gaaagcctat aattactgga gactatggat actcaaacag 63000
ggaatgagt gtcttggaaac caggaccctg gggttatgac tcaatgccta gttttgaaga 63060
tttaactaag aatgagttcc ttttttctg attagaattg ttcgaggaca acagttctga 63120
aatgaatgaa gcaacagcta gtgacctatt cctaccacct cctagactct gtgaggaggg 63180
gtggcagagg gttcctagcc cataaaagag tcataacagt tcttaccatt tcaggctggg 63240
tctgctgccc accagaggca gagcgggaat gggagaagag aaggcatcac tcagcacttg 63300
gagggctcct gggaaggagg gactctactg tgcttgggta ggggagggat ggtaattcca 63360
ccagacgttt ccagctgctg caacaacaaa acccaaattg aggcctcatc ctgtgatgtc 63420
agacctccca gagaaggggc agaaggcata gtttttaata ggctaacagg actttgtgaa 63480
ggcttctata aaacaaagcc aggcactcac atcagaggca gcacgggagg aggcagccca 63540
ccagacttct caaatcacag taccgaaaac cagccacctt ttgtaactta ttatttgccc 63600
cctaattcaa actaaggtag tttaatacag tgtgtcatct tgattatgcc ttgaggaccg 63660
ccagcatcaa ctagttagga agacagcctg gcaacttaag cagacaggct tcttataaga 63720
tgcattcgct tcctgtggct gctgcaatac attaccacaa actgggaggc ttaaaacaac 63780
acagatttgt ctttcatag ttctggaggc tagaattttg aaatcgaggc gtaggcaggg 63840
ccaggccccc gtgacggctc tagggaagaa ttcttccctg cctcttttta gcttctgatg 63900
gtggccggca acccttgggt ttccgtggct tatagctgca tcaactctgat ctctgcctcc 63960
gtcttcacat ggccttctct cctgtgtgtc tctgtctcag tctctttgtc tcttctctc 64020
ttcttttttag gacacagtta tattggatta agggcacacc ctgctccatt atgacctcat 64080
cttaatttta tctgcaatgg tcttagtttc agaaaaaaa aaattaccct ctgagttact 64140
gggggttagg acttcaacat atcttttgac gagacaaaat tcaaccatg atacatgggtg 64200
acaatttgct ggcattccca ggcctcatga agggatatct tctggggaac attgctgggtt 64260

pto_PB0262.txt

ctctttgccc atagtctttg gttccctgta tttcccagct gaatccaaac aagtacctcc 64320
 ttctagatac tacatttttt tttctggtag gatatacgta acaaaaattt taccacttta 64380
 gccgttttta attgtaaaat tcagtggcat taggtacatt cataatattg cacagccatc 64440
 accactacc cctgcctgtt acttttcatt tcccagcaaa agaagcttca acatttacaa 64500
 gaaataggct gtgggaagga gaaataagaa tcataagtga ccatcgaaat agtcaggccc 64560
 aaaataactg taggttgact tgtaacaaag atttggttaag agcaaaccctc agctgtcagc 64620
 cactgctcca ttatattttac aattattcct ttcttgtctt ttaggttcta cctcaagatg 64680
 tttagaggact accccaaatc tcggaaagcc cttattccat tcctctttta aaggaaacaa 64740
 attaaaaagg agcagagctc ccacaatgct gatgaaaact gtcaagctgc tgaaactgta 64800
 attttcatga tataatagtc ccgtatatat gtaatagtag gtctcctggc gttctgccag 64860
 ctggcctggg gattctgagt ggtgtctgct tagagtttac tcctaccctt ccagggaccc 64920
 ctatcctgat ccccaactga agcttcaaaa agccactttt ccaaagggcg acagttgctt 64980
 cttagctatt gctctgagaa agtacaaact tctcctatgt ctttcaccgg gcaatccaag 65040
 tacatgtggc ttcataccca ctccctgtca atgcaggaca actctgtaat caagaatttt 65100
 ttgacttgaa ggcagtactt atagacctta ttaaagggtat gcattttata catgtaacag 65160
 agtagcagaa atttaaactc tgaagccaca aagaccaga gcaaaccac tcccaaatga 65220
 aaaccccagt catggcttcc tttttcttgg ttaattagga aagatgagaa attattaggt 65280
 agaccttgaa tacaggagcc ctctcctcat agtgctgaaa agatactgat gcattgacct 65340
 catttcaaat ttgtgcagtg tcttagttga tgagtgcctc tgttttccag aagatttcac 65400
 aatccccgga aaactgggtat ggctattctt gaaggccagg ttttaataac cacaacaaa 65460
 aaggcatgaa cctgggtggc ttatgagaga gtagagaaca acatgacctt ggatggctac 65520
 taagaggata gagaacagtt ttacaataga cattgcaaac tctcatgttt ttggaaacta 65580
 gtggcaatat ccaaataatg agtagtgtaa aacaaagaga attaatgatg aggttacatg 65640
 ctgcttgctt ccaccagatg tccacaacaa tatgaagtac agcagaagcc ccaagcaact 65700
 ttcccttctt ggagcttctt cttgttagtt ctcaggacct gttcaagaag gtgtctccta 65760
 ggggcagcct gaatgcctcc ctcaaaggac ctgcaggcag agactgaaaa ttgcagacag 65820
 aggggcacgt ctgggcagaa aacctgtttt gtttggtcga gacatatagt tttttttttt 65880
 tttaaaaagt ttcaaaaact taaaaatcag gagattcctt cataaaaactc tagcattcta 65940
 gtttcattta aaaagttgga ggatctgaac atacagagcc cacatttcca caccagaact 66000
 ggaactacgt agctagtaag catttgagtt tgcaaactct tgtgaagggg tcacccagc 66060
 atgagtgtg agatatggac tctctaagga aggggccgaa cgcttgtaat tggaatacat 66120
 ggaaatattt gtcttctcag gcctatgttt gcggaatgca ttgtcaatat ttagcaaaact 66180

pto_PB0262.txt

gttttgacaa atgagcacca gtggtactaa gcacagaaac tcactatata agtcacatag 66240
gaaacttgaa aggtctgagg atgatgtaga ttactgaaaa atgcaaattg caatcatata 66300
aataagtgtt tttgttggtc attaaatacc tttaaatcat ggatgttaag cagttttgtt 66360
tgaattaaaa tatcctggga cttctggaga ttttcacaag gtattgggggt gtgcttcctt 66420
gtcccgctgt tccctcattc ccattcaccc tgtctgtagt gtcgtttcct ttcttctctt 66480
ctctcttcat gaaattagggt gctgtgtgct ggaaataaag aagtatgact tatacagcct 66540
ctcagccaca attcagaact acaaggaagt acaataaagg tgcaggaaaa cgtcatgagg 66600
ttagatgcca ctcttggtgc tgaggaatac acagggggaa tgaacacact tggatgaagta 66660
aatcttcagg ttagcttga gctctgtgac ataaaagact tccagttctc tccatgacat 66720
tgaaaactac ctgtcttaag tcctttatct tactaccatg taaaacatcc aggcgggtcc 66780
ttgagatgaa ataaatatac aataaatggc agtactcagt ctcaggacaa aaccgccatt 66840
tggcaatttc actttttgcc acaagagggc gctttctaaa atagtattta gtccaacctt 66900
gacttaatta ggtccaaccc cagtcctgtt gcctgatcgt ggacctttca agttagcatg 66960
atcgtggaac ttcttaatct gaatatagg tagagtagcg tgaactctat gaaagctgaa 67020
accttccctt gataattcag gtattctcag tgttctagg ctgttgtgtt caatgacagt 67080
ttgtcattgt ttagggctag gatatgtatg tggattaaat acagtaaagg tctgaacatg 67140
tgctcatctc taaacatatt tcttccact tttaaaaata gggtgcaaca aaattatagt 67200
taattgaggt ttccatggac tgttttttgg ctaaaataat ctaacagtgt cctagctcac 67260
aagatactct atcttgggtc tgctgaagct ttcacggaag aggcgttttc ctgccaacct 67320
tgaagaaaat gttgagtttt gtttgttttt cagaatttag acttaaagag ctgaagcaga 67380
cctcagacat cagctattcc taccacttca cattatagggt agtgacactg agaccacag 67440
agttaaaagg cctcctcaca gctggtacag agctggtcag agcagccatc tcattttgtc 67500
cctttgagggt tcagatgtat gcttctctcgt ctttaaggcac agcctttagg gctgccatct 67560
ggatttctac agagctcatg caggagaaaa atagccagag ctttaagtgt gttgcatagt 67620
tcagtttata cacctattgt cccatgcctg tttgtgtgtg aggccttcct cgtccgtgg 67680
gagcaccagg ctcatgccct ttcataaacc tatttgacag aatagagagt tttccctcat 67740
tgggtgtagtc aagacaacat gtgtgttcag catggaaaaa aggtttcagg tcataaacc 67800
ccttatccct aatgcttact ttcataaaga acaacagtgg ctccactgta ttctaaaagg 67860
aaaaaggagc tctaatagaga aatacgcaat taaacagcta tttaggcggc ttagaccctt 67920
tcaggaacaa ataaataaat ccgtgggtttt acaaccctga agtttgataa tagctctctt 67980
ggatttttgt ggttacctca tggcaatctc actaagaagc aggggagcaa gctcttgcca 68040
catgaaggaa taggctcatg aagattcatt tcttttcccg cttggccttt tggttctcta 68100

pto_PB0262.txt

ataagctgtg agctgaggtc catgcaggga aaacaaggag ggtaacggca aatgtaaagt 68160
gaatttttct ggagaaggat gctgattatt ttatagcatc tacactatcc tatgatgaaa 68220
gaggcataga gccgggtggc aatgtgagtt cttgggtgat ttaataagcc atcgagtgga 68280
tttaatttct aagtaagaca tttgtttatt ctttgtacaa gtccatggag ttgtgatctt 68340
aaagagttct gtgttatttg cattgtgcct catttctccc catcaacctt agcttgagat 68400
ttggatgaat aaaataaata actggagaag gttaaagtat gcaccaagct gtgttagttt 68460
cttttagtct gtcttttttg gttgaggggt tggttttgct caatgcagta acaatctaga 68520
ttctttattg gagggatagc gaatatccct tccgacatgg caagctggct gggaggagga 68580
ggacaacaga gaaagtggag gaaggagggg agtaatgagc gaggggtctaa gggagggttg 68640
gcaatggaag gcccttgaga gagagggggc tcccactgac agagtgggct tcctcccttt 68700
cctgtgtcca ggctgcacaa gcttgggtccc ttctttatcc tcccaggaaa agacctccct 68760
ctgacagaga gaataaacac ttgttagagc tccatttcat aaaagaagaa gctgactttt 68820
aaaaaacaca agccatttgg ctgtgcttca ccataaataa ttgtatttct gtctgctcac 68880
ctcgtaaaga tagttttagt tctgcgtagt agtgacattg tgagaaagag gtgaagtaat 68940
tgctcttaga gcgtgtggca gcatccaagt cggctgaggc caatgggaag atgggagcat 69000
ccagaagaat aagcaactgc cagggttccc cttttcaagg cttttgtttt cttttactcc 69060
agacgcactc cccaaaaaag gatccttctt tatagagaag cgtttttaca gtgttgacta 69120
gaaagcaata ccgtaaaatc aattaaattt tgtcaatgta ttagtgcttt catttggttac 69180
aagttgcctt tcagatacta tttcattaaa ataattcttt atgatggttt ataacaggat 69240
aagctctgaa cagataagta agtgagggga agtagaaata ggagtaaaaa gtaaaataaa 69300
gccagagata aagttaaaat gcaaaaatgc ccttgggaaga tcatgtacag tggctaaatc 69360
taaacataaa ttgggtcctg agtctccaaa gtacagaagg aaattaccag ttgctaaatc 69420
cacaacattc acaaaagaaa aacaacttga ccagggaac acaactatta ccggtactga 69480
gactcatgat aaatttctac actgtgtgat gtggggaact atgttcatga gagcatcttt 69540
acaataaatg caggggtcac tttgtgcagc ttcttataat gtctttccac aaggacaaca 69600
ttctaatacg cagctcaatt ctttagaagc aaaggggatg aggaggtttt ttttccactt 69660
agggtgtaga aagccaccag ataaccattc ctactctaaa aatgagaaaa aaccagatag 69720
tatataagat tataactttt tgagcctttt aatgaactga gataggagag caaccagaag 69780
aactgaattt cagaggaaac acacaaaccg tttcactttc agcggagtat gggaggaaga 69840
ggtaatggcc ataagagtgg gaaagaagaa aacaacagaa atttcaatga attatcaata 69900
gctgagtgga acctagcatg agattagaat ccctgggaga ctgagacact tggctgaaca 69960
agcatccaga tctgccccag gatgaggagt ttcttgggac acaggacttt ctgtgctcaa 70020

pto_PB0262.txt

actggaaaag tcctaggcag accaggatga cctgggtcacc ttagtctggg tgccagggtct 70080
tttaccaga cctccacctg gagcttatga ggtgggttgg ggacaggga ggggatctga 70140
gagggccctt ctttgggtg gcatagttagt aaaagcccac tgtattagtt cgttttcatg 70200
ctgctgataa agacatacct gaaactggga acaaaaagag gtttaattgg acttacagtt 70260
ccacatggct ggggaggcct cagaatcatg gctgtggaaa gagaaaaatg aggaaaaagc 70320
aaaagcggaa atccctgata aaccatcag atctcgtgag acttattcac tatcacgaga 70380
atagcatggg aaagaccagc ccccatgatt caattacctg cccctgggtc cctcctacaa 70440
catgtgggaa ttctgggaga tacaattcaa gttgagattt aggtggggac acagccaaac 70500
catatcatcc caccctggc cctccaaat ctcatgtcct cacatttcaa aaccaatcat 70560
accttcccaa cagtcccca aagtgttaat tcatttcagc attaacccaa agtccacagt 70620
ccaaatactc atttgagaca aagcaagtcc cttctaccta ggagcctgta aaatcaaaag 70680
aaagctagtt acttctaga tacaatgtgg gtacaggtat tcggtaaaata cagccattct 70740
gaatgggaga aattggccaa aacaaagggg ttacagggcc catgcaagtc cagaatccag 70800
caggtcagtc aaattttaaa gtcccaaat gatctccgtt gactccaggt ctgcgcatcca 70860
ggtaacgctg atgcaagagg tgggttccca tgggtcttggg cagctccacc cctgtggctt 70920
tgcagggtac agcctccttt ccggctgact tcacgagctg gtgttgagta tctgtggctt 70980
ttccaggcac gtggtgcaag ctgttggtg atctaaaatt ctgggatctg gagaacagtg 71040
gccctcttct cacagctcca ctaggcagtg cccagtagg gactctgtgt gggctcttga 71100
ccccacattt ccttccaca ctgccctatc agaggttctc cataagagcc ctgcccctgc 71160
agcaaacttg cctgggcata caggtgttcc catacatctt ctgaaatcta tgcagagggt 71220
cccaaactc agttcttggc ttctgtgcac ctgcaggctc aacatcacat ggaagggtgcc 71280
aaggcttga gtttttacc tctaaggcca cattctgagc tgtacattgg cccctttcag 71340
ccatgggttg agcagctgga acacaggaca ccaagtccct aggctgcaca cagtgtaggg 71400
accctgggcc cagcccttga agccactttt tccctcctggg cctccaggcc tgtgatggga 71460
ggagctgctg tgaaggctc tgacgtggcc tagagacatt tccccatgg tcttggggat 71520
taacattagg ctcttgcta tttatgaaa tttctacagc tggcttgaat atctccccag 71580
aaaatgggtt tttcttttct atcacattgt caggctgcaa attttctaaa cttttgtgct 71640
ctgcatcctt tgtaaaactg aatgccttta atagtacca agtcatctct tgaatgcctt 71700
gttgcttaga aatttcttcc accagatata ctaaatcata tttctcaagt tccacaaatc 71760
tctaggacgg gggcaaatg cctccagctc ctttgctaaa acataacaag agtcaccttt 71820
agtctagttc ccaataagtt tctcatctcc atctgagacc accccagcct ggaccttatt 71880
gtccacattg ctatcagcat tttgggcaaa gccattcaac aagtttttag gaggttccaa 71940

pto_PB0262.txt

```

actttccac attttcctgt cttcttctga gccctccaaa ctgttccaac ctctgcctgt 72000
taccagttc caattccaca tttttgggta tcttttcagc aatgctccac tctactgcta 72060
ctaatttact gtatgagttc attttcacac tgctgataaa gacatacctg aaagtgggaa 72120
caaaaagagg ttaattgga cttacagtta tatatggcta gggaggcctc agaatcatgg 72180
tggtgggtga aaggcattcc ttacatggtg gtggcaagag acaaatgaga atatcactat 72240
cacgagaata gcacgggaaa gactggcccc catgattcaa ttacctcccc cgggtccctc 72300
acacagcacg tgggaattct gaaagataca attcaagttg agattcgggt ggggtcacag 72360
ccaaactata tcaccacct tcttcagggt ctttctgtta tagaaagcaa aacctgcaag 72420
cctctgggag agggatacga aacctcctt ctctaagaca caggcaaagg tccactgact 72480
ctaggggagg ggataaagca aaaaagaacc agaaaagagg gcattcagga aactgcccc 72540
tcccctgcta tactgtcact gagaaagggg tagaaacaaa aactatttct tctaaggggg 72600
tggtgggga gaaggcagca aatccagcaa ctctgaccaa gagccttgtt ccaaggagca 72660
agcattagca ggctactgca tggacatcgg gaaatggccc cagtctcagg caatgttaca 72720
ctgatgctga tggaggggta gatgcagaag ctgtctgtcc tcaaggaggg gagaggaaac 72780
ccaatctgga cagaagcctg cagagctaca aagaagaggt ctgcatcact acgggtccct 72840
cctgactaag actccccac agtccagcat ttgggtgcag agtgtgggat atgggtgcagg 72900
aatgctgaga attccacacc atagtggccg agccccttag gactcaccta agactgaggc 72960
tggtagtagg ggccttagga actatcctaa gtccagcata cacctcacac ccaatagtga 73020
gcaagagcaa agaagaaaag aagggaatt tcaacaaatt atcaatagtt gagtggggcc 73080
tagcatgagt ttagaatccc tgggagcctc agatactcag ttgaccaagc acccagttct 73140
gcccagact gaggggtttc ctgggacaca ggactttcca tgcttaaaact gcaaaagtct 73200
cccgcaaacc gggatgagtt ggtctctact gctggggagc acacagagag aaccacgcat 73260
gtggcacagg catgctgaga gctgagagta gagaagaaac aaggaatagc ccctctggcc 73320
ctccaggcct cacagtaagc acaaggcagc agcagctcat cgtggaaaga atctgaggag 73380
tgtgatgcat tacaagttaa ttcagtaaaa caaaccocaa atctagcctg tccccccagc 73440
ccccaactta tgatctggta gaaaaggcaa gcttaattct ggggtataaat actatttacc 73500
tcagtctcta ctgttccttt atgtttggcg ttgaataaaa agtatgaaca cacatacaca 73560
tacataaaac aaggcaaaaa acaaaaagat aatccactgt gacgagataa agcagtcaac 73620
agaatgagac aaagaagtgg tccagatatt agaactatca gatagggaca ttaaaactaat 73680
tatcattaat atatagaagg atctagagga aaaggtggtg aacatgcatg agcagatgaa 73740
gaatgtcagc agaaagacaa aaactaaaca aattccaagg gaaatgctga caaatctccc 73800
cacaacatca agagataaag aattaatggg cttggcagcc tggatacagt aaaaaatcag 73860

```

pto_PB0262.txt

taaacttgaa gacagatcaa tagatttatc caaactgaat caaagagaga aaaaaatatg 73920
tgtaattaga gtcccataag ggtggggtgg ggcagaaggg ggaggggaga gagagagaga 73980
gataaattga gacagaagat ttcttaagca aatgcataaa gagaaagcag acagtttagtc 74040
ctcatctgga aaactgtgaa gtgggtgaaa tctaattgtga gcaaattgatt atcctctttc 74100
ttotggcatc atactttctg gtatgatgcc agaagaaaga ggttacctgt taaagaatat 74160
ccaaactatg ttagttgttg acagcacaag gtctgattgt atccagggga tatttgcatt 74220
tcaactgaagg aacatttgca taaagatgga aggtcttcaa ggtccacatt aatgaattta 74280
tggtgaaata tccaccctct gccagctaa tgggactaat ttgaggtcca taccttatct 74340
aagaccactc atacacatca ttogaagtgg tactcacatt aaaccttcta ggatgaaggc 74400
tggaacttta taccattgtg ttgagttgtg actcaaaggg gtccagccac agggcagaga 74460
ggggctggag ctgtgagcct gcttcctggg tcagtaattt tgtttctgtg ctctatgaga 74520
ctgatgcaca aacttgaggg ctgaggactg tgacagtccc caacaccaga cagtctagca 74580
gagcacctag agccaggaac ttccctcca acagttgccc tatggttgtg cttttcaaag 74640
tattgtttct ggaccctcc atcagaattg ccaaggtgct cctattctgt ctgatctact 74700
ttgacattta gtcattgtct caccacactt tatccacct tttcagagcc accactatct 74760
ctcagaattg tcataaaagt ttctcaactg atctcccccac ttccatactt gcttccccat 74820
agtgtattct caacacagca agcagtcaga gtgatacttt tataagtact tgtaaacctt 74880
ttcgcatcat cttcaaaaca gtatttgggc tcccatctca cccagagcaa aagagtaagt 74940
ctttgcagtg gctacaaaag ctctacagaa tctgggctcc attacctctc tgactttatc 75000
tcctgttgct ctccatgtgg cccactgtcc actaccatgc tgacttctg gaagatcctc 75060
aaaacccct cagccctagg atctttgcac atgctcactc ctctgcctag aacgctcttc 75120
tttcagacac tcacgtggct cacctctcac ttcttcagg tgctgtctca aataccgct 75180
tgtaagaaag gtctttcctg cccatcctgt tcaacatagt gccccactcc tacccttggg 75240
acactttctg ccttatccct ataattggtt tcaaagcact tacaccgtct aatacacaag 75300
acagttccta gtttatgtgt tcattctctg tctttcccca ctagactata agccccogaa 75360
ggcaaggact tgtgtgtttt gtctctgtgt gtgtcatcag tatttgcag ggtgcctggc 75420
ataaaatgag agcttagtaa atatttatac tatgggaaga gctagaagca aattttcctt 75480
tctctaaatg tgggggtact tggagagaaa aggactccta aacatggcta aaacatgtac 75540
aaactttact gctgcttccc atcatcctga gacctgggag gaataaaaga aaggatggca 75600
agctgaatgg gattttaaag gctagatctt gccattctag gtaattaata catgactcct 75660
gctcatgata aagaagggtg tgggtgtttg atcagtgat ggatctctaa gggggctggg 75720
cctggtatca tccagtcaag catagagcag agtgtccagg caggctcctg cagggtgtgg 75780

pto_PB0262.txt

```

ggaagattgg cagtggccac tggatgaggt gcatgtcctg atgcctcagg cagtcctgga 75840
cagacggtca tttggctcct tctttttggc atagggttggc cacttgtcaa gtgtggccag 75900
gccttcaggc tgggctgctc ggtcataagt aatacactaa cctggctggg cacggtggct 75960
catgcctgta atcccagcac tttgggaggc cgagaagggc ggatcacgag gtcaggagat 76020
caagaccatc ctggctaaca tggtgaaacc ccgtctctac taaagaaata caaaaaatta 76080
gccgggcatg gtagcggggc cctgtagtcc cagctactgg cgaggctaag gcaggagaat 76140
gggtgtgaacc cgggaggcgg ggcttgtagt gagccgagat cgcaccactg cactccagcc 76200
tgggtgacag aacaagactc tatctcaaaa aaaaaaaaaa aaaaaatagt aatacactaa 76260
ccctttaaac acacacacac acacacaaac acacacacac aaacaagcac agttccacat 76320
ttcaactctc attctggtgc c 76341

```

<210> 42
 <211> 201
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (101)..(101)
 <223> Alternative allele: G.

<300>
 <308> NCBI SNP CLUSTER ID: rs2687116
 <309> 2003-03-07

```

<400> 42
ccctttgtgg aaaacaccaa gaagctttta agatttgatt ttttggatcc attctttctc 60
tcaataagta tgtggactac tatttccttt tatattatctt tctctcttaa aaataactgc 120
tttattgaga tataaatcac catgtaattc atccacttaa aatatacagt tcagtgattt 180
gtagtacatt tgaagatatg t 201

```

<210> 43
 <211> 189
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (89)..(89)
 <223> Alternative allele: T.

<300>
 <308> NCBI SNP CLUSTER ID: rs1851426
 <309> 2003-03-07

```

<400> 43
ttgggtgtgt ggcgggtgtg tccgcgtttt aaaaagcgcc gcacgctttg aactccaatt 60

```


pto_PB0262.txt

ccacccccaa gaggctggga ccattcttact ggagtccttg atgctgtgtg acctgcagtg 120
 accactgccc catcattgct ggctgaggtg gttgggggcc atctggctat ctgggcagct 180
 gttctcttc 189

<210> 44
 <211> 281
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (181)..(181)
 <223> Alternative allele: A.

<300>
 <308> NCBI SNP CLUSTER ID: rs676033
 <309> 2003-03-07

<400> 44
 actattctcc tgcctaatac agccaggtcc aggtaacaga aaagtaaaga cagccgctgt 60
 accccagagc ctgctaaaag tattcaaacg agctaatacct aagcctgatt acctgtcat 120
 gccactctt tctgcagaa actacagtaa aggtctcttg ccaccttgac cctcactcc 180
 ggctgcctcc taacactggt gcttctccat gtggtcttgg gtggtgtgct gtgtcttctg 240
 tttgtaggga tctgtcgata taaacctttt ccttcacgat a 281

<210> 45
 <211> 160
 <212> DNA
 <213> Homo sapiens

<220>
 <221> SNP
 <222> (81)..(81)
 <223> Alternative allele: A.

<300>
 <308> NCBI SNP CLUSTER ID: rs1042578
 <309> 2003-03-07

<400> 45
 ggtactaagc acagaaactc actatataag tcacatagga aacttgaaag gtctgaggat 60
 gatgtagatt actgaaaaat gcaaattgca atcatataaa taagtgtttt tgttgttcat 120
 taaatacctt taaatcatgg atgtaagcag tttgttgata 160

This Page Blank (uspto)